```
pointer:0xb77e7008
SgSourceFile
   root node
SgNode* p_parent : 0x89b9138
bool p isModified: 0
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x89c7ba8
SgStringList p_originalCommandLineArgumentList: <too long>: [../../extractMPISkeleton, -l/home/dagit/mpiskel/extractMPISke
int p_verbose: 0
bool p_output_warnings: 0
bool p_C_only: 1
bool p_UPC_only: 0
bool p_UPCxx_only: 0
int p_upc_threads: 0
bool p_C99_only: 0
bool p Cxx only: 0
bool p_Fortran_only: 0
bool p_F77_only: 0
bool p_F90_only: 0
bool p_F95_only: 0
bool p_F2003_only: 0
bool p_CoArrayFortran_only: 0
bool p_Java_only: 0
bool p_PHP_only: 0
bool p_Python_only: 0
bool p Cuda only: 0
bool p_OpenCL_only: 0
bool p_requires_C_preprocessor: 0
bool p_binary_only: 0
SgFile::outputFormatOption_enum p_inputFormat : 2
SgFile::outputFormatOption_enum p_outputFormat : 2
SgFile::outputFormatOption_enum p_backendCompileFormat : 2
bool p_fortran_implicit_none: 0
bool p_openmp: 0
bool p_openmp_parse_only: 1
bool p_openmp_ast_only: 0
bool p_openmp_lowering: 0
bool p_cray_pointer_support: 0
bool p_output_parser_actions: 0
bool p_exit_after_parser: 0
bool p_skip_syntax_check: 0
bool p_relax_syntax_check: 0
bool p_skip_translation_from_edg_ast_to_rose_ast : 0
bool p_skip_transformation: 0
bool p skip unparse: 0
bool p_skipfinalCompileStep: 0
bool p_unparse_includes : 0
bool p_unparse_line_directives: 0
bool p_unparse_instruction_addresses : 1
bool p_unparse_raw_memory_contents: 1
bool p_unparse_binary_file_format: 1
SgFile::outputLanguageOption_enum p_outputLanguage : 2
std::string p_sourceFileNameWithPath:/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c
std::string p_sourceFileNameWithoutPath: io.c
std::string p unparse output filename:
bool p_useBackendOnly: 0
bool p_compileOnly: 0
std::string p_savedFrontendCommandLine: <too long>: <too long>: ../../extractMPISkeleton -I/home/dagit/mpiskel/extractMPISkeleton/te
bool p_no_implicit_templates: 0
bool p_no_implicit_inline_templates: 0
bool p_skip_commentsAndDirectives: 0
bool p_collectAllCommentsAndDirectives: 0
bool p_unparseHeaderFiles: 0
ROSEAttributesListContainerPtr p_preprocessorDirectivesAndCommentsList: 0x8cff720
```

AstAttributeMechanism* p attributeMechanism: 0

pointer:0xb77c6008 SgGlobal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 0:0 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

```
SgNode* p_parent: 0xb77e7008
bool p_isModified: 1

$CLASSNAME* p_freepointer: 0xffffffff
$g_File_Info* p_startOfConstruct: 0x89c7bd4
$g_File_Info* p_endOfConstruct: 0x89c7c2c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f87a30
$gLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 0
$gSymbolTable* p_symbol_table: 0x89d2790
$gTypeTable* p_type_table: 0x89e6018
$td::set<SgSymbol*> p_type_elaboration_list: []
$td::set<SgSymbol*> p_hidden_type_list: []
$td::set<SgSymbol*> p_hidden_declaration_list: []
$gDeclarationStatementPtrList p_declarations: <too long>: (0xb774e008, 0xb774e1f0, 0xb774e3d8, 0xb774e5c0, 0xb774e7a
```

AstAttributes:

APIDep: 0x8f88780

PragmaAttribute: PragmaAttribute undef

```
IsOutputInCodeGeneration:0
Declaration mangled name: main_0xb74303f8
  Click here to go to the parent node
SgNode* p_parent : 0xb77c6008
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e69ccc
Sg_File_Info* p_endOfConstruct : 0x8e69ca0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0x8d9c520
AstAttributeMechanism* p_attributeMechanism: 0x8f879f0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value : 2566
unsigned int p_decl_attributes: 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0xb74303f8
SgDeclarationStatement* p_firstNondefiningDeclaration: 0
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgName p_name: main
SgFunctionParameterList* p_parameterList : 0xb73e24d0
SgFunctionModifier p_functionModifier : <too long>: <too long>: SgFunctionModifier(isUnknown() = false isDefault() = true isInline()
SgSpecialFunctionModifier p_specialFunctionModifier : <too long>: <too long>: SgSpecialFunctionModifier(isUnknown() = false isDefault()
SgTypePtrList p_exceptionSpecification : []
bool p_named_in_end_statement: 0
std::string p_asm_name :
SgExprListExp* p_decoratorList : 0
SgFunctionType* p_type: 0x8e46958
SgFunctionDefinition* p_definition: 0xb738e008
bool p_oldStyleDefinition: 0
SgScopeStatement* p_scope : 0xb77c6008
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresNameQualificationOnReturnType: 0
std::string p_gnu_extension_section :
std::string p_gnu_extension_alias :
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
int p name qualification length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
int p_name_qualification_length_for_return_type : 0
bool p_type_elaboration_required_for_return_type: 0
bool p_global_qualification_required_for_return_type: 0
AstAttributes:
APIDep: 0x8ff35a8
PragmaAttribute: PragmaAttribute undef
```

pointer:0xb74303f8 SgFunctionDeclaration

IsTransformation:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 5:1

pointer:0xb73e24d0 SgFunctionParameterList /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 5:1 IsTransformation:0 IsOutputInCodeGeneration:0 Declaration mangled name: L1995R

Click here to go to the parent node

SgNode* p_parent: 0xb74303f8 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e69f8c Sg_File_Info* p_endOfConstruct : 0x8e69f60 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f87b98 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value : 2567 unsigned int p_decl_attributes: 0 std::string p_linkage: SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien bool p_nameOnly: 0 bool p_forward: 0 bool p_externBrace: 0 bool p_skipElaborateType: 0 SgDeclarationStatement* p_definingDeclaration: 0 SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb73e24d0 SgQualifiedNamePtrList p_qualifiedNameList : [] std::string p_binding_label: SgInitializedNamePtrList p_args: [0xb73bab08, 0xb73babac]

AstAttributes:

APIDep: 0x8f87b68

PragmaAttribute: PragmaAttribute undef

```
pointer:0xb73bab08
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 5:10
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fad3f0

```
SgNode* p parent: 0xb73e24d0
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a068
Sg File Info* p endOfConstruct: 0x8e6a094
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fad418
SgName p_name: argc
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb74303f8
SgStorageModifier* p_storageModifier: 0x8e5fae0
SgScopeStatement* p_scope : 0xb738e008
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f87b30
```

```
pointer:0xb73babac
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 5:20
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fad458

```
SgNode* p parent: 0xb73e24d0
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a0ec
Sg File Info* p endOfConstruct: 0x8e6a0c0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fad480
SgName p_name: argv
SgType* p_typeptr : 0x8bd80fc
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb74303f8
SgStorageModifier* p_storageModifier: 0x8e5faf8
SgScopeStatement* p_scope : 0xb738e008
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f87cd8
```

pointer:0xb738e008
SgFunctionDefinition
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 5:1
IsTransformation:0
IsOutputInCodeGeneration:1

Click here to go to the parent node

```
SgNode* p_parent: 0xb74303f8
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a010
Sg_File_Info* p_endOfConstruct : 0x8e6a03c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8faeed8
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2568
SgSymbolTable* p_symbol_table : 0x89d30a0
SgTypeTable* p_type_table: 0x89e6144
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgBasicBlock* p_body: 0xb736c008
std::map<SgNode*,int> p_scope_number_list : [0xb7347008->3, 0xb736c008->2, 0xb738e008->1]
```

AstAttributes: APIDep: 0x8ff3840

PragmaAttribute: PragmaAttribute undef

pointer:0xb736c008 SgBasicBlock /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 6:1 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

```
SgNode* p_parent: 0xb738e008
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a144
Sg_File_Info* p_endOfConstruct : 0x8e6a118
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f87938
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2569
SgSymbolTable* p_symbol_table : 0x89d3140
SgTypeTable* p_type_table: 0x89e6158
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgStatementPtrList p_statements: <too long>: <too long>: [0xb75a567c, 0xb75a57d8, 0x8eb61e8, 0x8eb6214, 0x8eb6240, 0xb7347008
std::string p_asm_function_body :
```

AstAttributes:

APIDep: 0x8ff3860

PragmaAttribute: PragmaAttribute undef

```
Click here to go to the parent node
SqNode* p parent: 0xb736c008
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6a1c8
Sg_File_Info* p_endOfConstruct : 0x8e6a1f4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8ff3630
SgLabelRefExp* p_numeric_label : 0
int p source sequence value: 2570
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a567c
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bac50]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p gnu extension alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SgVariableDeclaration::gnu_extension_declaration_attributes_enum p_gnu_extension_declaration_attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
APIDep: 0x8ff3ae0
PragmaAttribute: PragmaAttribute undef
```

SgSS2

scope_

Declaration mangled name: _variable_declaration__variable_type_i_variable_name_main_0xb74303f8__scope_

pointer:0xb75a567c SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 7:5

```
pointer:0xb73bac50
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 7:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

APIDep: 0x8ff3a90

ssa varname KeyTag: 0x8fad4c0

```
SgNode* p parent: 0xb75a567c
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a220
Sg File Info* p endOfConstruct: 0x8e6a24c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fad4e8
SgName p_name: rank
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb75589c0
SgStorageModifier* p_storageModifier: 0x8e5fb10
SgScopeStatement* p_scope : 0xb736c008
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c008
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6a2d0
Sg_File_Info* p_endOfConstruct : 0x8e6a2fc
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8ff3a70
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2571
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a57d8
SgQualifiedNamePtrList p qualifiedNameList: []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bacf4]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p_gnu_extension_alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
APIDep: 0x8ff39a8
PragmaAttribute: PragmaAttribute undef
```

Declaration mangled name: _variable_declaration__variable_type_MPI_Commi__typedef_declaration_variable_name_main_0xb74303f8_

pointer:0xb75a57d8 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 8:5

```
pointer:0xb73bacf4
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 8:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fad528

```
SgNode* p parent: 0xb75a57d8
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a328
Sg File Info* p endOfConstruct: 0x8e6a354
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fad550
SgName p_name : new_comm
SgType* p_typeptr : 0x8c79fd8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7558ae8
SgStorageModifier* p_storageModifier: 0x8e5fb28
SgScopeStatement* p_scope : 0xb736c008
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p_gnu_attribute_cleanup_function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SgDeclarationModifier::gnu_declaration_visability_enum p_gnu_attribute_visability : 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8ff39d8
```

pointer:0x8eb61e8 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a170 Sg_File_Info* p_endOfConstruct : 0x8e6a430

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8fefc40

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2572 SgExpression* p_expression : 0x8e82548

AstAttributes: APIDep: 0x8ff9d48

PragmaAttribute: PragmaAttribute undef

pointer:0x8e82548 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8eb61e8
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6a50c
Sg_File_Info* p_endOfConstruct: 0x8e6a538
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f87ac8
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73ae0
SgExprListExp* p_args: 0x8e8f070
SgType* p_expression_type: 0x89f9188

AstAttributes: APIDep: 0x8f87c30 pointer:0x8e73ae0 SgFunctionRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int(int *, char ***)

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent: 0x8e82548 bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a4b4 Sg_File_Info* p_endOfConstruct : 0x8e6a4e0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i : 0x8b456c0 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8e8f070 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e82548
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6a488
Sg_File_Info* p_endOfConstruct: 0x8e6a45c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8ea96b0, 0x8ea96e4]

pointer:0x8ea96b0 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:15 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f070
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
\$g_File_Info* p_startOfConstruct : 0x8e6a614
\$g_File_Info* p_endOfConstruct : 0x8e6a640
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8faeb38
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
\$g_File_Info* p_operatorPosition : 0
\$gExpression* p_operand_i : 0x8e9bbd8
\$gType* p_expression_type : 0
\$gUnaryOp::Sgop_mode p_mode : 0

AstAttributes:

APIDep: 0x8ffa1e8

pointer:0x8e9bbd8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:15 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fad590

SgNode* p_parent : 0x8ea96b0 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a5bc Sg_File_Info* p_endOfConstruct : 0x8e6a5e8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad5b8 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5590 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

pointer:0x8ea96e4 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:22 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char ***

Click here to go to the parent node

SgNode* p_parent : 0x8e8f070
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a6c4
Sg_File_Info* p_endOfConstruct : 0x8e6a6f0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f87bd8
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_operand_i : 0x8e9bc10
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0

AstAttributes:

APIDep: 0x8faeef8

pointer:0x8e9bc10 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 10:22 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char **

Click here to go to the parent node

SgNode* p_parent: 0x8ea96e4 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a66c Sg_File_Info* p_endOfConstruct : 0x8e6a698 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad620 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55a8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad5f8

pointer:0x8eb6214 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a19c Sg_File_Info* p_endOfConstruct : 0x8e6a590

 $Attached Preprocessing Info Type * p_attached Preprocessing Info Ptr: 0 \\$

AstAttributeMechanism* p_attributeMechanism: 0x8f87d40

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2573 SgExpression* p_expression : 0x8e8257c

AstAttributes:

APIDep: 0x8ff3828

PragmaAttribute: PragmaAttribute undef

pointer:0x8e8257c SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8eb6214
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a7cc
Sg_File_Info* p_endOfConstruct : 0x8e6a7f8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f87d20
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73b1c
SgExprListExp* p_args : 0x8e8f0a4
SgType* p_expression_type : 0x89f8688

AstAttributes: APIDep: 0x8ff36d8

SgNode* p_parent : 0x8e8257c bool p_isModified: 0 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a774 Sg_File_Info* p_endOfConstruct : 0x8e6a7a0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b452a0 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:5

pointer:0x8e73b1c SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

Expression type: int(MPI_Comm, int *)

Click here to go to the parent node

bool p_global_qualification_required: 0

pointer:0x8e8f0a4 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8257c
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6a748
Sg_File_Info* p_endOfConstruct: 0x8e6a71c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9bc48, 0x8ea9718]

pointer:0x8e9bc48 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f0a4 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a87c Sg_File_Info* p_endOfConstruct : 0x8e6a8a8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad688 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce45a0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f87d90

ssa_varname_KeyTag: 0x8fad660

pointer:0x8ea9718 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:36 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f0a4
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a92c
Sg_File_Info* p_endOfConstruct : 0x8e6a958
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f87dc0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_operand_i : 0x8e9bc80
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0

AstAttributes: APIDep: 0x8ff37d8 pointer:0x8e9bc80 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 11:36 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8ea9718 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a8d4 Sg_File_Info* p_endOfConstruct : 0x8e6a900 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fad6f0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55c0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad6c8

pointer:0x8eb6240 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a3d8 Sg_File_Info* p_endOfConstruct : 0x8e6a850

 $Attached Preprocessing Info Type * p_attached Preprocessing Info Ptr: 0 \\$

AstAttributeMechanism* p_attributeMechanism: 0x8ff3758

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2574 SgExpression* p_expression : 0x8e825b0

AstAttributes: APIDep: 0x8ff3740

PragmaAttribute: PragmaAttribute undef

pointer:0x8e825b0 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8eb6240
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6a984
Sg_File_Info* p_endOfConstruct: 0x8e6a8c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8ff3668
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73b58
SgExprListExp* p_args: 0x8e8f0d8
SgType* p_expression_type: 0x89f8788

AstAttributes: APIDep: 0x8ff3650

```
Click here to go to the parent node
SgNode* p_parent : 0x8e825b0
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6a9dc
Sg_File_Info* p_endOfConstruct : 0x8e6aa08
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8b45300
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:5

Expression type: int(MPI_Comm , int , int , MPI_Comm *)

pointer:0x8e73b58 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

bool p_global_qualification_required: 0

pointer:0x8e8f0d8 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e825b0

```
bool p_isModified: 0

$CLASSNAME* p_freepointer: 0xffffffff

Sg_File_Info* p_startOfConstruct: 0x8e6aa60

Sg_File_Info* p_endOfConstruct: 0x8e6a9b0

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0

bool p_need_paren: 0

bool p_lvalue: 0

bool p_global_qualified_name: 0

Sg_File_Info* p_operatorPosition: 0

SgExpressionPtrList p_expressions: [0x8e9bcb8, 0x8ec0e38, 0x8d3893c, 0x8ea974c]
```

pointer:0x8e9bcb8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:21 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8e8f0d8 bool p_isModified: 1 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6aae4 Sg_File_Info* p_endOfConstruct : 0x8e6ab10 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fad758 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce45a0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f61980

ssa_varname_KeyTag: 0x8fad730

pointer:0x8ec0e38 SgEqualityOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:42 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f0d8
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6abc0
Sg_File_Info* p_endOfConstruct : 0x8e6abec
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f61a18
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6ac9c
SgExpression* p_lhs_operand_i : 0x8e9bcf0
SgExpression* p_rhs_operand_i : 0x8d38908
SgType* p_expression_type : 0
SgExpression* p_originalExpressionTree : 0

AstAttributes: APIDep: 0x8f61a00 pointer:0x8e9bcf0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:37 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ec0e38 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ac18 Sg_File_Info* p_endOfConstruct : 0x8e6ac44 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fad7c0 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55c0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad798

pointer:0x8d38908 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:45 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

std::string p_valueString: 0

SgNode* p_parent : 0x8ec0e38
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6acc8
Sg_File_Info* p_endOfConstruct : 0x8e6acf4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0

pointer:0x8d3893c SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:48 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8f0d8
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6ab3c
Sg_File_Info* p_endOfConstruct: 0x8e6ac70
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8ff3878
bool p_need_paren: 1
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_originalExpressionTree: 0
int p_value: 0
std::string p_valueString: 0

AstAttributes:

APIDep: 0x8f61a70

pointer:0x8ea974c SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:51 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f0d8
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ad20
Sg_File_Info* p_endOfConstruct : 0x8e6ad4c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8ff3900
bool p_need_paren : 1
bool p_Ivalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_operand_i : 0x8e9bd28
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0

AstAttributes: APIDep: 0x8ff38e8 pointer:0x8e9bd28 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 12:51 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8ea974c bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ab68 Sg_File_Info* p_endOfConstruct : 0x8e6ab94 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad828 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55d8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad800

pointer:0xb7347008 SglfStmt /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 13:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c008

```
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b16c
Sg_File_Info* p_endOfConstruct : 0x8e6b42c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f61b08
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2575
SgSymbolTable* p symbol table: 0x89d31e0
SgTypeTable* p_type_table: 0x89e616c
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgStatement* p_conditional : 0x8eb626c
SgStatement* p_true_body : 0x8eb6298
SgStatement* p_false_body : 0x8eb62c4
SgLabelRefExp* p_else_numeric_label: 0
std::string p_string_label:
SgLabelRefExp* p_end_numeric_label: 0
bool p_has_end_statement: 0
bool p_use_then_keyword: 0
bool p_is_else_if_statement: 0
```

AstAttributes:

APIDep: 0x8f61aa8

pointer:0x8eb626c SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 13:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7347008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6aa34 Sg_File_Info* p_endOfConstruct : 0x8e6aab8

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f61be8

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2576 SgExpression* p_expression : 0x8ec0e70

AstAttributes:

APIDep: 0x8f61af0

pointer:0x8ec0e70 SgEqualityOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 13:14 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8eb626c
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6adfc
Sg_File_Info* p_endOfConstruct : 0x8e6ae28
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6aed8
SgExpression* p_lhs_operand_i : 0x8e9bd60
SgExpression* p_rhs_operand_i : 0x8d38970
SgType* p_expression_type : 0

pointer:0x8e9bd60 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 13:9 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ec0e70 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ae54 Sg_File_Info* p_endOfConstruct : 0x8e6ae80 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad890 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55c0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad868

pointer:0x8d38970 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 13:17 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ec0e70
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6af04
Sg_File_Info* p_endOfConstruct : 0x8e6af30
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0

pointer:0x8eb6298 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:2 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb7347008

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a564 Sg_File_Info* p_endOfConstruct : 0x8e6ada4

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f61a88

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2577 SgExpression* p_expression : 0x8e825e4

AstAttributes:

APIDep: 0x8f61cc0

pointer:0x8e825e4 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:2 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8eb6298
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6b114
Sg_File_Info* p_endOfConstruct: 0x8e6b140
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f61ca0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73b94
SgExprListExp* p_args: 0x8e8f10c
SgType* p_expression_type: 0x8e46998

AstAttributes: APIDep: 0x8ff3778

```
Click here to go to the parent node
SgNode* p_parent: 0x8e825e4
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6af88
Sg_File_Info* p_endOfConstruct : 0x8e6af5c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8e58a20
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:2

pointer:0x8e73b94 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

Expression type: int(MPI_Comm, MPI_Comm)

bool p_global_qualification_required: 0

pointer:0x8e8f10c SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:2 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e825e4
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6aeac
Sg_File_Info* p_endOfConstruct: 0x8e6ad78
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9bd98, 0x8e9bdd0]

pointer:0x8e9bd98 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:13 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8e8f10c bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b064 Sg_File_Info* p_endOfConstruct : 0x8e6b090 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad8f8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce45a0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad8d0

pointer:0x8e9bdd0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 14:29 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8e8f10c bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b0bc Sg_File_Info* p_endOfConstruct : 0x8e6b0e8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fad960 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55d8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad938

pointer:0x8eb62c4 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:2 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb7347008

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6a824 Sg_File_Info* p_endOfConstruct : 0x8e6b198

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f61d18

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2578 SgExpression* p_expression : 0x8e82618

AstAttributes:

APIDep: 0x8f61c38

pointer:0x8e82618 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:2 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8eb62c4
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b3d4
Sg_File_Info* p_endOfConstruct : 0x8e6b400
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f61bb8
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73bd0
SgExprListExp* p_args : 0x8e8f140
SgType* p_expression_type : 0x8e469d8

AstAttributes:

APIDep: 0x8f61c08

```
Click here to go to the parent node
SgNode* p_parent: 0x8e82618
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b248
Sg_File_Info* p_endOfConstruct : 0x8e6b21c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8e58a38
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:2

pointer:0x8e73bd0 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

Expression type: int(MPI_Comm, MPI_Comm)

bool p_global_qualification_required: 0

pointer:0x8e8f140 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:2 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e82618
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6b1f0
Sg_File_Info* p_endOfConstruct: 0x8e6b1c4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9be08, 0x8e9be40]

pointer:0x8e9be08 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f140 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b324 Sg_File_Info* p_endOfConstruct : 0x8e6b350 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fad9c8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce45a0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fad9a0

pointer:0x8e9be40 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 16:28 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f140 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b37c Sg_File_Info* p_endOfConstruct : 0x8e6b3a8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fada30 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55d8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fada08

pointer:0x8eb62f0 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 18:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6add0 Sg_File_Info* p_endOfConstruct : 0x8e6b4b0

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f61de8

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2579 SgExpression* p_expression : 0x8e8264c

AstAttributes:

APIDep: 0x8f61dd0

pointer:0x8e8264c SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 18:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8eb62f0
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b58c
Sg_File_Info* p_endOfConstruct : 0x8e6b5b8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f61d58
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73c0c
SgExprListExp* p_args : 0x8e8f174
SgType* p_expression_type : 0x89f91c8

AstAttributes:

APIDep: 0x8f61c68

pointer:0x8e73c0c SgFunctionRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 18:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int()

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent : 0x8e8264c bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b534 Sg_File_Info* p_endOfConstruct : 0x8e6b560 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b456d8 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8e8f174 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 18:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8264c
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6b508
Sg_File_Info* p_endOfConstruct: 0x8e6b4dc
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: []

pointer:0x8ecec48 SgReturnStmt /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 19:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c008

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b5e4 Sg_File_Info* p_endOfConstruct : 0x8e6b484

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8ffd188

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2580 SgExpression* p_expression : 0x8d389a4

AstAttributes:

pointer:0x8d389a4 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 19:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

std::string p_valueString: 0

SgNode* p_parent : 0x8ecec48
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b6c0
Sg_File_Info* p_endOfConstruct : 0x8e6b6ec
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0

```
IsOutputInCodeGeneration:0
Declaration mangled name: L1991R__L1992R
  Click here to go to the parent node
SgNode* p_parent : 0xb77c6008
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e69fe4
Sg_File_Info* p_endOfConstruct : 0x8e69fb8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0x8d9c3e0
AstAttributeMechanism* p_attributeMechanism: 0x8f61fe0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value : 2581
unsigned int p_decl_attributes: 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0xb74309b0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb74305e0
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgName p_name: master_io
SgFunctionParameterList* p_parameterList : 0xb73e2854
SgFunctionModifier p_functionModifier : <too long>: <too long>: SgFunctionModifier(isUnknown() = false isDefault() = true isInline()
SgSpecialFunctionModifier p_specialFunctionModifier: <too long>: <too long>: SgSpecialFunctionModifier(isUnknown() = false isDefault()
SgTypePtrList p_exceptionSpecification : []
bool p_named_in_end_statement: 0
std::string p_asm_name :
SgExprListExp* p_decoratorList : 0
SgFunctionType* p_type: 0x8e46998
SgFunctionDefinition* p_definition: 0xb738e09c
bool p_oldStyleDefinition: 0
SgScopeStatement* p_scope : 0xb77c6008
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresNameQualificationOnReturnType: 0
std::string p_gnu_extension_section :
std::string p_gnu_extension_alias :
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
int p name qualification length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
int p_name_qualification_length_for_return_type : 0
bool p_type_elaboration_required_for_return_type: 0
bool p_global_qualification_required_for_return_type: 0
AstAttributes:
APIDep: 0x8f88718
PragmaAttribute: PragmaAttribute undef
```

pointer:0xb74309b0 SgFunctionDeclaration

IsTransformation:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 23:1

pointer:0xb73e2854 SgFunctionParameterList /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 23:1 IsTransformation:0 IsOutputInCodeGeneration:0 Declaration mangled name: L1992R

Click here to go to the parent node

SgNode* p_parent: 0xb74309b0

```
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b458
Sg_File_Info* p_endOfConstruct : 0x8e6a404
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f620e0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2582
unsigned int p_decl_attributes: 0
std::string p_linkage:
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb73e2854
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgInitializedNamePtrList p_args: [0xb73bad98, 0xb73bae3c]
```

AstAttributes:

APIDep: 0x8f62100

```
pointer:0xb73bad98
SglnitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 23:15
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fada70

```
SgNode* p parent: 0xb73e2854
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b718
Sg File Info* p endOfConstruct: 0x8e6b744
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fada98
SgName p_name : master_comm
SgType* p_typeptr : 0x8c79fd8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb74309b0
SgStorageModifier* p_storageModifier: 0x8e5fb40
SgScopeStatement* p_scope : 0xb738e09c
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f62088
```

```
pointer:0xb73bae3c
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 23:37
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa_varname_KeyTag: 0x8fadad8

```
SgNode* p parent: 0xb73e2854
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b79c
Sg File Info* p endOfConstruct: 0x8e6b770
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadb00
SgName p_name : comm
SgType* p_typeptr : 0x8c79fd8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb74309b0
SgStorageModifier* p_storageModifier: 0x8e5fb58
SgScopeStatement* p_scope : 0xb738e09c
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
```

pointer:0xb738e09c SgFunctionDefinition /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 23:1 IsTransformation:0 IsOutputInCodeGeneration:1

Click here to go to the parent node

```
SgNode* p_parent: 0xb74309b0
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b694
Sg_File_Info* p_endOfConstruct : 0x8e6b668
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f61eb0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2583
SgSymbolTable* p_symbol_table : 0x89d3280
SgTypeTable* p_type_table : 0x89e6180
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgBasicBlock* p_body: 0xb736c090
std::map<SgNode*,int> p_scope_number_list : <too long>: <too long>: [0xb7323008->3, 0xb7323098->5, 0xb736c090->2, 0xb736c118->4
```

AstAttributes:

APIDep: 0x8f889b0

pointer:0xb736c090 SgBasicBlock /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 24:1 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

```
SgNode* p_parent : 0xb738e09c
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b7f4
Sg_File_Info* p_endOfConstruct : 0x8e6b7c8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f61ef0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2584
SgSymbolTable* p_symbol_table : 0x89d3320
SgTypeTable* p_type_table: 0x89e6194
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgStatementPtrList p_statements: <too long>: <too long>: [0xb75a5934, 0xb75a5a90, 0xb75a5bec, 0xb75a5d48, 0xb75a5ea4, 0x8eb63
std::string p_asm_function_body :
```

AstAttributes:

APIDep: 0x8f88998

```
Click here to go to the parent node
SqNode* p parent: 0xb736c090
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6b878
Sg_File_Info* p_endOfConstruct : 0x8e6b8a4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8ffd248
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2585
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a5934
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73baee0]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p_gnu_extension_alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
PragmaAttribute: PragmaAttribute undef
```

Declaration mangled name: _variable_declaration__variable_type_i_variable_name_L1991R__L1992R__scope_

SgSS2

scope

pointer:0xb75a5934 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5

```
pointer:0xb73baee0
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fadb40

```
SgNode* p parent: 0xb75a5934
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b8d0
Sg File Info* p endOfConstruct: 0x8e6b8fc
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadb68
SgName p name: i
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7558c10
SgStorageModifier* p_storageModifier: 0x8e5fb70
SgScopeStatement* p_scope : 0xb736c090
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c090
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6b980
Sg_File_Info* p_endOfConstruct : 0x8e6b9ac
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8ffd288
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2586
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a5a90
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p_variables : [0xb73baf84]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p gnu extension alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability : 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
PragmaAttribute: PragmaAttribute undef
```

SgSS2

scope

Declaration mangled name: _variable_declaration__variable_type_i_variable_name_L1991R__L1992R__scope_

pointer:0xb75a5a90 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5

```
pointer:0xb73baf84
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fadba8

```
SgNode* p parent: 0xb75a5a90
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b9d8
Sg File Info* p endOfConstruct: 0x8e6ba04
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadbd0
SgName p_name: j
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7558d38
SgStorageModifier* p_storageModifier: 0x8e5fb88
SgScopeStatement* p_scope : 0xb736c090
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c090
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6ba88
Sg_File_Info* p_endOfConstruct : 0x8e6bab4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8f62340
SgLabelRefExp* p_numeric_label : 0
int p source sequence value: 2587
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a5bec
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bb028]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p_gnu_extension_alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SgVariableDeclaration::gnu_extension_declaration_attributes_enum p_gnu_extension_declaration_attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
APIDep: 0x8f62328
PragmaAttribute: PragmaAttribute undef
```

scope

SgSS2

Declaration mangled name: _variable_declaration__variable_type_i_variable_name_L1991R__L1992R__scope_

pointer:0xb75a5bec SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5

```
pointer:0xb73bb028
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 25:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

APIDep: 0x8f622f0

ssa varname KeyTag: 0x8fadc10

```
SgNode* p parent: 0xb75a5bec
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6bae0
Sg File Info* p endOfConstruct: 0x8e6bb0c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadc38
SgName p_name: size
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7558e60
SgStorageModifier* p_storageModifier: 0x8e5fba0
SgScopeStatement* p_scope : 0xb736c090
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c090
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6bbbc
Sg_File_Info* p_endOfConstruct : 0x8e6bb90
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism: 0x8ffd2e8
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2588
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a5d48
SgQualifiedNamePtrList p qualifiedNameList: []
std::string p binding label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bb0cc]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p_gnu_extension_alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
PragmaAttribute: PragmaAttribute undef
```

Declaration mangled name: _variable_declaration__variable_type__Ab_c_index_256_Ae__variable_name_L1991R__L1992R__scope

pointer:0xb75a5d48 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 26:5

```
pointer:0xb73bb0cc
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 26:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fadc78

```
SgNode* p parent: 0xb75a5d48
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6bc40
Sg File Info* p endOfConstruct: 0x8e6bc6c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadca0
SgName p_name: buf
SgType* p_typeptr : 0x8cd40b8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7558f88
SgStorageModifier* p_storageModifier: 0x8e5fbb8
SgScopeStatement* p_scope : 0xb736c090
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c090
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6bcf0
Sg_File_Info* p_endOfConstruct : 0x8e6bd1c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8ffd328
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2589
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a5ea4
SgQualifiedNamePtrList p qualifiedNameList: []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bb170]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p gnu extension alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
PragmaAttribute: PragmaAttribute undef
```

Declaration mangled name: _variable_declaration__variable_type_L20R_variable_name_L1991R__L1992R__scope

SgSS2_

pointer:0xb75a5ea4 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 27:5

```
pointer:0xb73bb170
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 27:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fadce0

```
SgNode* p parent: 0xb75a5ea4
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6bd48
Sg File Info* p endOfConstruct: 0x8e6bd74
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fadd08
SgName p_name : status
SgType* p_typeptr : 0x8c79f60
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb75590b0
SgStorageModifier* p_storageModifier: 0x8e5fbd0
SgScopeStatement* p_scope : 0xb736c090
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
```

pointer:0x8eb631c SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c090

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6b84c Sg_File_Info* p_endOfConstruct : 0x8e6be50

 $Attached Preprocessing Info Type * p_attached Preprocessing Info Ptr: 0 \\$

AstAttributeMechanism* p_attributeMechanism: 0x8f61f48

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2590 SgExpression* p_expression : 0x8e82680

AstAttributes:

APIDep: 0x8f621a8

pointer:0x8e82680 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8eb631c
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6bf2c
Sg_File_Info* p_endOfConstruct : 0x8e6bf58
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f61e58
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73c48
SgExprListExp* p_args : 0x8e8f1a8
SgType* p_expression_type : 0x89f8648

AstAttributes:

APIDep: 0x8f61e08

SgNode* p_parent: 0x8e82680 bool p_isModified: 0 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6bed4 Sg_File_Info* p_endOfConstruct : 0x8e6bf00 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b45288 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:5

pointer:0x8e73c48 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

Expression type: int(MPI_Comm, int *)

Click here to go to the parent node

bool p_global_qualification_required: 0

pointer:0x8e8f1a8 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e82680
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6bea8
Sg_File_Info* p_endOfConstruct: 0x8e6be7c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9be78, 0x8ea9780]

pointer:0x8e9be78 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f1a8 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6bfdc Sg_File_Info* p_endOfConstruct : 0x8e6c008 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fadd70 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55f0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f62020

ssa_varname_KeyTag: 0x8fadd48

pointer:0x8ea9780 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:33 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1a8
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c08c
Sg_File_Info* p_endOfConstruct : 0x8e6c0b8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f62150
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_operand_i : 0x8e9beb0
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0

AstAttributes:

APIDep: 0x8f620b0

pointer:0x8e9beb0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 29:33 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ea9780 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c034 Sg_File_Info* p_endOfConstruct : 0x8e6c060 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8faddd8 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5650 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8faddb0

pointer:0xb7323008 SgForStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c090 bool p isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6be24 Sg_File_Info* p_endOfConstruct : 0x8e6bf84 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f87eb8 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value: 2591 SgSymbolTable* p_symbol_table : 0x89d33c0 SgTypeTable* p_type_table: 0x89e61a8 std::set<SgSymbol*> p_type_elaboration_list : [] std::set<SgSymbol*> p_hidden_type_list : [] std::set<SgSymbol*> p_hidden_declaration_list : [] SgForInitStatement* p_for_init_stmt : 0x8eda080 SgStatement* p_test : 0x8eb6374 SgExpression* p_increment : 0x8f02218 SgStatement* p_loop_body: 0xb736c118 SgStatement* p_else_body: 0 std::string p string label:

AstAttributes:

APIDep: 0x8f88960

pointer:0x8eda080 SgForInitStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323008

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6bfb0 Sg_File_Info* p_endOfConstruct : 0x8e6c0e4

 $Attached Preprocessing Info Type * p_attached Preprocessing Info Ptr: 0 \\$

AstAttributeMechanism* p_attributeMechanism: 0x8f87f78

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2592

SgStatementPtrList p_init_stmt : [0x8eb6348]

AstAttributes:

APIDep: 0x8f88c40

pointer:0x8eb6348 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:10 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0x8eda080

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c110 Sg_File_Info* p_endOfConstruct : 0x8e6c270

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f87f98

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2593 SgExpression* p_expression : 0x8ee6c20

AstAttributes:

APIDep: 0x8f88c58

pointer:0x8ee6c20 SgAssignOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:11 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8eb6348
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c244
Sg_File_Info* p_endOfConstruct : 0x8e6c218
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6c29c
SgExpression* p_lhs_operand_i : 0x8e9bee8
SgExpression* p_rhs_operand_i : 0x8d389d8
SgType* p_expression_type : 0

pointer:0x8e9bee8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:11 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8ee6c20 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c194 Sg_File_Info* p_endOfConstruct : 0x8e6c1c0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fade40 bool p_need_paren: 0 bool p Ivalue: 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6c1ec SgVariableSymbol* p_symbol: 0x8ce5638 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fade18

pointer:0x8d389d8 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ee6c20
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c2c8
Sg_File_Info* p_endOfConstruct : 0x8e6c2f4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 1
std::string p_valueString : 1

pointer:0x8eb6374 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323008

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c378 Sg_File_Info* p_endOfConstruct : 0x8e6c34c

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f87fd0

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2594 SgExpression* p_expression : 0x8ef4750

AstAttributes:

APIDep: 0x8f88c70

pointer:0x8ef4750 SgLessOrEqualOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:16 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8eb6374
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c428
Sg_File_Info* p_endOfConstruct : 0x8e6c454
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6c504
SgExpression* p_lhs_operand_i : 0x8e9bf20
SgExpression* p_rhs_operand_i : 0x8d38a0c
SgType* p_expression_type : 0

pointer:0x8e9bf20 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:15 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ef4750 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c480 Sg_File_Info* p_endOfConstruct : 0x8e6c4ac AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fadea8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5638 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fade80

pointer:0x8d38a0c SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:18 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ef4750
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c530
Sg_File_Info* p_endOfConstruct : 0x8e6c55c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 2
std::string p_valueString : 2

pointer:0x8f02218 SgPlusPlusOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:22 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0xb7323008
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6c4d8
Sg_File_Info* p_endOfConstruct: 0x8e6c588
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f882e8
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6c5b4
SgExpression* p_operand_i: 0x8e9bf58
SgType* p_expression_type: 0
SgUnaryOp::Sgop_mode p_mode: 1

AstAttributes:

APIDep: 0x8f88a28

pointer:0x8e9bf58 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:22 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8f02218 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c3fc Sg_File_Info* p_endOfConstruct : 0x8e6c3d0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fadf10 bool p_need_paren: 0 bool p Ivalue: 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6c3a4 SgVariableSymbol* p_symbol: 0x8ce5638 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fadee8

pointer:0xb736c118 SgBasicBlock /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 30:26 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323008 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c168 Sg_File_Info* p_endOfConstruct : 0x8e6c5e0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0 AstAttributeMechanism* p_attributeMechanism: 0x8f87e40 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value: 2595 SgSymbolTable* p_symbol_table : 0x89d3460 SgTypeTable* p_type_table: 0x89e61bc std::set<SgSymbol*> p_type_elaboration_list : [] std::set<SgSymbol*> p_hidden_type_list : [] std::set<SgSymbol*> p_hidden_declaration_list : [] SgStatementPtrList p_statements : [0xb7323098] std::string p_asm_function_body :

AstAttributes: APIDep: 0x8f88948

pointer:0xb7323098 SgForStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:2 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c118 bool p isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c664 Sg_File_Info* p_endOfConstruct : 0x8e6c690 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f88090 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value: 2596 SgSymbolTable* p symbol table: 0x89d3500 SgTypeTable* p_type_table: 0x89e61d0 std::set<SgSymbol*> p_type_elaboration_list : [] std::set<SgSymbol*> p_hidden_type_list : [] std::set<SgSymbol*> p_hidden_declaration_list : [] SgForInitStatement* p_for_init_stmt : 0x8eda0b4 SgStatement* p_test : 0x8eb63cc SgExpression* p_increment : 0x8f0224c SgStatement* p_loop_body: 0xb736c1a0 SgStatement* p_else_body: 0 std::string p string label:

AstAttributes:

APIDep: 0x8f88918

pointer:0x8eda0b4 SgForInitStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:2 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323098

bool p_isModified: 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c6bc Sg_File_Info* p_endOfConstruct : 0x8e6c6e8

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f87e20

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2597

SgStatementPtrList p_init_stmt : [0x8eb63a0]

AstAttributes:

APIDep: 0x8f88930

pointer:0x8eb63a0 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:7 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0x8eda0b4

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c714 Sg_File_Info* p_endOfConstruct : 0x8e6c874

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f880f0

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2598 SgExpression* p_expression : 0x8ee6c58

AstAttributes:

APIDep: 0x8f888e0

pointer:0x8ee6c58 SgAssignOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:8 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8eb63a0
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c848
Sg_File_Info* p_endOfConstruct : 0x8e6c81c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6c8a0
SgExpression* p_lhs_operand_i : 0x8e9bf90
SgExpression* p_rhs_operand_i : 0x8d38a40
SgType* p_expression_type : 0

pointer:0x8e9bf90 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:8 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ee6c58 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c798 Sg_File_Info* p_endOfConstruct : 0x8e6c7c4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fadf78 bool p_need_paren: 0 bool p Ivalue: 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6c7f0 SgVariableSymbol* p_symbol: 0x8ce5620 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fadf50

pointer:0x8d38a40 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:9 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

std::string p_valueString: 1

```
SgNode* p_parent : 0x8ee6c58
bool p_isModified : 0
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c8cc
Sg_File_Info* p_endOfConstruct : 0x8e6c8f8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 1
```

pointer:0x8eb63cc SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:2 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323098

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c97c Sg_File_Info* p_endOfConstruct : 0x8e6c950

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f88160

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2599 SgExpression* p_expression : 0x8f0ef00

AstAttributes:

APIDep: 0x8f88a40

pointer:0x8f0ef00 SgLessThanOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:13 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8eb63cc
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ca2c
Sg_File_Info* p_endOfConstruct : 0x8e6ca58
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6cb34
SgExpression* p_lhs_operand_i : 0x8e9bfc8
SgExpression* p_rhs_operand_i : 0x8e9c000
SgType* p_expression_type : 0

pointer:0x8e9bfc8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8f0ef00 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ca84 Sg_File_Info* p_endOfConstruct : 0x8e6cab0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fadfe0 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5620 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fadfb8

pointer:0x8e9c000 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:14 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8f0ef00 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6cadc Sg_File_Info* p_endOfConstruct : 0x8e6cb08 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae048 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5650 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae020

pointer:0x8f0224c SgPlusPlusOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:21 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0xb7323098
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6cb60
Sg_File_Info* p_endOfConstruct: 0x8e6cb8c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f881b8
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6cbb8
SgExpression* p_operand_i: 0x8e9c038
SgType* p_expression_type: 0
SgUnaryOp::Sgop_mode p_mode: 1

AstAttributes:

APIDep: 0x8f88a88

pointer:0x8e9c038 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:21 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8f0224c bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ca00 Sg_File_Info* p_endOfConstruct : 0x8e6c9d4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae0b0 bool p_need_paren: 0 bool p Ivalue: 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6c9a8 SgVariableSymbol* p_symbol: 0x8ce5620 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae088

pointer:0xb736c1a0 SgBasicBlock /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 31:25 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb7323098 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c76c Sg_File_Info* p_endOfConstruct : 0x8e6cbe4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f88038 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value: 2600 SgSymbolTable* p_symbol_table : 0x89d35a0 SgTypeTable* p_type_table: 0x89e61e4 std::set<SgSymbol*> p_type_elaboration_list : [] std::set<SgSymbol*> p_hidden_type_list : [] std::set<SgSymbol*> p_hidden_declaration_list : [] SgStatementPtrList p_statements : [0x8eb63f8, 0x8eb6424] std::string p_asm_function_body :

AstAttributes: APIDep: 0x8f888c8

pointer:0x8eb63f8 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:6 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c1a0

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6cc10 Sg_File_Info* p_endOfConstruct : 0x8e6ccc0

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f62410

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2601 SgExpression* p_expression : 0x8e826b4

AstAttributes:

APIDep: 0x8f888b0

pointer:0x8e826b4 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:6 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgType* p_expression_type : 0x89f7248

SgNode* p_parent: 0x8eb63f8
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6cd18
Sg_File_Info* p_endOfConstruct: 0x8e6ce20
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f62250
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73c84
SgExprListExp* p_args: 0x8e8f1dc

AstAttributes:

APIDep: 0x8f62398

```
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:6
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int(void *, int , MPI_Datatype , int , int , MPI_Comm , MPI_Status *)
  Click here to go to the parent node
SgNode* p_parent: 0x8e826b4
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6cd44
Sg_File_Info* p_endOfConstruct : 0x8e6cd70
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8b44b08
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
```

pointer:0x8e73c84 SgFunctionRefExp

bool p_type_elaboration_required : 0
bool p_global_qualification_required : 0

pointer:0x8e8f1dc SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:6 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e826b4
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xfffffff
Sg_File_Info* p_startOfConstruct: 0x8e6cd9c
Sg_File_Info* p_endOfConstruct: 0x8e6ccec
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8d27ee8, 0x8d38a74, 0x8e9c0a8, 0x8e9c0e0, 0x8d38aa8, 0x8e9c118, 0x8ea97b4]

pointer:0x8d27ee8 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: void *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ced0 Sg_File_Info* p_endOfConstruct : 0x8e6cefc AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f88218 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6cf28 SgExpression* p_operand_i : 0x8e9c070 SgType* p_expression_type : 0x8bd7e24 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f88128

pointer:0x8e9c070 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent : 0x8d27ee8 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d05c Sg_File_Info* p_endOfConstruct : 0x8e6d088 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae118 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6d0b4 SgVariableSymbol* p_symbol: 0x8ce5668 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae0f0

pointer:0x8d38a74 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:21 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ce4c
Sg_File_Info* p_endOfConstruct : 0x8e6cfac
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f88350
bool p_need_paren : 1
bool p_Ivalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 256
std::string p_valueString : 256

AstAttributes:

APIDep: 0x8f88430

pointer:0x8e9c0a8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:26 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Datatype

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ce78 Sg_File_Info* p_endOfConstruct : 0x8e6cea4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae180 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce3f88 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f883e8

ssa_varname_KeyTag: 0x8fae158

pointer:0x8e9c0e0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:36 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6cf80 Sg_File_Info* p_endOfConstruct : 0x8e6cf54 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae1e8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5620 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f884b8

ssa_varname_KeyTag: 0x8fae1c0

pointer:0x8d38aa8 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:39 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d030
Sg_File_Info* p_endOfConstruct : 0x8e6d0e0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f885a0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0

AstAttributes:

APIDep: 0x8f88550

pointer:0x8e9c118 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:42 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8e8f1dc bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d004 Sg_File_Info* p_endOfConstruct : 0x8e6cfd8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae250 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce55f0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f88848

ssa_varname_KeyTag: 0x8fae228

pointer:0x8ea97b4 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:55 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Status *

Click here to go to the parent node

SgNode* p_parent: 0x8e8f1dc
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d164
Sg_File_Info* p_endOfConstruct: 0x8e6d190
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f88890
bool p_need_paren: 1
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_operand_i: 0x8e9c150
SgType* p_expression_type: 0
SgUnaryOp::Sgop_mode p_mode: 0

AstAttributes:

APIDep: 0x8f88ab8

pointer:0x8e9c150 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 32:55 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Status

Click here to go to the parent node

SgNode* p_parent: 0x8ea97b4 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d10c Sg_File_Info* p_endOfConstruct : 0x8e6d138 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae2b8 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5680 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae290

pointer:0x8eb6424 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 33:6 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c1a0

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6cc3c Sg_File_Info* p_endOfConstruct : 0x8e6cdc8

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8ffd4e8

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2602 SgExpression* p_expression : 0x8e826e8

AstAttributes:

FILLET: FilletAttribute

pointer:0x8e826e8 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 33:6 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8eb6424
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d2f0
Sg_File_Info* p_endOfConstruct : 0x8e6d1e8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73cc0
SgExprListExp* p_args : 0x8e8f210
SgType* p_expression_type : 0x89f5008

```
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 33:6
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int(const char *__restrict__ , FILE *__restrict__ )
  Click here to go to the parent node
SgNode* p_parent: 0x8e826e8
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d214
Sg_File_Info* p_endOfConstruct : 0x8e6d240
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i : 0x8b441f0
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

bool p_global_qualification_required: 0

pointer:0x8e73cc0 SgFunctionRefExp pointer:0x8e8f210 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 33:6 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e826e8
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d1bc
Sg_File_Info* p_endOfConstruct: 0x8e6d26c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8d27f2c, 0x8e9c1c0]

pointer:0x8d27f2c SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: const char *

Click here to go to the parent node

bool p_global_qualification_required: 0

```
SgNode* p_parent: 0x8e8f210
bool p_isModified: 0
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d3a0
Sg_File_Info* p_endOfConstruct : 0x8e6d3cc
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 1
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6d3f8
SgExpression* p_operand_i: 0x8e9c188
SgType* p_expression_type : 0x8bd7df0
SgUnaryOp::Sgop_mode p_mode: 0
SgCastExp::cast_type_enum p_cast_type : 2
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

pointer:0x8e9c188 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent : 0x8d27f2c bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d52c Sg_File_Info* p_endOfConstruct : 0x8e6d558 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae320 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6d584 SgVariableSymbol* p_symbol: 0x8ce5668 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae2f8

```
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: struct _IO_FILE {int _flags;char *_IO_read_ptr;char *_IO_read_end;char *_IO_read_base;char *_IO_write_base;char *_IO_click here to go to the parent node

SgNode* p_parent: 0x8e8f210
```

SgNode* p_parent: 0x8e8f210
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xfffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d374
Sg_File_Info* p_endOfConstruct: 0x8e6d348
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fae388
bool p_need_paren: 1
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgVariableSymbol* p_symbol: 0x8ce3dc0
SgExpression* p_originalExpressionTree: 0
int p_name_qualification_length: 0
bool p_global_qualification_required: 0
bool p_global_qualification_required: 0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 33:18

AstAttributes:

pointer:0x8e9c1c0 SgVarRefExp

ssa varname KeyTag: 0x8fae360

pointer:0x8ecec74 SgReturnStmt /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 37:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent : 0xb736c090

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6c13c Sg_File_Info* p_endOfConstruct : 0x8e6c320

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8ffd528

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2603 SgExpression* p_expression : 0x8d38adc

AstAttributes:

pointer:0x8d38adc SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 37:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

std::string p_valueString: 0

SgNode* p_parent : 0x8ecc74
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6cc68
Sg_File_Info* p_endOfConstruct : 0x8e6cc94
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0

```
IsOutputInCodeGeneration:0
Declaration mangled name: L1993R__L1994R
  Click here to go to the parent node
SgNode* p_parent : 0xb77c6008
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b610
Sg_File_Info* p_endOfConstruct : 0x8e6b63c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0x8d9c2a0
AstAttributeMechanism* p_attributeMechanism: 0x8f88d20
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value : 2604
unsigned int p_decl_attributes: 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0xb7430b98
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb74307c8
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgName p_name: slave_io
SgFunctionParameterList* p_parameterList : 0xb73e2980
SgFunctionModifier p_functionModifier : <too long>: <too long>: SgFunctionModifier(isUnknown() = false isDefault() = true isInline()
SgSpecialFunctionModifier p_specialFunctionModifier: <too long>: <too long>: SgSpecialFunctionModifier(isUnknown() = false isDefault()
SgTypePtrList p_exceptionSpecification : []
bool p_named_in_end_statement: 0
std::string p_asm_name :
SgExprListExp* p_decoratorList : 0
SgFunctionType* p_type: 0x8e469d8
SgFunctionDefinition* p_definition: 0xb738e130
bool p_oldStyleDefinition: 0
SgScopeStatement* p_scope : 0xb77c6008
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresNameQualificationOnReturnType: 0
std::string p_gnu_extension_section :
std::string p_gnu_extension_alias :
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
int p name qualification length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
int p_name_qualification_length_for_return_type : 0
bool p_type_elaboration_required_for_return_type: 0
bool p_global_qualification_required_for_return_type: 0
AstAttributes:
APIDep: 0x8f89540
PragmaAttribute: PragmaAttribute undef
```

pointer:0xb7430b98 SgFunctionDeclaration

IsTransformation:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 41:1

pointer:0xb73e2980 SgFunctionParameterList /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 41:1 IsTransformation:0 IsOutputInCodeGeneration:0 Declaration mangled name: L1994R

Click here to go to the parent node

SgNode* p_parent : 0xb7430b98

```
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6b820
Sg_File_Info* p_endOfConstruct : 0x8e6bdf8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f88ed0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2605
unsigned int p_decl_attributes: 0
std::string p_linkage:
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb73e2980
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgInitializedNamePtrList p_args: [0xb73bb214, 0xb73bb2b8]
```

AstAttributes:

APIDep: 0x8f88ea0

```
pointer:0xb73bb214
SglnitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 41:14
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fae3c8

```
SgNode* p parent: 0xb73e2980
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6cdf4
Sg File Info* p endOfConstruct: 0x8e6d298
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fae3f0
SgName p_name : master_comm
SgType* p_typeptr : 0x8c79fd8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7430b98
SgStorageModifier* p_storageModifier: 0x8e5fbe8
SgScopeStatement* p_scope : 0xb738e130
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f89610
```

```
pointer:0xb73bb2b8
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 41:36
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fae430

```
SgNode* p parent: 0xb73e2980
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d31c
Sg File Info* p endOfConstruct: 0x8e6d2c4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fae458
SgName p_name : comm
SgType* p_typeptr : 0x8c79fd8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7430b98
SgStorageModifier* p_storageModifier: 0x8e5fc00
SgScopeStatement* p_scope : 0xb738e130
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f88e10
```

pointer:0xb738e130 SgFunctionDefinition /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 41:1 IsTransformation:0 IsOutputInCodeGeneration:1

Click here to go to the parent node

```
SgNode* p_parent: 0xb7430b98
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6c740
Sg_File_Info* p_endOfConstruct : 0x8e6c924
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f88cc8
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2606
SgSymbolTable* p_symbol_table : 0x89d3640
SgTypeTable* p_type_table: 0x89e61f8
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgBasicBlock* p_body: 0xb736c228
std::map<SgNode*,int> p_scope_number_list : [0xb736c228->2, 0xb738e130->1]
```

AstAttributes: APIDep: 0x8f89528

pointer:0xb736c228 SgBasicBlock /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 42:1 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

```
SgNode* p_parent : 0xb738e130
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d450
Sg_File_Info* p_endOfConstruct : 0x8e6d47c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f88bd8
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2607
SgSymbolTable* p_symbol_table : 0x89d36e0
SgTypeTable* p_type_table: 0x89e620c
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgStatementPtrList p_statements: <too long>: <too long>: [0xb75a6000, 0xb75a615c, 0x8eb6450, 0x8eb647c, 0x8eb64a8, 0x8eb64d4,
std::string p_asm_function_body :
```

AstAttributes:

APIDep: 0x8f898b8

```
Click here to go to the parent node
SqNode* p parent: 0xb736c228
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6d500
Sg_File_Info* p_endOfConstruct : 0x8e6d4d4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism: 0x8f89740
SgLabelRefExp* p_numeric_label: 0
int p source sequence value: 2608
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a6000
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bb35c]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p gnu extension alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability : 1
SqVariableDeclaration::gnu extension declaration attributes enum p gnu extension declaration attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
APIDep: 0x8f89340
PragmaAttribute: PragmaAttribute undef
```

Declaration mangled name: _variable_declaration__variable_type__Ab_c_index_256_Ae__variable_name_L1993R__L1994R__scope

pointer:0xb75a6000 SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 43:5

```
pointer:0xb73bb35c
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 43:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

APIDep: 0x8f89328

ssa varname KeyTag: 0x8fae498

```
SgNode* p parent: 0xb75a6000
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d5dc
Sg File Info* p endOfConstruct: 0x8e6d5b0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fae4c0
SgName p_name: buf
SgType* p_typeptr : 0x8cd40b8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb75591d8
SgStorageModifier* p_storageModifier: 0x8e5fc18
SgScopeStatement* p_scope : 0xb736c228
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SgDeclarationModifier::gnu_declaration_visability_enum p_gnu_attribute_visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
```

```
Click here to go to the parent node
SqNode* p parent: 0xb736c228
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg File Info* p startOfConstruct: 0x8e6d660
Sg_File_Info* p_endOfConstruct : 0x8e6d68c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p attributeMechanism: 0x8f89080
SgLabelRefExp* p_numeric_label : 0
int p source sequence value: 2609
unsigned int p_decl_attributes: 0
std::string p_linkage:
SqDeclarationModifier p_declarationModifier : <too long>: <too long>: SqDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb75a615c
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationStatement* p_baseTypeDefiningDeclaration: 0
SgInitializedNamePtrList p variables: [0xb73bb400]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
bool p_requiresGlobalNameQualificationOnType: 0
std::string p_gnu_extension_section:
std::string p_gnu_extension_alias:
unsigned short p_gnu_extension_initialization_priority: 0
unsigned long p gnu extension alignment: 0
SgDeclarationStatement::gnu_extension_visability_attribute_enum p_gnu_extension_visability: 1
SgVariableDeclaration::gnu_extension_declaration_attributes_enum p_gnu_extension_declaration_attribute: 1
int p_name_qualification_length: 0
bool p type elaboration required: 0
bool p_global_qualification_required: 0
AstAttributes:
APIDep: 0x8f89068
PragmaAttribute: PragmaAttribute undef
```

scope

SgSS2

pointer:0xb75a615c SgVariableDeclaration

IsTransformation:0

IsOutputInCodeGeneration:0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 44:5

Declaration mangled name: _variable_declaration__variable_type_i_variable_name_L1993R__L1994R__scope_

```
pointer:0xb73bb400
SgInitializedName
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 44:5
IsTransformation:0
IsOutputInCodeGeneration:0
```

Click here to go to the parent node

ssa varname KeyTag: 0x8fae500

```
SgNode* p parent: 0xb75a615c
bool p isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6d6b8
Sg File Info* p endOfConstruct: 0x8e6d6e4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8fae528
SgName p_name: rank
SgType* p_typeptr : 0x8bcb1f8
SgInitializer* p_initptr: 0
SgInitializedName* p_prev_decl_item: 0
bool p_is_initializer: 1
SgDeclarationStatement* p declptr: 0xb7559300
SgStorageModifier* p_storageModifier: 0x8e5fc30
SgScopeStatement* p_scope : 0xb736c228
SgInitializedName::preinitialization_enum p_preinitialization: 0
bool p_isCoArray: 0
SgInitializedName::asm register name enum p register name code: 0
SgInitializedName::excess_specifier_enum p_excess_specifier: 0
std::string p register name string:
bool p requiresGlobalNameQualificationOnType: 0
bool p shapeDeferred: 0
bool p initializationDeferred: 0
SgBitVector p_gnu_attribute_modifierVector : [F, F, F, F, F, F, F, F]
unsigned long int p_gnu_attribute_initialization_priority: 0
std::string p_gnu_attribute_named_weak_reference :
std::string p_gnu_attribute_named_alias :
std::string p gnu attribute cleanup function:
std::string p_gnu_attribute_section_name :
unsigned long int p gnu attribute alignment: 0
SqDeclarationModifier::gnu declaration visability enum p gnu attribute visability: 0
bool p protected declaration: 0
int p_name_qualification_length_for_type: 0
bool p type elaboration required for type: 0
bool p_global_qualification_required_for_type: 0
AstAttributes:
APIDep: 0x8f89030
```

pointer:0x8eb6450 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d424 Sg_File_Info* p_endOfConstruct : 0x8e6d7c0

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f88c88

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2610 SgExpression* p_expression : 0x8e8271c

AstAttributes:

APIDep: 0x8f89310

pointer:0x8e8271c SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgType* p_expression_type : 0x89f8688

SgNode* p_parent: 0x8eb6450
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d89c
Sg_File_Info* p_endOfConstruct: 0x8e6d8c8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f881f8
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73cfc
SgExprListExp* p_args: 0x8e8f244

AstAttributes:

APIDep: 0x8f896d0

Click here to go to the parent node SgNode* p_parent: 0x8e8271c bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d844 Sg_File_Info* p_endOfConstruct : 0x8e6d870 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b452a0 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:5

pointer:0x8e73cfc SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

Expression type: int(MPI_Comm, int *)

bool p_type_elaboration_required : 0
bool p_global_qualification_required : 0

pointer:0x8e8f244 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8271c
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d818
Sg_File_Info* p_endOfConstruct: 0x8e6d7ec
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9c1f8, 0x8ea97e8]

pointer:0x8e9c1f8 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f244 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d94c Sg_File_Info* p_endOfConstruct : 0x8e6d978 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae590 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce56b0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes: APIDep: 0x8f88f90

ssa_varname_KeyTag: 0x8fae568

pointer:0x8ea97e8 SgAddressOfOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:26 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int *

Click here to go to the parent node

SgNode* p_parent: 0x8e8f244
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6d9fc
Sg_File_Info* p_endOfConstruct: 0x8e6da28
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f88f10
bool p_need_paren: 1
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_operand_i: 0x8e9c230
SgType* p_expression_type: 0
SgUnaryOp::Sgop_mode p_mode: 0

AstAttributes:

APIDep: 0x8f88e38

pointer:0x8e9c230 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 46:26 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ea97e8 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d9a4 Sg_File_Info* p_endOfConstruct : 0x8e6d9d0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae5f8 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce56e0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae5d0

pointer:0x8eb647c SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d4a8 Sg_File_Info* p_endOfConstruct : 0x8e6d920

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f892d0

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2611 SgExpression* p_expression : 0x8e82750

AstAttributes:

APIDep: 0x8f89280 FILLET: FilletAttribute

PragmaAttribute: PragmaAttribute undef

pointer:0x8e82750 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8eb647c
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6db30
Sg_File_Info* p_endOfConstruct: 0x8e6db5c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f89260
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73d38
SgExprListExp* p_args: 0x8e8f278
SgType* p_expression_type: 0x89f47c8

AstAttributes:

APIDep: 0x8f89208

```
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:5
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int(char *__restrict__ , const char *__restrict__ , ... )
  Click here to go to the parent node
SgNode* p_parent : 0x8e82750
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6daac
Sg_File_Info* p_endOfConstruct : 0x8e6dad8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8b43ed8
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
```

pointer:0x8e73d38 SgFunctionRefExp pointer:0x8e8f278 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e82750
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6da54
Sg_File_Info* p_endOfConstruct : 0x8e6db04
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpressionPtrList p_expressions : [0x8e9c268, 0x8d27fb4, 0x8e9c2a0]

pointer:0x8e9c268 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8e8f278 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6dc38 Sg_File_Info* p_endOfConstruct : 0x8e6dc64 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae660 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6dc90 SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae638

pointer:0x8d27fb4 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: const char *

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent: 0x8e8f278 bool p_isModified: 0 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6de1c Sg_File_Info* p_endOfConstruct : 0x8e6de48 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6de74 SgExpression* p_operand_i: 0x8f1d0c4 SgType* p_expression_type : 0x8bd7df0 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8f1d0c4 SgStringVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:19 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char*

Click here to go to the parent node

bool p_usesDoubleQuotes: 0

SgNode* p_parent : 0x8d27fb4
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e000
Sg_File_Info* p_endOfConstruct : 0x8e6e02c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 1
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
std::string p_value : Hello from slave %d\n
bool p_wcharString : 0
bool p_usesSingleQuotes : 0

pointer:0x8e9c2a0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 47:44 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8f278 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6db88 Sg_File_Info* p_endOfConstruct : 0x8e6da80 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae6c8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce56e0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae6a0

pointer:0x8eb64a8 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff

Sg_File_Info* p_startOfConstruct : 0x8e6d768 Sg_File_Info* p_endOfConstruct : 0x8e6dbb4

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f89428

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2612 SgExpression* p_expression : 0x8e82784

AstAttributes:

APIDep: 0x8f895e0

PragmaAttribute: PragmaAttribute undef

pointer:0x8e82784 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgType* p_expression_type : 0x89f7208

SgNode* p_parent: 0x8eb64a8
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6dd98
Sg_File_Info* p_endOfConstruct: 0x8e6def8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f890d8
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73d74
SgExprListExp* p_args: 0x8e8f2ac

AstAttributes: APIDep: 0x8f5f448

```
Click here to go to the parent node
SgNode* p_parent: 0x8e82784
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ddf0
Sg_File_Info* p_endOfConstruct : 0x8e6ddc4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i : 0x8b44af0
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:5

Expression type: int(void *, int , MPI_Datatype , int , int , MPI_Comm)

pointer:0x8e73d74 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

bool p_global_qualification_required: 0

pointer:0x8e8f2ac SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e82784
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6dd14
Sg_File_Info* p_endOfConstruct: 0x8e6dce8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0

SgExpressionPtrList p_expressions: [0x8d27ff8, 0x8d2803c, 0x8e9c348, 0x8d38b44, 0x8d38b78, 0x8e9c380]

pointer:0x8d27ff8 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: void *

Click here to go to the parent node

SgNode* p_parent : 0x8e8f2ac bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6dfa8 Sg_File_Info* p_endOfConstruct : 0x8e6dfd4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f89478 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6e058 SgExpression* p_operand_i : 0x8e9c2d8 SgType* p_expression_type : 0x8bd7e24 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f89460

pointer:0x8e9c2d8 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8d27ff8 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e18c Sg_File_Info* p_endOfConstruct : 0x8e6e1b8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae730 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6e1e4 SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae708

pointer:0x8d2803c SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

SgNode* p_parent : 0x8e8f2ac

Click here to go to the parent node

```
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e0dc
Sg_File_Info* p_endOfConstruct : 0x8e6e0b0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f897e0
bool p_need_paren: 1
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6e084
SgExpression* p_operand_i: 0x8f29d48
SgType* p_expression_type : 0x8bcb1f8
SgUnaryOp::Sgop_mode p_mode: 0
SgCastExp::cast_type_enum p_cast_type : 2
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
```

AstAttributes:

APIDep: 0x8f89230

pointer:0x8f29d48
SgAddOp
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:32
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: size_t

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8d2803c
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e2c0
Sg_File_Info* p_endOfConstruct : 0x8e6e2ec
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6e44c
SgExpression* p_lhs_operand_i : 0x8e827b8
SgExpression* p_rhs_operand_i : 0x8d280c4
SgType* p_expression_type : 0

pointer:0x8e827b8 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: size_t

Click here to go to the parent node

SgType* p_expression_type : 0x89f5e08

SgNode* p_parent : 0x8f29d48
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e39c
Sg_File_Info* p_endOfConstruct : 0x8e6e4a4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73db0
SgExprListExp* p_args : 0x8e8f2e0

pointer:0x8e73db0 SgFunctionRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: size_t(const char *)

Click here to go to the parent node

SgNode* p_parent : 0x8e827b8 bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e3c8 Sg_File_Info* p_endOfConstruct : 0x8e6e3f4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b44730 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

pointer:0x8e8f2e0 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

Sg_File_Info* p_operatorPosition: 0

SgExpressionPtrList p_expressions : [0x8d28080]

SgNode* p_parent : 0x8e827b8
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e420
Sg_File_Info* p_endOfConstruct : 0x8e6e370
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0

pointer:0x8d28080 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: const char *

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent : 0x8e8f2e0 bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e554 Sg_File_Info* p_endOfConstruct : 0x8e6e580 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition : 0x8e6e5ac SgExpression* p_operand_i: 0x8e9c310 SgType* p_expression_type : 0x8bd7df0 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8e9c310 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8d28080 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e6e0 Sg_File_Info* p_endOfConstruct : 0x8e6e70c AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae798 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition : 0x8e6e738 SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae770

pointer:0x8d280c4 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: unsigned int

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent: 0x8f29d48 bool p_isModified: 0 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e604 Sg_File_Info* p_endOfConstruct : 0x8e6e5d8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6e65c SgExpression* p_operand_i : 0x8d38b10 SgType* p_expression_type : 0x8c07ae0 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8d38b10 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:34 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8d280c4
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e814
Sg_File_Info* p_endOfConstruct : 0x8e6e840
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 1
std::string p_valueString : 1

pointer:0x8e9c348 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:37 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Datatype

Click here to go to the parent node

SgNode* p_parent: 0x8e8f2ac bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6df24 Sg_File_Info* p_endOfConstruct : 0x8e6df50 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae800 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce3f88 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f89370

ssa_varname_KeyTag: 0x8fae7d8

pointer:0x8d38b44
SgIntVal
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:47
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e8f2ac
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6e134
Sg_File_Info* p_endOfConstruct: 0x8e6e108
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f89848
bool p_need_paren: 1
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_originalExpressionTree: 0
int p_value: 0
std::string p_valueString: 0

AstAttributes:

APIDep: 0x8f89830

pointer:0x8d38b78 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:50 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f2ac
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e268
Sg_File_Info* p_endOfConstruct : 0x8e6e23c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f894b8
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0

AstAttributes:

APIDep: 0x8f898d0

pointer:0x8e9c380 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 48:53 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent : 0x8e8f2ac bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6df7c Sg_File_Info* p_endOfConstruct : 0x8e6e160 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae868 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5698 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes: APIDep: 0x8f89570

ssa_varname_KeyTag: 0x8fae840

pointer:0x8eb64d4 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d794 Sg_File_Info* p_endOfConstruct : 0x8e6dea0

 $Attached Preprocessing Info Type * p_attached Preprocessing Info Ptr: 0 \\$

AstAttributeMechanism* p_attributeMechanism: 0x8f5f378

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2613 SgExpression* p_expression : 0x8e827ec

AStAttributes:

APIDep: 0x8f5f308 FILLET: FilletAttribute

PragmaAttribute: PragmaAttribute undef

pointer:0x8e827ec SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgType* p_expression_type : 0x89f47c8

SgNode* p_parent: 0x8eb64d4
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6e4d0
Sg_File_Info* p_endOfConstruct: 0x8e6e4fc
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f5f320
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73dec
SgExprListExp* p_args: 0x8e8f314

AstAttributes: APIDep: 0x8f5f5e0

```
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int(char *__restrict__ , const char *__restrict__ , ... )
  Click here to go to the parent node
SgNode* p_parent : 0x8e827ec
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e344
Sg_File_Info* p_endOfConstruct : 0x8e6e294
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i: 0x8b43ed8
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:5

pointer:0x8e73dec SgFunctionRefExp pointer:0x8e8f314 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e827ec

bool p_isModified: 0

\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6e210
Sg_File_Info* p_endOfConstruct: 0x8e6e630
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpressionPtrList p_expressions: [0x8e9c3b8, 0x8d2814c, 0x8e9c3f0]

pointer:0x8e9c3b8 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8e8f314 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e7e8 Sg_File_Info* p_endOfConstruct : 0x8e6e7bc AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae8d0 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition : 0x8e6e86c SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae8a8

pointer:0x8d2814c SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: const char *

Click here to go to the parent node

bool p_global_qualification_required: 0

```
SgNode* p_parent: 0x8e8f314
bool p_isModified: 0
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e9f8
Sg_File_Info* p_endOfConstruct : 0x8e6ea24
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6ea50
SgExpression* p_operand_i : 0x8f1d12c
SgType* p_expression_type : 0x8bd7df0
SgUnaryOp::Sgop_mode p_mode: 0
SgCastExp::cast_type_enum p_cast_type : 2
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

pointer:0x8f1d12c SgStringVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:19 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char*

Click here to go to the parent node

bool p_usesDoubleQuotes: 0

SgNode* p_parent: 0x8d2814c
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6ebdc
Sg_File_Info* p_endOfConstruct: 0x8e6ec08
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 1
bool p_lvalue: 1
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_originalExpressionTree: 0
std::string p_value: Goodbye from slave %d\n
bool p_wcharString: 0
bool p_usesSingleQuotes: 0

pointer:0x8e9c3f0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 50:46 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

AstAttributes:

ssa_varname_KeyTag: 0x8fae910

SgNode* p_parent: 0x8e8f314 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6e6b4 Sg_File_Info* p_endOfConstruct : 0x8e6e528 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8fae938 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce56e0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

pointer:0x8eb6500 SgExprStatement /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6d8f4 Sg_File_Info* p_endOfConstruct : 0x8e6e688

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8f5f608

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2614 SgExpression* p_expression : 0x8e82820

AstAttributes: APIDep: 0x8f5f7e0

PragmaAttribute: PragmaAttribute undef

pointer:0x8e82820 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8eb6500
bool p_isModified: 1
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6e974
Sg_File_Info* p_endOfConstruct: 0x8e6ead4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0x8f89498
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgExpression* p_function: 0x8e73e28
SgExprListExp* p_args: 0x8e8f348
SgType* p_expression_type: 0x89f7208

AstAttributes: APIDep: 0x8f5f528

```
Click here to go to the parent node
SgNode* p_parent: 0x8e82820
bool p_isModified: 0
$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6e9cc
Sg_File_Info* p_endOfConstruct : 0x8e6e9a0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p attributeMechanism: 0
bool p_need_paren: 0
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0
SgFunctionSymbol* p_symbol_i : 0x8b44af0
SgFunctionType* p_function_type: 0
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
```

/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:5

Expression type: int(void *, int , MPI_Datatype , int , int , MPI_Comm)

pointer:0x8e73e28 SgFunctionRefExp

IsTransformation:0

IsOutputInCodeGeneration:0

bool p_global_qualification_required: 0

pointer:0x8e8f348 SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:5 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent: 0x8e82820
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6e8f0
Sg_File_Info* p_endOfConstruct: 0x8e6e8c4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0

SgExpressionPtrList p_expressions : [0x8d28190, 0x8d281d4, 0x8e9c498, 0x8d38be0, 0x8d38c14, 0x8e9c4d0]

pointer:0x8d28190 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: void *

Click here to go to the parent node

SgNode* p_parent: 0x8e8f348 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6eb84 Sg_File_Info* p_endOfConstruct : 0x8e6ebb0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8f5f588 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6ec34 SgExpression* p_operand_i: 0x8e9c428 SgType* p_expression_type : 0x8bd7e24 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes: APIDep: 0x8f5f660 pointer:0x8e9c428 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8d28190 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6ed68 Sg_File_Info* p_endOfConstruct : 0x8e6ed94 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8fae9a0 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6edc0 SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae978

pointer:0x8d281d4 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

SgNode* p_parent: 0x8e8f348

Click here to go to the parent node

```
bool p_isModified: 1
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ecb8
Sg_File_Info* p_endOfConstruct : 0x8e6ec8c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p attributeMechanism: 0x8f5f4b0
bool p_need_paren: 1
bool p Ivalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0x8e6ec60
SgExpression* p_operand_i : 0x8f29d80
SgType* p_expression_type : 0x8bcb1f8
SgUnaryOp::Sgop_mode p_mode: 0
SgCastExp::cast_type_enum p_cast_type : 2
SgExpression* p_originalExpressionTree : 0
int p_name_qualification_length: 0
bool p_type_elaboration_required: 0
bool p_global_qualification_required: 0
```

AstAttributes: APIDep: 0x8f5f340

pointer:0x8f29d80 SgAddOp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:32 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: size_t

Click here to go to the parent node

SgExpression* p_originalExpressionTree : 0

SgNode* p_parent : 0x8d281d4
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ee9c
Sg_File_Info* p_endOfConstruct : 0x8e6eec8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x8e6f028
SgExpression* p_lhs_operand_i : 0x8e82854
SgExpression* p_rhs_operand_i : 0x8d2825c
SgType* p_expression_type : 0

pointer:0x8e82854 SgFunctionCallExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: size_t

Click here to go to the parent node

SgNode* p_parent : 0x8f29d80
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ef78
Sg_File_Info* p_endOfConstruct : 0x8e6f080
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_function : 0x8e73e64
SgExprListExp* p_args : 0x8e8f37c
SgType* p_expression_type : 0x89f5e08

pointer:0x8e73e64
SgFunctionRefExp
/home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:20
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: size_t(const char *)

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent: 0x8e82854 bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6efa4 Sg_File_Info* p_endOfConstruct : 0x8e6efd0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgFunctionSymbol* p_symbol_i: 0x8b44730 SgFunctionType* p_function_type: 0 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8e8f37c SgExprListExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:20 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgExpressionPtrList p_expressions : [0x8d28218]

SgNode* p_parent: 0x8e82854
bool p_isModified: 0
\$CLASSNAME* p_freepointer: 0xffffffff
Sg_File_Info* p_startOfConstruct: 0x8e6effc
Sg_File_Info* p_endOfConstruct: 0x8e6ef4c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
bool p_global_qualified_name: 0
Sg_File_Info* p_operatorPosition: 0

pointer:0x8d28218 SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: const char *

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent : 0x8e8f37c bool p_isModified: 0 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6f130 Sg_File_Info* p_endOfConstruct : 0x8e6f15c AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6f188 SgExpression* p_operand_i : 0x8e9c460 SgType* p_expression_type : 0x8bd7df0 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8e9c460 SgVarRefExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: char [256UL]

Click here to go to the parent node

SgNode* p_parent: 0x8d28218 bool p_isModified: 1 \$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6f2bc Sg_File_Info* p_endOfConstruct : 0x8e6f2e8 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0x8faea08 bool p_need_paren: 1 bool p_lvalue : 1 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6f314 SgVariableSymbol* p_symbol: 0x8ce56c8 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

ssa_varname_KeyTag: 0x8fae9e0

pointer:0x8d2825c SgCastExp compilerGenerated 0:0 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: unsigned int

Click here to go to the parent node

bool p_global_qualification_required: 0

SgNode* p_parent: 0x8f29d80 bool p_isModified: 0 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6f1e0 Sg_File_Info* p_endOfConstruct : 0x8e6f1b4 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p_need_paren: 0 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0x8e6f238 SgExpression* p_operand_i : 0x8d38bac SgType* p_expression_type : 0x8c07ae0 SgUnaryOp::Sgop_mode p_mode: 0 SgCastExp::cast_type_enum p_cast_type : 2 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0

pointer:0x8d38bac SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:34 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

```
SgNode* p_parent : 0x8d2825c
bool p_isModified : 0
$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6f3f0
Sg_File_Info* p_endOfConstruct : 0x8e6f41c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 1
std::string p_valueString : 1
```

pointer:0x8e9c498 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:37 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Datatype

Click here to go to the parent node

SgNode* p_parent: 0x8e8f348 bool p_isModified: 1 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6eb00 Sg_File_Info* p_endOfConstruct : 0x8e6eb2c AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8faea70 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce3f88 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes:

APIDep: 0x8f5f3d0

ssa_varname_KeyTag: 0x8faea48

pointer:0x8d38be0 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:47 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f348
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ed10
Sg_File_Info* p_endOfConstruct : 0x8e6ece4
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f5f4e8
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0

AstAttributes: APIDep: 0x8f5f8b0 pointer:0x8d38c14 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:50 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8e8f348
bool p_isModified : 1
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ee44
Sg_File_Info* p_endOfConstruct : 0x8e6ee18
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0x8f5f700
bool p_need_paren : 1
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0

AstAttributes: APIDep: 0x8f5f6e8 pointer:0x8e9c4d0 SgVarRefExp /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 51:53 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: MPI_Comm

Click here to go to the parent node

SgNode* p_parent: 0x8e8f348 bool p_isModified: 1 \$CLASSNAME* p_freepointer: 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6eb58 Sg_File_Info* p_endOfConstruct : 0x8e6ed3c AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p attributeMechanism: 0x8faead8 bool p_need_paren: 1 bool p Ivalue: 0 bool p_global_qualified_name: 0 Sg_File_Info* p_operatorPosition: 0 SgVariableSymbol* p_symbol: 0x8ce5698 SgExpression* p_originalExpressionTree : 0 int p_name_qualification_length: 0 bool p_type_elaboration_required: 0 bool p_global_qualification_required: 0

AstAttributes: APIDep: 0x8f5f770

ssa_varname_KeyTag: 0x8faeab0

pointer:0x8ececa0 SgReturnStmt /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 53:5 IsTransformation:0 IsOutputInCodeGeneration:0

Click here to go to the parent node

SgNode* p_parent: 0xb736c228

bool p_isModified : 1

\$CLASSNAME* p_freepointer : 0xffffffff Sg_File_Info* p_startOfConstruct : 0x8e6eaa8 Sg_File_Info* p_endOfConstruct : 0x8e6e790

AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0

AstAttributeMechanism* p_attributeMechanism: 0x8ffd6c8

SgLabelRefExp* p_numeric_label : 0 int p_source_sequence_value : 2615 SgExpression* p_expression : 0x8d38c48

AstAttributes:

PragmaAttribute: PragmaAttribute undef

pointer:0x8d38c48 SgIntVal /home/dagit/mpiskel/extractMPISkeleton/tests/master-slave/io.c 53:12 IsTransformation:0 IsOutputInCodeGeneration:0 Expression type: int

Click here to go to the parent node

SgNode* p_parent : 0x8ececa0
bool p_isModified : 0
\$CLASSNAME* p_freepointer : 0xffffffff
Sg_File_Info* p_startOfConstruct : 0x8e6ee70
Sg_File_Info* p_endOfConstruct : 0x8e6f20c
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString : 0