$\begin{array}{c} {\rm V_{IM\text{-}PLUGIN}} \\ \textbf{bash-support.vim} \\ {\rm V_{ERSION}} \ \ 2.0 \end{array}$

HOT KEYS

Key mappings for Vim without GUI.

All mappings are only defined for buffers with file type sh (exceptions: \lbs , \ubs). All mappings also work for gVim.

> Plugin: http://vim.sourceforge.net Fritz Mehner (mehner@fh-swf.de) January 2007

		Menu(s)
\lbs	load menus (normal & GUI only)	
\ubs	unload menus (norm	nal & GUI only)
Comments		
\cl	line end comment	(normal, visual)
\cs	set end comment colu	mn (normal)
\cf	frame comment	(normal)
\cu	function description	(normal)
\ch	file header	(normal)
\ckb	keyword BUG	(normal)
\ckt	keyword TODO	(normal)
\ckr	keyword TRICKY	(normal)
\ckw	keyword WARNING	(normal)
\ckn	keyword: new keyword	normal)
\cc	$code \rightarrow comment$	(normal, visual)
\co	$comment \rightarrow code$	(normal, visual)
\cd	date	(normal)
\ct	date & time	(normal)
\ce	echo " <line>"</line>	(normal)
\cr	remove echo	(normal)
\cv	vim modeline	(normal)
		Statements
\ac	case in esac	(normal)

		Statements
∖ac	case in esac	(normal)
\al	elif then	(normal)
∖af	for in do done	(normal, visual)
∖ai	if then fi	(normal, visual)
∖ae	if then else fi	(normal, visual)
∖as	select in do done	(normal, visual)
∖at	until do done	(normal, visual)
∖aw	while do done	(normal, visual)
∖au	function	(normal, visual)
∖ao	echo -e "\n"	(normal, visual)

	$oldsymbol{R}$ un	
\rr	update file, run script (normal)	
\rc	update file, check syntax (normal)	
\ra	set command line arguments (normal)	
\rd	start debugger (normal)	
\re	make script executable (normal)	
\rh	hardcopy buffer (normal, visual)	
\rs	settings and hotkeys (normal)	
\rt	set xterm size (normal, GUI only)	
\ro	change output destination (normal)	
	$oldsymbol{H}$ elp	
\h	show plugin help (normal)	