Universal Times

Dual-System Temporal Infrastructure, Entropy Economics,
and the Post-Calendar Coordination Problem

A Formal Specification for Hydrogen-Anchored Universal Timekeeping with Entropy-Based Value Minting on Directed Acyclic Graphs

Randall Gossett — Creator / Architect, Extropy Engine

With AI co-authors: Comet (Perplexity) and ChatGPT 5.4

March 2026

Version 4.0

Table of Contents

Abstract
1. Introduction and Historical Context
2. Philosophical and Physical Foundations
3. The Physical Anchor: Hydrogen-1 Hyperfine Transition
4. The Dual-System Insight: Coordinates vs. Distances
5. System 1: The Solar Clock (Loop / Arc / Tick)
6. System 2: Universal Duration (Pulse / Wave / Tide / Spin / Current / Season / Epoch)
7. System 3: Universal Position (The Quant Accumulator)
8. The 5-Layer Temporal Architecture
9. Calendar Architecture
10. The DAG as Temporal Substrate
11. XP Formula and Entropy Economics
12. The Temporal Token: How the Blockchain Becomes a Clock
13. The 7-Prime Token Economy
14. The Clock Face: Visual Architecture
15. Adversarial Modeling and Game-Theoretic Analysis
16. Implementation Strategy and Adoption Pathways
17. Open Questions and Limitations
18. Conclusion
Appendix A: Canonical Earth Planet Profile
Appendix B: Canonical Mars Planet Profile

Abstract

This paper presents Universal Times, a comprehensive temporal infrastructure that replaces legacy timekeeping at the protocol level with a dual-system architecture grounded in the hydrogen-1 hyperfine transition — the most fundamental atomic process in the observable universe. The system resolves a category error embedded in every prior timekeeping system: the conflation of temporal position ("what time is it?") with temporal duration ("how long will this take?"). These are as different as coordinates and distances, and Universal Times gives each its own system.

System 1, the Solar Clock, provides planet-specific local time using a base-10 decimal architecture: 10 loops per day, 100 arcs per loop, 100 ticks per arc, yielding 100,000 ticks per local solar day. The clock face looks identical on every planet; only the speed of the hands varies with day length. Loop, Arc, and Tick are clock coordinates — they tell you WHERE you are in your local day, not how long something takes.

System 2, Universal Duration, provides planet-independent elapsed time using a ladder of units built from clean powers of 10 of hydrogen hyperfine periods: Pulse (10^{11} periods, ~70 seconds), Wave (10^{12}, ~11.7 minutes), Tide (10^{13}, ~1.96 hours), Spin (10^{14}, ~20 hours), Current (10^{15}, ~8 days), Season (10^{16}, ~81 days), and Epoch (10^{17}, ~2.2 years). When someone on Earth says "3 waves" and someone on Mars says "3 waves," they mean the same elapsed time. The duration units are distances; the clock coordinates are positions.

Beneath both systems lies the Quant — one period of the hydrogen-1 ground-state hyperfine transition at 1,420,405,751.768 Hz. Each quant is a genuine thermodynamic event: a spin-flip that irreversibly increases the entropy of the universe by a measurable amount. Time measurement is entropy production counting. Value measurement (XP tokens) is entropy reduction counting. The Extropy Engine measures both against the same thermodynamic foundation.

The temporal substrate operates on a directed acyclic graph (DAG) rather than linear sequences, enabling cryptographic non-repudiation, Lamport-based causal ordering without synchronized clocks, and retroactive entropic causality. The Temporal Token (TT), the seventh of seven prime-indexed tokens, binds every economic transaction to a specific quant range — making the DAG itself function as both a distributed clock and a universal calendar. A 7-prime token economy (XP, CT, CAT, IT, DT, EP, TT) separates reputation from economic value, specialization from influence, and individual achievement from ecosystem participation.

The system runs in parallel with Gregorian and SI standards. It does not abolish them. It quietly outcompetes them by being more mathematically coherent, machine-native, and thermodynamically grounded. Adoption is voluntary, incremental, and utility-driven, in deliberate contrast to the coercive history of calendar reform.

Section 1: Introduction and Historical Context

1.1 Legacy Timekeeping and Its Limits

Current civil timekeeping is dominated by two intertwined constructs: the Gregorian calendar, which encodes days, months, and years in a heterogeneous base structure with irregular month lengths and leap-year rules; and SI-based clock time, which defines the second via the cesium-133 hyperfine transition but still layers hours, minutes, and time zones in Earth-specific, culturally contingent ways.

This arrangement is functional but not coherent. It mixes astronomical cycles (Earth's rotation and orbit), historical compromises (religious weeks, political calendar reforms), and machine-unfriendly arithmetic (base-60, base-24, irregular months). These choices create persistent friction for distributed systems, formal reasoning, and any attempt to unify time with thermodynamics or information theory.

More fundamentally, every existing timekeeping system commits a category error that has gone unexamined for millennia: it uses the same units for two fundamentally different purposes. When someone says "it's 3 o'clock," they are stating a position — where they are in the rotation of their planet. When someone says "that takes 3 hours," they are stating a duration — how long something persists. Legacy timekeeping uses "hours" for both, as if the same word should mean both "latitude" and "miles." Universal Times identifies and resolves this conflation.

1.2 Calendar Reform as a Coordination Failure

Multiple attempts at rational calendar and time reform have failed, despite technical merit. Understanding why they failed is essential to understanding why Universal Times is designed the way it is.

The French Revolutionary Calendar (1793–1805) introduced decimal time and rational month structures: 12 months of 30 days each, divided into three 10-day decades replacing the 7-day week, plus 5–6 intercalary days. The system also introduced decimal time: 10 hours per day, 100 minutes per hour, 100 seconds per minute — identical in structure to the Solar Clock architecture proposed here. The Revolutionary Calendar failed for three interrelated reasons. First, it was imposed by coercion rather than adopted through incentive alignment. Second, its explicit goal was cultural obliteration — the destruction of religious and royalist temporal markers — which guaranteed resistance from the population it aimed to serve. Third, and most critically, it provided no individual utility advantage over the Gregorian system. A farmer gained nothing from 10-day weeks except the loss of a familiar rest-day cycle. Napoleon abolished it in 1805, and by then most French citizens had already reverted to Gregorian reckoning informally.

The World Calendar and related proposals attracted institutional interest, including the League of Nations, which considered numerous calendar proposals between 1930 and the outbreak of World War II. The reform failed at the coordination problem: religious groups objected to breaking the 7-day Sabbath cycle, governments could not agree on a transition date, and the cost-benefit analysis for any individual nation was unfavorable absent universal adoption — a classic chicken-and-egg failure in network economics.

The Soviet continuous work week (1929–1940) attempted to maximize industrial output by eliminating the common rest day. Workers were assigned to one of five color-coded groups, each resting on a different day of the five-day week. The system destroyed social coordination — families and friends rarely shared a day off — and was abandoned within a decade.

In contrast, the Gregorian reform (1582) succeeded because it solved a concrete, bounded problem: Easter had drifted 10 days from its intended astronomical anchor. The reform was technically minimal (adjusting leap-year rules), culturally conservative (preserving the weekly cycle), and ecclesiastically motivated (aligning liturgy with astronomy). Even so, adoption took over 300 years to become global. Britain did not adopt it until 1752; Russia waited until 1918.

The lesson is clear: calendar reforms fail when imposed and succeed when they solve real problems better than the existing system.

1.3 Universal Times as a Parallel Temporal Layer

Universal Times is explicitly designed as a parallel temporal layer. It does not attempt to abolish Gregorian calendars or SI seconds. It runs alongside them, providing:

- A dual-system architecture that separates temporal position from temporal duration for the first time in the history of timekeeping
- A hydrogen-anchored physical foundation that ties each temporal increment to a real thermodynamic event
- A decimal, machine-native representation of local time
- A universal duration vocabulary that means the same thing on every planet
- A DAG-native model for event ordering and value minting
- A blockchain that functions as both a distributed clock and a universal calendar through Temporal Token minting

All implementations MUST support bidirectional conversion between Universal Times formats and legacy time formats (UTC, ISO-8601) so that systems and users can move fluidly between representations. During initial adoption, most interfaces SHOULD display both Universal Times and conventional time side by side. Over time, specific uses of legacy standards may become functionally obsolete where Universal Times demonstrates superior utility, but this obsolescence is emergent and voluntary, not enforced.

The adoption model is voluntary, incremental, and utility-driven, in deliberate contrast to the coercive history of decimal time experiments.

> **In Plain Terms:**
> *Universal Times is an overlay. You can keep using normal dates and clock times. It adds a new grid underneath that is better for machines, mathematics, and entropy-based value. If it wins, it wins because it works better, not because anyone banned the old system.*

1.4 What Changed from Previous Versions

This specification (v4) represents a fundamental architectural advance over earlier versions of the XP Timekeeping System. The key changes:

Versions 1–2 treated the "tick" as both a clock unit and a duration unit. This conflated two different categories of temporal measurement. Version 4 separates them completely: ticks are clock coordinates (System 1), and a new vocabulary of duration units (Pulse, Wave, Tide, Spin, Current, Season, Epoch) handles elapsed time (System 2).

Versions 1–2 back-solved the tick length from Earth's solar day (100,000 ticks = 1 Earth day), which contaminated the supposedly "universal" unit with Earth-specific calibration. Version 4 defines the universal duration units from clean powers of 10 of hydrogen hyperfine periods, with no planetary dependency. Earth's display profile maps onto the universal substrate; it does not define it.

Versions 1–2 used legacy temporal vocabulary ("hour," "minute," "second") with redefined meanings, hoping familiarity would ease adoption. Version 4 introduces entirely new words for each layer: Loop/Arc/Tick for clock coordinates, Pulse/Wave/Tide/Spin/Current/Season/Epoch for duration. This eliminates the persistent confusion where users assume an "XP hour" behaves like a legacy hour.

The calendar architecture has been revised to use 10 months per orbit with 5-day cycles, replacing the earlier 24-month/15-day structure.

Section 2: Philosophical and Physical Foundations

2.1 Time, Entropy, and the Arrow of Time

The deepest question in the philosophy of time is deceptively simple: why does time have a direction? Why does the past feel fixed and the future feel open? Why can you remember yesterday but not tomorrow? The laws of physics at the quantum and classical levels are almost entirely symmetric with respect to time — a video of two billiard balls colliding looks physically plausible whether played forward or backward. Yet experience is irreversibly directional. Something breaks the symmetry.

The answer, developed over 150 years of thermodynamics, is entropy. The second law of thermodynamics states that in any closed system, entropy — the measure of disorder, or equivalently the number of possible microscopic arrangements consistent with a given macroscopic state — tends to increase or remain constant over time. It never spontaneously decreases. A coffee cup can fall off a table and shatter; the shards never spontaneously reassemble into a coffee cup. The direction of increasing entropy is the arrow of time.

This has a profound implication for timekeeping: the most physically honest clock is one that counts entropy production events. Every tick of such a clock corresponds to an irreversible event — the universe becoming, in some small way, more disordered. This is not merely a metaphysical preference. It is a statement about what time physically is.

Landauer's principle (1961) deepens the connection. Rolf Landauer demonstrated that erasing one bit of information — a fundamentally irreversible computational act — must dissipate a minimum of $kT \ln(2)$ joules of energy, where k is the Boltzmann constant and T is the temperature of the thermal reservoir. Information processing has irreducible thermodynamic costs. Information and entropy are not merely analogous; they are related by definition. Claude Shannon's entropy formula $H = -\sum p(x) \log p(x)$ and Boltzmann's entropy formula $S = k \ln(W)$ are structurally identical for good reason.

The Extropy Engine draws on both of these insights. It measures time via entropy production and measures value via entropy reduction. These are not arbitrary design choices — they are a recognition that a truly coherent value system should be grounded in the same physics that makes the universe intelligible.

> **In Plain Terms:**
> *Time moves forward because the universe keeps getting messier at the quantum level. The most honest clock you could build would count those "getting messier" events directly. Universal Times does exactly that. Every tick of the system is anchored to a real, irreversible quantum event — a hydrogen atom doing something that it cannot undo.*

2.2 Information as Entropy Reduction

If entropy production defines the forward direction of time, then entropy reduction is the definition of organized, meaningful work. When an engineer writes code that reduces the cyclomatic complexity of a system, they are producing a lower-entropy arrangement of information. When a doctor accurately diagnoses a rare condition, they are reducing the informational entropy of a clinical situation. When a community resolves a long-standing conflict, they are reducing the social entropy of that system.

This is the theoretical foundation of the Extropy Engine's value metric, XP (Experience Points). XP is not earned by putting in time — it is earned by demonstrably reducing entropy in a validated, measurable way. Time is the denominator. Entropy reduction is the numerator.

The philosophical relationship can be expressed compactly as:

$$XP = S \times c_L^{\,2}$$

Where S is the measured entropy reduction in the relevant domain, and c_L is the domain-specific propagation speed — the maximum rate at which validated information can spread through that domain's infrastructure. This formula is structurally analogous to Einstein's $E = mc^2$, and the analogy is intentional: just as mass-energy equivalence expresses a deep relationship between two forms of the same physical quantity, XP-entropy equivalence expresses a deep relationship between validated contribution and physical disorder reduction.

> **In Plain Terms:**
> *You earn XP by making things less messy in a provable way. Time passes as the universe makes things messier at the quantum level. The system tracks both of these using the same framework — just in opposite directions. This is what makes the whole architecture self-consistent at a deep level. It's not just a metaphor.*

2.3 Design Goals for a Universal Temporal Substrate

Any system that claims to be a universal temporal substrate must satisfy five properties simultaneously:

Universality: The same definition must hold everywhere in the observable universe, independent of local astronomical conditions. A Martian colony, a space station, and an Earth city must all be able to use the same fundamental time unit without ambiguity.

Measurability: Any civilization with basic spectroscopic capability must be able to construct clocks based on the chosen physical anchor. The system cannot depend on access to Earth-based infrastructure.

Thermodynamic Grounding: Each temporal increment must correspond to a genuine entropy-producing event, not merely a kinematic or electromagnetic convention.

Machine-Nativeness: The fundamental unit must support integer arithmetic and causal DAG ordering without floating-point approximation. Distributed systems require deterministic temporal reasoning.

Decoupling from Local Astronomy: No dependence on any specific planet's rotation, orbit, or stellar configuration. Earth's day is not a physical constant — it is a local geological fact.

The three-layer architecture introduced in this specification — Quant (physical anchor), Protocol Layer (universal duration), Planet Profile (local display) — is the minimal structure that satisfies all five constraints simultaneously.

> **In Plain Terms:**
> *We need a clock that works everywhere in the universe, can be built by any civilization with basic science, is tied to real physics, plays nicely with computers, and doesn't assume you live on Earth. Those five requirements together force a specific architecture. There's no simpler structure that satisfies all of them at once.*

2.4 Why Previous Specifications Were Incomplete

The core insight that previous versions missed was the coordinate-versus-distance distinction. Consider how geography works: latitude and longitude are coordinates — they tell you where something is. Miles and kilometers are distances — they tell you how far something is from something else. You never confuse them. You would not say "I need to travel 40 degrees north to get to Dallas" — you would say "I need to travel 180 miles north."

Every existing timekeeping system uses the same units for both functions. "Three o'clock" is a coordinate (a position in the daily cycle). "Three hours" is a distance (an elapsed duration). Legacy systems use the word "hour" for both. When you cross planetary boundaries, this becomes catastrophically ambiguous: an "hour" on Earth is not the same length of time as an "hour" on Mars, because days are different lengths. If both planets use "three hours" to mean a third of a day, they are using the same word to mean different physical durations.

Universal Times resolves this by giving each function its own vocabulary. Clock coordinates (Loop/Arc/Tick) tell you where you are in your local day. Duration units (Pulse/Wave/Tide/Spin/Current/Season/Epoch) tell you how long something takes, in terms of the same physics everywhere.

> **In Plain Terms:**
> *Think of it like the difference between "it's noon" and "that takes 4 hours." Noon is a position — it tells you where the sun is. Four hours is a distance in time — it tells you how much time passes. We've always used the same word ("hour") for both of these different things, and no one noticed the problem until we started thinking about other planets. Universal Times fixes it with separate vocabularies for position and duration.*

Section 3: The Physical Anchor — Hydrogen-1 Hyperfine Transition

3.1 Formal Definition

Definition 3.1 (Quant): A quant is defined as one period of the radiation corresponding to the transition between the two hyperfine levels of the ground state of the hydrogen-1 (protium) atom.

This is the 21-centimeter line, at a frequency of precisely 1,420,405,751.768 Hz (1420.405751768 MHz).

The quant is the smallest named unit in Universal Times. It is invisible on any clock face and never spoken in ordinary conversation. It is the physical substrate beneath all other time units — the universe's own heartbeat, counting entropy events at atomic resolution.

3.2 Why Hydrogen-1

The hydrogen-1 ground-state hyperfine transition was selected over all alternatives for five reasons:

Abundance: Hydrogen-1 (protium) constitutes approximately 75% of the baryonic matter in the observable universe. It is the most common atom in existence, by a substantial margin. Any civilization anywhere in the cosmos that has developed basic chemistry will have encountered hydrogen-1.

Reproducibility: Any civilization with basic spectroscopic capability — the ability to detect and measure electromagnetic radiation — can identify and measure this transition. The 21-centimeter line is among the most studied and universally detectable spectral features in astrophysics. It is used in radio astronomy for mapping galactic hydrogen distributions and has been proposed as a universal communication frequency by SETI researchers for exactly the reason we select it here: it is a property of the simplest possible atom.

Simplicity: Hydrogen-1 is the simplest atom — one proton, one electron. The cesium-133 atom used for the SI second has 55 protons and 78 neutrons. The complexity of the cesium system means its transition frequency depends on subtle quantum mechanical interactions that require significant theoretical apparatus to derive from first principles. The hydrogen-1 hyperfine transition can be derived from basic quantum electrodynamics with a minimum of machinery.

Thermodynamic Significance: The hyperfine transition is not merely a convenient oscillation. It is a genuine thermodynamic event (see Section 3.3).

Independence from Planetary Motion: Unlike the SI second, which is technically defined independently of planetary motion but whose numerical value was chosen to match the historical solar second, the quant is defined entirely from atomic physics with no reference to any planet.

> **In Plain Terms:**
> *We chose hydrogen because it's the simplest atom in the universe, it's everywhere, and anyone with basic science can detect and measure it. If an alien civilization on the other side of the galaxy wanted to use Universal Times, they could build their own hydrogen clock from scratch using nothing but physics. That's the definition of universal.*

3.3 Thermodynamic Interpretation of the Quant

The hydrogen-1 hyperfine transition is not merely a convenient oscillation. It is a genuine thermodynamic event with measurable entropy consequences.

The hyperfine structure of hydrogen arises from the magnetic interaction between the electron's spin and the proton's spin. When the electron and proton spins are parallel (both pointing in the same direction), the atom is in a slightly higher-energy state. When they are anti-parallel (pointing in opposite directions), the atom is in a slightly lower-energy state. The energy difference between these two states is:

$$\Delta E = h \times f_H = (6.626 \times 10^{-34}\ \text{J·s}) \times (1.420 \times 10^{9}\ \text{Hz}) \approx 9.41 \times 10^{-25}\ \text{J} \approx 5.87 \times 10^{-6}\ \text{eV}$$

This is an extraordinarily small energy — about 10 billion times smaller than the energy of a visible photon. But it is real, measurable, and consistent.

When a hydrogen atom in the excited (parallel spins) state decays to the ground state (anti-parallel spins), the following occurs:

Energy is released as a photon at 1420.405751768 MHz (21-centimeter wavelength).

The entropy of the universe increases by $\Delta S = \Delta E / T$, where T is the temperature of the surrounding thermal reservoir. At cosmic microwave background temperature (2.7 K), this is approximately 3.5×10^{-25} J/K per transition.

The process is genuinely irreversible. The atom cannot spontaneously return to the excited state without absorbing energy from an external source.

This makes the quant thermodynamically real rather than merely conventionally defined. The cesium atomic clock (the basis of the SI second) is also based on an atomic transition, but the SI second was numerically calibrated to match a pre-existing culturally derived unit. The quant makes no such concession. It is defined by the physics alone.

> **In Plain Terms:**
> *Every single quant is one tiny, irreversible spin-flip in a hydrogen atom. The electron and proton go from "both pointing the same way" to "pointing opposite ways," release a tiny radio wave, and can never go back without outside help. That's time, physically. Each quant is a microscopic event of the universe becoming irreversibly different. Counting quants is the most honest form of timekeeping possible.*

3.4 Practical Measurement

Hydrogen masers — devices that use stimulated emission from hydrogen atoms to generate extremely stable oscillations at the hyperfine frequency — are among the most precise time standards in existence. The hydrogen maser's short-term stability (timescales from 1 second to a few hours) actually exceeds that of cesium clocks, though cesium clocks have better long-term accuracy due to their self-calibrating nature.

Any civilization capable of basic radio spectroscopy can build a hydrogen maser. This technology does not require rare materials, exotic manufacturing, or centralized infrastructure. It requires hydrogen gas, a cavity resonator, and basic electromagnetic measurement capabilities — all of which follow directly from the kind of technology any space-faring civilization would necessarily possess.

> **In Plain Terms:**
> *You don't need a supercomputer or a billion-dollar lab to build a Universal Times clock. You need hydrogen (the most common substance in the universe), a metal container of the right size, and basic radio equipment. This is intentional. Universal Times should be buildable by anyone, anywhere.*

Section 4: The Dual-System Insight — Coordinates vs. Distances

4.1 The Category Error in All Prior Timekeeping

Every timekeeping system ever devised — Babylonian, Egyptian, Roman, Julian, Gregorian, SI, UTC, Unix epoch, TAI — commits the same category error. They use a single vocabulary to express two fundamentally different things:

Temporal Position: "What time is it?" Answer: "It's 3 o'clock." This is a coordinate. It tells you where you are in your planet's rotation. It is analogous to latitude or longitude.

Temporal Duration: "How long will this take?" Answer: "About 3 hours." This is a distance. It tells you how much time elapses between two events. It is analogous to miles or kilometers.

Legacy timekeeping uses "hours" for both. On a single planet with a single day length, this conflation causes no practical problems. The word "hour" means both "1/24 of a day" (a coordinate slice) and "3,600 seconds" (a duration) because on Earth those happen to be the same thing.

The moment you add a second planet, the conflation becomes catastrophic. A Martian solar day (sol) is approximately 24 hours and 39 minutes 35 seconds in Earth time. If Mars adopts a 24-hour clock, each Martian "hour" is longer than an Earth hour. If an Earthling says "that'll take 3 hours" and a Martian says "that'll take 3 hours," they mean different elapsed durations — even though they used the same words.

This is not a minor inconvenience. It is a structural defect in the concept of "hours" itself. The word is trying to do two jobs at once, and as soon as you leave a single planet, the two jobs diverge.

4.2 The Solution: Two Separate Systems

Universal Times resolves this with a clean architectural separation:

System 1 — The Solar Clock: Provides local temporal coordinates using Loop / Arc / Tick. These are clock positions. They tell you where you are in your local day. The clock face looks the same on every planet; only the speed of the hands differs. You say "the meeting is at t:7:30:00" the same way you'd say "the meeting is at latitude 30." It is a position, not a duration.

System 2 — Universal Duration: Provides physics-defined elapsed time using Pulse / Wave / Tide / Spin / Current / Season / Epoch. These are temporal distances. They tell you how long something takes. They are defined by hydrogen hyperfine periods — the same physics everywhere. When you say "that took 3 waves," you mean the same elapsed time whether you're on Earth, Mars, or a space station.

The two systems coexist on the same clock face but use completely different vocabularies. You never accidentally use a coordinate as a distance because the words are different.

4.3 The Three Temporal Questions

Universal Times answers three distinct questions, each with its own system:

Question 1: "What time is it here?"
System: Solar Clock (Loop / Arc / Tick)
Answer: t:7:42:85
Scope: Planet-local. The same coordinate means a different solar position on different planets because days

are different lengths.

Question 2: "How long will this take?"
System: Universal Duration (Pulse / Wave / Tide / Spin / Current / Season / Epoch)
Answer: "About 3 waves" (approximately 35 legacy minutes)
Scope: Universal. The same duration means the same elapsed time everywhere.

Question 3: "When exactly did/will this happen?"
System: Universal Position (Quant Accumulator)
Answer: Q: 1.42831×10^{18}
Scope: Universal. An absolute coordinate in the universe's entropy timeline.

> **In Plain Terms:**
> *Imagine you're driving. Your GPS shows your current location ("you are at 30.2 degrees north, 97.7 degrees west") — that's like the Solar Clock, telling you where you are. Your GPS also shows the distance to your destination ("42 miles") — that's like Universal Duration, telling you how far. And your GPS logs the exact timestamp for every event ("you passed this point at 2:47:32 PM") — that's like the Quant Accumulator, recording an absolute moment. Three different pieces of information, three different systems. You'd never confuse your latitude with how many miles you have left to drive.*

Section 5: System 1 — The Solar Clock (Loop / Arc / Tick)

5.1 Purpose and Scope

The Solar Clock answers one question: "What time is it here?" It is a planet-specific coordinate system that maps a position in the local solar day onto a base-10 numerical display.

The Solar Clock replaces legacy 12-hour and 24-hour clock faces with a fully decimal system. It does not replace the concept of a "day" — circadian biology and planetary rotation are physical facts that cannot be decimalized. The day remains the invariant anchor of local time. Everything within the day is subdivided in base-10.

5.2 Structure

The decimal day structure is:

1 day	**= 10 loops**
1 loop	**= 100 arcs**
1 arc	**= 100 ticks**
1 day	**= 100,000 ticks**

These units replace the legacy hour / minute / second hierarchy:

Loop (replaces hour): There are 10 per day. One loop equals 1/10 of a solar day. On Earth, one loop = 2 hours 24 minutes in legacy time.

Arc (replaces minute): There are 100 per loop, 1,000 per day. One arc equals 1/1000 of a solar day. On Earth, one arc = 86.4 legacy seconds, or about 1 minute 26 seconds.

Tick (replaces second): There are 100 per arc, 100,000 per day. One tick equals 1/100,000 of a solar day. On Earth, one tick = 0.864 legacy seconds.

5.3 Naming Rationale

The names Loop, Arc, and Tick were chosen for specific reasons related to the clock face:

Loop: One full circuit of the main hour hand around the 10-division clock face. The day consists of 10 loops of the hand. The name visually describes what you see: the hand looping around the dial.

Arc: The sweep of the minute hand across one division of its subdial. An arc is what the hand traces — a curved path across the clock face.

Tick: The smallest visible increment. The name is borrowed from legacy clock terminology (the ticking of a clock) and has a natural association with the heartbeat — one tick is approximately one human heartbeat (0.864 seconds on Earth).

All three names are monosyllabic, visually descriptive of clock-hand behavior, and free of legacy temporal connotations that might create false equivalences.

5.4 Display Format

The canonical display format for Solar Clock time is:

t:L:AA:TT

Where:

- **t:** is the prefix denoting Solar Clock time
- **L** is a single digit (0–9) representing the loop
- **AA** is a two-digit zero-padded arc (00–99)
- **TT** is a two-digit zero-padded tick (00–99)

Examples:

- t:0:00:00 — start of day
- t:2:50:00 — quarter of the day
- t:5:00:00 — midday
- t:7:50:00 — three-quarter day
- t:9:99:99 — final tick of the day

The single-digit loop is an intentional design choice. It makes Solar Clock time visually distinct from any legacy time format at a glance — no legacy format begins with a bare single digit followed by two-digit groups reaching 99.

In casual speech, the tick component is typically dropped: "seven forty-two" refers to loop 7, arc 42 (t:7:42:00). This parallels legacy speech patterns ("four thirty" for 4:30).

5.5 Planet Profiles and Variable Clock Speed

On any planet, the Solar Clock face looks the same: a 10-division dial with 3 hands (loop, arc, tick). The structure is universal — 10 loops, 100 arcs, 100 ticks. But the physical speed of the hands varies because days have different lengths.

On Earth: 1 tick = 0.864 legacy seconds. The loop hand completes one full revolution per day.
On Mars: 1 sol = 88,775 legacy seconds (24h 39m 35s). 1 Martian tick = 0.888 legacy seconds.

The Solar Clock does not pretend that days are the same length on every planet. It provides a uniform coordinate system over whatever day length the local physics gives you. "Loop 5" always means midday — the sun is at its highest point — regardless of how many legacy seconds that corresponds to.

Each planet defines a PlanetProfile that includes:

- planet_id: A unique identifier (e.g., "Earth", "Mars")
- T_day_primary: The length of the primary solar day in quants
- solar_mapping: A function mapping tick_count → solar_angle
- epoch_tick: The quant count at which local day 0, time 0 begins
- timezone_offsets: Array of tick offsets for local civil time zones

> **In Plain Terms:**
> *Think of the Solar Clock like the speedometer on a car. A speedometer always goes from 0 to the maximum speed, regardless of whether the car is on a highway or a dirt road. The dial looks the same; the car just moves at different speeds. The Solar Clock works the same way — the dial always goes from 0 to 9, but the "speed" of the clock depends on how long a day is on your planet. On Earth, a full day takes about 86,400 legacy seconds. On Mars, about 88,775 legacy seconds. But both clocks look the same and read 5:00:00 at local noon.*

5.6 Time Zones as View-Layer Offsets

Time zones within a planet profile are defined as constant tick offsets applied before the time-of-day computation. A TimeZoneProfile consists of:

- zone_id: A unique identifier (e.g., "UT-E-N06" for approximately UTC−6)
- offset_ticks: A constant integer offset added to the raw tick count before computing local time-of-day

To compute local time in a given zone, the adjusted count $t' = t + \text{offset_ticks}$ is used in place of t in the time-of-day computation.

All time zone behavior is purely representational. The DAG and all protocol logic operate on raw quant/tick counts with no zone awareness. Time zones exist only in the view layer.

For the canonical Earth profile, legacy UTC offsets are converted to tick offsets using:

$$\text{offset_ticks} = \text{round}(\text{utc_offset_hours} \times 100{,}000 / 24)$$

Example conversions:

- UTC+0: offset_ticks = 0
- UTC−6 (US Central): offset_ticks = −25,000
- UTC+5:30 (India): offset_ticks = 22,917

- UTC−8 (US Pacific): offset_ticks = −33,333

> **In Plain Terms:**
> *Time zones work exactly like they do now — they're just offsets. If you're in Central Time, your clock reads 25,000 ticks behind UTC. The math is simpler because everything is base-10.*

5.7 Critical Distinction: Coordinates, Not Durations

This point cannot be overstated: Loop, Arc, and Tick are coordinates, not durations.

Correct usage:

"The meeting is at t:7:30:00" — this is a position (where in the day)
"I wake up at t:3:00:00" — this is a position (where in the day)

Incorrect usage:

"I'll be there in 3 arcs" — WRONG. This uses a coordinate as a distance.
"That took 5 loops" — WRONG. This uses a coordinate as a distance.

For elapsed time, use Universal Duration units:

"I'll be there in 5 pulses" — CORRECT (~6 legacy minutes)
"That took half a tide" — CORRECT (~1 legacy hour)

The reason this distinction matters is interplanetary communication. "3 arcs" means different physical durations on different planets because arcs are fractions of different-length days. "5 pulses" means the same physical duration everywhere because pulses are defined by hydrogen physics, not planetary rotation.

> **In Plain Terms:**
> *You wouldn't say "I'll meet you in 3 latitudes." That doesn't make sense — latitude is a position, not a distance. For the same reason, you don't say "I'll be there in 3 arcs" — an arc is a position on the clock, not an amount of time. Instead, you say "I'll be there in 5 pulses" — pulse is a duration, like saying "50 miles."*

Section 6: System 2 — Universal Duration

(Pulse / Wave / Tide / Spin / Current / Season / Epoch)

6.1 Purpose and Scope

Universal Duration answers one question: "How long will this take?" It provides a vocabulary of elapsed-time units that mean the same thing on every planet, every space station, and every habitat in the universe. These units are defined entirely by the hydrogen-1 hyperfine transition — no planetary rotation, no orbital period, no local astronomy of any kind.

Universal Duration is the middleman token between local clocks and the universal ledger. Every planet's Solar Clock runs at a different speed (because days are different lengths), but every planet's duration units are identical (because hydrogen physics is the same everywhere).

6.2 The Duration Ladder

The ladder is built from clean powers of 10 of hydrogen hyperfine periods. Each unit is exactly 10 times the previous. The hydrogen-1 hyperfine frequency is 1,420,405,751.768 Hz, meaning one period is approximately 7.04×10^{-10} seconds.

Unit	Definition	Legacy Equivalent	Conversational Scale
Pulse	10^{11} H-periods	~70.4 seconds (~1.17 min)	Quick task, short pause
Wave	10^{12} H-periods	~704 seconds (~11.7 min)	Meeting segment, commute
Tide	10^{13} H-periods	~7,040 seconds (~1.96 hours)	Work block, movie length
Spin	10^{14} H-periods	~70,400 seconds (~19.5 hours)	Nearly a full day
Current	10^{15} H-periods	~704,000 seconds (~8.1 days)	Project sprint, vacation
Season	10^{16} H-periods	~7,040,000 seconds (~81.5 days)	Quarter, semester
Epoch	10^{17} H-periods	~70,400,000 seconds (~2.23 years)	Career phase, era

The mathematical derivation:

1 H-period = 1 / 1,420,405,751.768 seconds = 7.0400×10^{-10} seconds
10^{11} H-periods = $7.0400 \times 10^{-10} \times 10^{11}$ = 70.400 seconds (1 Pulse)
10^{12} H-periods = 70.400 × 10 = 704.00 seconds (1 Wave)
…and so on, each step multiplying by 10.

6.3 Naming Rationale

The names were chosen to satisfy four constraints simultaneously:

Scale Intuition: The names should feel progressively larger. "Pulse" feels quick and small. "Epoch" feels vast and slow. A listener encountering these words for the first time should be able to roughly order them by size without being told.

Thermodynamic Theme: The names evoke processes of flow, oscillation, and energy transfer — consistent with the entropy-grounded physics of the system. Pulse (oscillation), Wave (propagation), Tide (gravitational flow), Spin (quantum mechanics — directly referencing the hydrogen spin-flip that anchors the entire system), Current (sustained flow), Season (cyclical change), Epoch (deep time).

Speech Ergonomics: Each name is short (one syllable except "season" and "current"), easy to pluralize, and natural in ordinary conversation. The words were tested by speaking them aloud in typical sentences.

No Coordinate Contamination: None of these words overlap with the Solar Clock vocabulary (Loop/Arc/Tick). There is zero risk of confusing a duration with a clock coordinate.

The name "Spin" deserves special attention. At approximately 19.5 hours, a spin is close to a full Earth day. The name directly references the hydrogen spin-flip that defines the quant — the fundamental physical process underpinning the entire system. It also evokes planetary rotation ("one spin of the Earth") without being formally tied to any specific planet. This dual meaning — quantum spin and planetary spin — makes it the most semantically loaded unit in the ladder.

6.4 Speech Examples and Conversational Usage

The duration units must feel natural in ordinary speech. Here are examples across the full range of human conversational scales:

Short waits:

"Give me 3 pulses." (~3.5 legacy minutes)

"I'll be right back — 1 pulse." (~70 seconds)

"Hold on, half a pulse." (~35 seconds)

Meeting-scale:

"That meeting ran 3 waves." (~35 legacy minutes)

"I've got 2 waves before my next call." (~23 minutes)

"Let's take a wave break." (~12 minutes)

Work-block scale:

"I need a full tide for this." (~2 legacy hours)

"Half a tide should be enough." (~1 hour)

"We've been at this for 3 tides." (~6 hours)

Day-scale:

"Back in a spin." (~20 hours — essentially "tomorrow")

"Give it a spin to settle." (~20 hours — "sleep on it")

"That's a 2-spin turnaround." (~40 hours)

Project-scale:

"The sprint is 2 currents." (~16 days)

"I haven't seen her in a current." (~8 days)

"We deploy every half-current." (~4 days)

Quarterly-scale:

"That rollout took a full season." (~81 days)

"We review every season." (~quarterly)

"I've been here 3 seasons." (~8 months)

Long-term:

"Two epochs from now, no one will remember." (~4.5 years)

"She spent an epoch in that role." (~2 years)

"That's a multi-epoch commitment." (many years)

> **In Plain Terms:**
> *These words are designed to roll off the tongue like existing time words do. "Give me 5 minutes" becomes "give me 5 pulses." "That'll take a couple hours" becomes "that'll take a tide." "See you tomorrow" becomes "back in a spin." The words are new, but they fit into the same sentence shapes you already use.*

6.5 Why Not Subdivide the Existing Units?

A natural question: why not just use "millipulses" or "centiwaves" instead of creating seven named units? The answer is speech ergonomics.

Humans do not naturally speak in metric prefixes for everyday durations. Nobody says "I'll be there in 300 kiloseconds" — they say "I'll be there in about 3 days." Named units at human-meaningful scales are essential for adoption. The metric prefix system works beautifully for scientific and engineering contexts, but natural language demands named units at the scales people actually experience.

The seven-unit ladder provides a named unit at every major conversational scale from "give me a minute" to "that project took years." No prefix gymnastics required.

> **In Plain Terms:**
> *You don't want to say "meet me in 0.3 tides" — that's awkward. You want to say "meet me in 3 waves." Named units at human-sized scales make the system speakable. That's the whole point.*

6.6 The Gap Between Pulse and Wave

There is a recognized gap in the ladder: Pulse (~70 seconds) and Wave (~12 minutes) have a 10× ratio, meaning the common conversational scale of "about 5 minutes" falls between them. The decision was made NOT to add an intermediate unit for the following reasons:

- "4–5 pulses" naturally covers the 5-minute conversational range and is easy to say.
- Adding more units increases cognitive load without proportional benefit.
- The French Revolutionary Calendar's failure demonstrates the danger of unit proliferation.
- Historically, humans adapt to imperfect granularity — the gap between "minute" and "hour" in legacy time (60×) is far larger than the gap here (10×), and people navigate it fine.

The recommendation for the 5-minute scale: say "5 pulses" (approximately 5.9 legacy minutes). It is accurate enough for conversational use and requires no new vocabulary.

Section 7: System 3 — Universal Position (The Quant Accumulator)

7.1 The Problem of Absolute Time

Systems 1 and 2 answer different questions. The Solar Clock (System 1) answers "what time is it here?" The Universal Duration ladder (System 2) answers "how long will this take?" But neither answers the third essential question: "When exactly did this happen?"

This is the problem of absolute temporal position. In legacy timekeeping, UTC attempts to solve it — a shared reference that lets two parties agree on the exact moment an event occurred. But UTC is Earth-anchored (defined by Earth's rotation and cesium clocks on Earth's surface) and breaks down the moment you leave the planet.

Universal Times solves this with the Quant Accumulator: a monotonically increasing counter of hydrogen-1 hyperfine periods elapsed since epoch t:0.

> **In Plain Terms:**
> *Think of a car's odometer. It does not tell you how fast you are going (that is the speedometer — analogous to System 2 duration units). It does not tell you where you are on the road (that is your GPS coordinates — analogous to System 1 clock position). It tells you total distance traveled since the car was new. The Quant Accumulator is an odometer for the universe. It counts total elapsed quantum ticks since the system's birth moment, and that number is the same for everyone, everywhere.*

7.2 Defining the Quant

The quant is the fundamental indivisible unit of time in Universal Times. It is defined as:

1 quant = 1 period of the radiation corresponding to the ground-state hyperfine transition of the hydrogen-1 atom (protium)

Frequency: 1,420,405,751.768 Hz (the 21-cm line)
Period: approximately 7.04×10^{-10} seconds

This is not an arbitrary choice. Hydrogen-1 is the most abundant element in the observable universe, comprising roughly 75% of all baryonic matter. The 21-cm hyperfine transition is a spin-flip event — when the electron and proton in a hydrogen atom transition from parallel spins (higher energy) to anti-parallel spins (lower energy), releasing a photon at exactly 1420.405 MHz. This transition is:

Thermodynamically irreversible: Each spin-flip is a micro-entropy-production event. The atom cannot spontaneously return to the excited state without external energy input.

Universally observable: The 21-cm line is detectable across the cosmos. Radio astronomers use it to map galactic structure. SETI researchers proposed it as a universal reference frequency precisely because any technologically capable civilization would discover it.

Experimentally reproducible: Hydrogen maser clocks achieve frequency stability on the order of 10^{-15}, making the quant practically measurable with existing technology.

> **In Plain Terms:**
> *Every hydrogen atom in the universe vibrates at the same frequency. It is like a tuning fork built into the fabric of matter itself. We chose this vibration as our smallest unit of time because it is the same on Earth, on Mars, on a spaceship, or on the other side of the galaxy. No other planet's rotation, no star's brightness, no political decision can change it. Physics is the clock.*

7.3 The Accumulator as Timestamp

The Quant Accumulator is a running integer count of quants elapsed since epoch t:0. At any moment, the universal position is expressed as:

$$\mathbf{Q: [integer]}$$

For practical display, scientific notation is used:

$$\mathbf{Q: 1.42831 \times 10^{18}}$$

This number is identical on every clock in the system that shares the same epoch, regardless of planet, orbit, or velocity (with relativistic corrections applied as needed — see Section 17).

When communicating between planets or civilizations, you do not say "the meeting is at loop 7." You say "the event occurs at Q: $1.42831072 \times 10^{18}$." Each local system then converts that absolute quant value into its own local clock coordinates using its planet profile.

The conversion works as follows:

Receive universal timestamp Q.

Subtract the quant value at the start of the current local day.

Divide the remainder by the local quants-per-tick, quants-per-arc, and quants-per-loop values defined in the planet profile.

Display the result on the local clock face.

> **In Plain Terms:**
> *Imagine two people in different time zones today. One is in New York, one is in Tokyo. They both agree that a certain event happens at a specific Unix timestamp (say, 1,700,000,000). The New Yorker sees that as 3:00 PM Tuesday. The person in Tokyo sees it as 5:00 AM Wednesday. Same moment, different local displays. The Quant Accumulator works exactly like this, except it is not tied to any particular planet. The "universal timestamp" is the quant count. Every planet renders it differently on their own clock face.*

7.4 Epoch t:0 — The Genesis Moment

Every timekeeping system needs an origin. In legacy time, the Unix epoch is January 1, 1970. The Gregorian calendar counts from an estimated birth year of Jesus of Nazareth. The Julian Date system uses January 1, 4713 BC.

Universal Times defines its epoch as the moment the first Temporal Token is minted on the Extropy Engine DAG. This is not an arbitrary cultural or religious reference point — it is the moment the system itself begins producing validated temporal records.

The Genesis Block of the Extropy Engine DAG is epoch t:0. Every quant count thereafter is measured from this moment. The epoch is self-referential by design: the system’s clock starts when the system starts. There is no need to retroactively anchor to a historical date that carries cultural baggage.

> **In Plain Terms:**
> *Most calendars start counting from some event that happened long ago — the birth of a religious figure, the founding of a city, an astronomical alignment. Universal Times starts counting from the moment the system itself is turned on for the first time. It is like a stopwatch that starts when you press the button. The button-press is t:0. Everything after that is just counting.*

7.5 Quant Register on the Clock Face

The Quant Accumulator is displayed on the analog clock face as a subdial or digital register at the 12 o’clock position. This placement is deliberate:

The hydrogen symbol (H / 21cm) at the center of the clock represents the physical anchor — the constant. The quant register at 12 o’clock represents the accumulated count — the variable. Together, center and top

bookend the universal layer: one shows WHAT is being counted, the other shows HOW MUCH has been counted.

Everything between them on the clock face — the loop hand, arc hand, tick hand, subdials for cycle and season — is local interpretation. The universal truth lives at the center and the top.

> **In Plain Terms:**
> *Look at a fancy wristwatch. The brand logo is at the center. The date window is at the top. Everything else — the hour markers, the hands, the little dials — is the watch doing its job of showing you local time. On the Universal Times clock face, the center says "hydrogen" (this is what we are counting) and the top shows a big number (this is how many we have counted so far). Those two things are universal. Everything else on the face is your planet's local interpretation of that count.*

Section 8: The 5-Layer Temporal Architecture

8.1 Architecture Overview

Universal Times is not a single clock. It is a five-layer stack, where each layer serves a distinct purpose and communicates with the layers above and below it through well-defined interfaces. The layers, from bottom to top:

Layer	Name	Function
Layer 0	Epoch	The shared origin point (t:0)
Layer 1	Quant	The physical substrate (hydrogen hyperfine periods)
Layer 2	Universal Duration	Planet-independent elapsed-time units (Pulse through Epoch)
Layer 3	Solar Clock	Planet-specific position-in-day coordinates (Loop / Arc / Tick)
Layer 4	Display	Human-facing rendering (clock faces, calendars, schedules, governance labels)

This architecture is deliberately modular. Each layer can be modified independently without breaking the others. A new planet joins the system by defining a Layer 3 profile. A new civilization adopts different Layer 4 aesthetics. The physics (Layers 0–2) never change.

> **In Plain Terms:**
> *Think of how the internet works. At the bottom, there are electrical signals traveling through wires (Layer 1 — the physics). Above that, there are protocols that organize those signals into packets (Layer 2 — the rules). Above that, there are applications like web browsers and email clients (Layer 3–4 — the human interface). You can switch from Chrome to Firefox without changing the wires. You can switch from copper to fiber optic without changing your browser. Universal Times works the same way. The physics layer does not care what your clock looks like. Your clock does not care what planet you are on. Each layer does its job.*

8.2 Layer 0: Epoch

The epoch is the zero-point from which all time is measured. In Universal Times, t:0 is the Genesis Block of the Extropy Engine DAG — the moment the first Temporal Token is minted.

The epoch has exactly one property: it is a fixed, agreed-upon reference point. It does not encode any physical constant, any cultural tradition, or any planetary event. It is simply the moment the system declares "counting starts now."

All higher layers depend on the epoch being immutable. Once t:0 is established, it cannot be moved, redefined, or "corrected." Any attempt to shift the epoch would invalidate every timestamp in the system.

8.3 Layer 1: Quant (Physical Substrate)

This layer is defined entirely by physics. One quant equals one hydrogen-1 hyperfine period. The frequency is 1,420,405,751.768 Hz. This number is not chosen by committee, not subject to governance, and not negotiable. It is a measurement of nature.

Layer 1 provides two things to the system:

- The fundamental tick rate — the smallest indivisible unit of time.
- The Quant Accumulator — the running count of quants since t:0.

Nothing above Layer 1 can modify Layer 1. A planet profile cannot change the hyperfine frequency. A governance decision cannot redefine the quant. This immutability is the foundation of the system's universality.

> **In Plain Terms:**
> *Layer 1 is the heartbeat. You cannot negotiate with a heartbeat. You cannot vote to make it faster or slower. It just beats. Everything else in the system listens to this beat and builds on top of it.*

8.4 Layer 2: Universal Duration

This layer takes the quant and packages it into human-usable duration units: Pulse, Wave, Tide, Spin, Current, Season, Epoch. Each unit is defined as a power of 10 of the hydrogen hyperfine period, making the relationship between units purely mathematical and planet-independent.

Layer 2 is where interplanetary communication happens. When an Earth station tells a Mars colony "the transmission will take 3 tides," both parties understand the same physical elapsed time. No conversion needed. No planet-specific interpretation.

Layer 2 does not know or care about solar position, day length, or local calendar. It only knows elapsed quant counts grouped into named human-scale chunks.

8.5 Layer 3: Solar Clock

This layer maps universal time onto local planetary experience. It defines:

- How many quants per local tick
- How many ticks per arc
- How many arcs per loop

- How many loops per local day
- The function that converts tick count to local solar angle

Layer 3 is where the planet profile lives. Earth's profile says: 1 day = 10 loops of 100 arcs of 100 ticks, calibrated so that loop 0 begins at local solar midnight and the tick hand completes one revolution per arc. Mars has a different profile. A space station orbiting Jupiter has yet another.

The critical insight: Layer 3 is a COORDINATE system, not a duration system. Loop 5 does not mean "5 units of time have passed." It means "the local star is at a specific angular position relative to the observer." This is the same distinction as latitude (a coordinate) versus kilometers (a distance).

> **In Plain Terms:**
> *Layer 3 is the face of the clock that hangs on your wall. It looks the same on every planet — 10 divisions around the outside, three hands sweeping in circles. But the hands move at different speeds depending on how long your planet's day is. On Earth, the tick hand completes a full sweep every 86.4 legacy seconds. On Mars, it sweeps every 88.8 legacy seconds. Same clock face, different speed, because the days are different lengths. You do not change the clock. You change the speed.*

8.6 Layer 4: Display

This layer is where human culture, aesthetics, governance, and user experience live. It includes:

- Clock face design and typography
- Month and day names
- Holiday and governance cycle definitions
- Work schedule conventions
- Digital vs. analog display choices
- Language-specific terminology
- Accessibility accommodations

Layer 4 is the only layer subject to governance and cultural variation. Different civilizations, different organizations, and different individuals can customize Layer 4 without affecting the underlying temporal infrastructure.

A government might decree that Month 3 is called "Harvest" on their planet. A corporation might display time in a minimalist digital format. An artist might build a clock face with spirals instead of circles. None of these choices affect Layers 0–3. The physics, the duration units, and the solar coordinates remain invariant.

> **In Plain Terms:**
> *Layer 4 is the paint on the house. You can paint it any color you want. The structure underneath — the foundation, the framing, the plumbing — does not change. One person likes a red house, another likes blue. Both houses keep the rain out equally well. Layer 4 is where you express your preferences. Layers 0–3 are where you keep the rain out.*

8.7 Inter-Layer Communication

The layers communicate strictly downward for definition and strictly upward for rendering:

- Layer 0 defines the origin for Layer 1.

- Layer 1 defines the tick rate for Layer 2.
- Layer 2 provides elapsed duration to Layer 3.
- Layer 3 provides solar-mapped coordinates to Layer 4.
- Layer 4 renders everything for the human.

No layer may reach down and modify the layer below it. Layer 4 cannot change the solar mapping (Layer 3). Layer 3 cannot redefine duration units (Layer 2). Layer 2 cannot alter the quant (Layer 1). Layer 1 cannot move the epoch (Layer 0).

This one-way dependency is what makes the system robust. Cultural changes propagate only within Layer 4. Planetary changes propagate only within Layer 3. The physics is untouchable.

> **In Plain Terms:**
> *Information flows upward like water in a fountain. The water starts at the bottom (physics) and flows up through each layer until it reaches the top (your clock display). You can put a different bowl at the top to catch the water, but you cannot reach down and change the pump. The pump is physics. The bowl is culture. They do not interfere with each other.*

Section 9: Calendar Architecture

9.1 The Dual Calendar System

Just as the clock is split into coordinates (Solar Clock) and distances (Universal Duration), the calendar follows the same architectural principle. There are two calendar systems operating in parallel:

System 1 — Local Orbital Calendar: A coordinate system that tells you where you are in your planet's orbit around its star. "It is Month 4, Day 23" means your planet has completed approximately 40% of its current orbital period. This is planet-specific.

System 2 — Universal Duration Calendar: An extension of the Pulse/Wave/Tide ladder to longer timescales. "That project took 2 Currents" means a specific amount of physics-defined elapsed time, identical on every planet.

The Local Orbital Calendar answers: "What season is it? When is the next holiday? How far along is the year?" The Universal Duration Calendar answers: "How long until the shipment arrives? How many days has the mission been running?"

9.2 Local Orbital Calendar Structure

The Local Orbital Calendar uses a universal template that each planet fills in with its own values:

- 10 months per orbit (universal structure)
- Months 1–9: equal length, planet-specific day count
- Month 10: short closing month, absorbs the remainder
- 5-day cycles (replacing the legacy 7-day week)

For Earth:

- 9 months × 40 days = 360 days

- 1 closing month × 5 days = 5 days
- Total: 365 days (366 in leap years, with the extra day added to Month 10)
- 1 month = 8 cycles of 5 days
- Month 10 = 1 cycle

For Mars:

- 9 months × 74 sols = 666 sols
- 1 closing month × 3 sols = 3 sols
- Total: 669 sols (approximate, adjusted annually)
- 1 month = 14 cycles + 4 sols
- Month 10 = varies (2–4 sols depending on year)

The 10-month structure is universal. The day counts are local. This means every planet in the system shares a common calendar framework — you always know that Month 5 means "roughly halfway through the orbit" regardless of which planet you are on.

> **In Plain Terms:**
> *Imagine every country in the world agreed to divide their year into 10 months. The months would have different numbers of days depending on how long the year is in each country (metaphorically speaking — if countries had different year lengths). But the structure would be the same everywhere. Month 1 is the beginning. Month 5 is the middle. Month 10 is the short wrap-up at the end. You could land on any planet and immediately understand where they are in their year.*

9.3 The 5-Day Cycle

The 7-day week is one of the most arbitrary structures in legacy timekeeping. It has no astronomical basis (unlike the day, month, or year). It does not divide evenly into any calendar month. It creates perpetual scheduling conflicts and irregular month structures.

Universal Times replaces the week with the Cycle: a 5-day repeating unit.

Why 5 days:

- 5 divides evenly into 40 (the Earth month length): 8 cycles per month, no remainder.
- 5 is a natural human work-rest rhythm. Many cultures historically used 5-day market weeks.
- 5 is base-10 compatible, consistent with the decimal philosophy of the entire system.
- Smaller cycles reduce the psychological distance between rest days.

The cycle has no mandated work/rest pattern at the protocol level. Whether a civilization adopts 4-work-1-rest, 3-work-2-rest, or some other pattern is a Layer 4 governance decision. The protocol only defines the 5-day repeating structure.

> **In Plain Terms:**
> *The 7-day week is a habit, not a law of nature. There is nothing in physics or biology that says weeks must be 7 days. Universal Times uses 5-day cycles instead because 5 fits cleanly into the math of the calendar (8 cycles per month, every month), and because shorter cycles mean you are never more than a few days from a break. Whether your break is on day 5 or days 4–5 or some other pattern is up to your community to decide.*

9.4 Month 10: The Closing Month

Every planet's orbit produces a remainder when divided into 9 equal months. Month 10 absorbs this remainder. On Earth, it is 5 days long (one cycle). On Mars, it is approximately 3 sols.

Month 10 serves several functions:

- **Mathematical closure:** It ensures the calendar always adds up to exactly one orbital period.
- **Cultural flexibility:** Many legacy calendars have end-of-year festival periods (Saturnalia, the 12 Days of Christmas, Diwali, New Year celebrations). Month 10 is a natural home for such traditions.
- **Governance boundary:** It provides a clean transition point between orbital years for administrative, fiscal, and ceremonial purposes.

The length of Month 10 varies by planet and may vary year-to-year within a planet due to orbital eccentricity. This variability is contained within Month 10 so that Months 1–9 remain perfectly regular.

> **In Plain Terms:**
> *Every year, there are a few days left over after you divide the year into 9 equal months. Instead of spreading those leftover days around randomly (like February having fewer days in the current calendar), Universal Times puts them all at the end in a short final month. Think of it as the year's closing ceremony — a brief period that wraps everything up before the next year begins.*

9.5 Month and Day Naming

Month names and day names are Layer 4 governance decisions. The protocol does not prescribe them. A planet, nation, organization, or culture may name its months and days however it wishes.

The protocol designation for dates uses numeric format only:

Year.Month.Day or Y.M.D

Examples:

- Earth: 3.07.23 = Year 3, Month 7, Day 23
- Mars: 1.04.51 = Year 1, Month 4, Sol 51

Governance bodies may overlay human-readable names at Layer 4:

"The 23rd of Crescendo" (if Month 7 is named Crescendo)
"Harvest Day 51" (if Month 4 is named Harvest on Mars)

This separation ensures the protocol remains culturally neutral while allowing rich human naming traditions to flourish on top.

9.6 Leap Day Handling

Orbital periods are not exact multiples of rotational periods. Earth's year is approximately 365.2422 days. Mars' year is approximately 668.5991 sols. This means leap day adjustments are necessary.

In Universal Times, leap days are always added to Month 10. This rule is absolute and universal:

- Never alter the length of Months 1–9.
- All orbital remainder adjustments go into Month 10.

- The specific leap day rules are defined per-planet in the planet profile.

For Earth: Month 10 is 5 days in common years, 6 days in leap years. The existing Gregorian leap year rule (divisible by 4, except centuries unless divisible by 400) may be adopted or a new rule defined — this is a Layer 3/4 decision.

> **In Plain Terms:**
> *Leap years happen because a planet's trip around its star does not take an exact number of days. The leftover fraction builds up until you need to add an extra day. In Universal Times, that extra day always goes at the end of the year, in Month 10. Months 1 through 9 never change length. This means you never have to wonder which months have 30 days and which have 31 — they are always the same. The weirdness is quarantined at the end.*

9.7 Relationship Between Calendar Systems

The Local Orbital Calendar and the Universal Duration Calendar coexist but do not compete. They answer different questions:

"When is the harvest?" — Local Orbital Calendar (Month 7, governed by orbital position and axial tilt)
"How long until the cargo arrives?" — Universal Duration Calendar (3 Currents, governed by physics)

A date on the Local Orbital Calendar can be converted to a quant timestamp (and vice versa) using the planet profile. A duration expressed in Universal Duration units is planet-independent and needs no conversion.

The two systems connect through the Quant Accumulator: every local calendar date corresponds to a specific quant range, and every universal duration can be overlaid on any local calendar to see which dates it spans.

Section 10: The DAG as Temporal Substrate

10.1 Why a Directed Acyclic Graph

Universal Times does not store time in a traditional database or a linear blockchain. It uses a Directed Acyclic Graph (DAG) as its temporal substrate. This choice is not arbitrary — it emerges from the nature of time itself.

A DAG is a data structure where nodes connect to each other with directed edges, and no path can loop back to an earlier node. This means:

- Every node has a clear causal ancestry (you can trace back to see what came before it).
- No node can be its own ancestor (time cannot loop).
- Multiple branches can exist simultaneously (parallel events are representable).
- Branches can converge (independent timelines can be reconciled).

These properties mirror the physical structure of spacetime more faithfully than a linear chain. In the real universe, events do not happen in a single file line. Multiple things happen simultaneously across different locations. The DAG captures this concurrency natively.

> **In Plain Terms:**
> *Think of a family tree. Your parents are above you. Their parents are above them. You cannot be your own grandparent. Multiple branches (siblings, cousins) exist side by side. Sometimes branches reconnect (marriages between distant relatives). A DAG works exactly like this, except instead of people, the nodes are moments in time, and instead of parentage, the connections are causal relationships — "this event happened because of that earlier event."*

10.2 Temporal Ordering Without a Central Clock

In legacy systems, time is synchronized by a central authority (UTC, atomic clock networks, GPS satellites). This creates a single point of failure and requires all participants to trust the authority.

The DAG achieves temporal ordering without centralized authority through topological sorting. Each new node in the DAG references one or more previous nodes as its parents. This creates a partial ordering: if node A is an ancestor of node B, then A happened before B. If neither is an ancestor of the other, they are concurrent — they happened independently.

The Quant Accumulator provides the absolute timestamp for each node. When a new event is recorded, its quant value is attached to the node. The DAG structure ensures that quant values are monotonically increasing along any path from root to leaf.

> **In Plain Terms:**
> *Imagine a group of people passing notes. Each note references the last note the writer received. If Alice writes note 5 and references Bob's note 3, we know Bob's note came first. If Carol writes note 6 without having seen Alice's note, then Alice's and Carol's notes are "concurrent" — neither caused the other. The DAG captures all of this automatically, without anyone needing to be in charge of deciding the order.*

10.3 The DAG as Clock and Calendar

This is the key architectural insight that connects Universal Times to the Extropy Engine: the DAG itself becomes a clock and a calendar.

Every Temporal Token minted on the DAG carries a quant timestamp. The act of minting a token IS a tick of the system clock. The DAG does not merely record when things happen — it defines when things happen within the system.

This creates a self-referential temporal loop (in the philosophical sense, not the DAG sense — the DAG remains acyclic):

- The quant defines the tick rate.
- The DAG records ticks as token-minting events.
- The sequence of minting events IS the system's timeline.
- The timeline is ordered by quant timestamps.

The blockchain does not just track time. It IS time, within the context of the system. Every validated transaction is a temporal landmark. The density of transactions per quant interval reveals the activity level of the system. Periods of high minting are "busy times." Periods of low minting are "quiet times." The DAG becomes a living temporal record that is simultaneously the clock, the calendar, and the history.

> **In Plain Terms:**
> *Most clocks are separate from the things they measure. A wall clock ticks whether or not anything interesting is happening in the room. The Extropy Engine DAG is different. Every time someone does something meaningful in the system (validates work, creates value, makes a transaction), that action itself becomes a tick of the clock. The clock does not just watch events happen — the events ARE the ticks. It is like if a metronome only ticked when a musician played a note. The music and the timekeeping become the same thing.*

10.4 Causal Consistency and Conflict Resolution

Because the DAG allows parallel branches, temporal conflicts can arise. Two nodes might claim the same quant timestamp but exist on different branches. The system resolves these through causal consistency rules:

- If node A is an ancestor of node B, A's timestamp must be strictly less than B's.
- If two nodes are concurrent (neither is an ancestor of the other), they may share the same quant range.
- When branches merge, the merge node's timestamp must be greater than all parent timestamps.

These rules ensure that the arrow of time is preserved along every causal path, while acknowledging that independent events can occur simultaneously.

> **In Plain Terms:**
> *If two people on opposite sides of the world do something at the same time, the system does not force one to be "first." Both happened at the same time, and that is fine. But if one event CAUSED the other (like sending a message that triggers a response), then the cause must come before the effect. The DAG enforces this automatically.*

10.5 Pruning and Archival

As the DAG grows, older portions may be pruned for storage efficiency while preserving temporal integrity. The pruning rules are:

- Checkpoint nodes are never pruned. These are nodes at regular quant intervals that serve as temporal landmarks.
- Any node may be pruned if all of its descendants have been checkpointed.
- Pruned nodes are archived (not destroyed) and remain queryable through archive services.

The Quant Accumulator is never pruned — it is the permanent record of elapsed universal time.

This ensures that the DAG remains manageable in size while the temporal record remains complete and auditable.

Section 11: XP Formula and Entropy Economics

11.1 The Entropy-Value Connection

The Extropy Engine is built on a foundational premise: value is entropy reduction. When a human or system takes disordered inputs and produces ordered, useful outputs, that act of ordering is measurable and mintable.

The second law of thermodynamics states that entropy (disorder) in a closed system always increases. But living systems, economies, and civilizations are not closed systems — they import energy and export entropy, creating local pockets of order. Every product manufactured, every service rendered, every piece of knowledge organized represents a local entropy decrease purchased with a larger entropy increase elsewhere.

The XP formula captures this by quantifying the net validated entropy reduction of a contribution, weighted by domain-specific factors.

> **In Plain Terms:**
> *Entropy is a fancy word for disorder. A messy room has high entropy. A clean room has low entropy. Cleaning the room reduces entropy — that takes effort, energy, and skill. The XP system says: if you can measure how much disorder someone reduced (how much mess they cleaned up, metaphorically), you can measure how much value they created. The bigger the mess they organized, the more value they produced.*

11.2 The XP Formula

The operational formula for experience point value calculation is:

$$XP = B \times D \times T \times V \times S$$

Where:

- **B** = Base contribution metric (raw output measurement)
- **D** = Domain multiplier (field-specific weighting)
- **T** = Temporal decay factor (freshness of contribution)
- **V** = Validation score (peer/system verification of quality)
- **S** = Scarcity modifier (supply-demand dynamics of the contribution type)

*Note: The theoretical relationship $XP = S \times c_L^2$ introduced in Section 2.2 provides the philosophical grounding — it expresses the deep structural analogy between entropy reduction and value creation. The five-factor formula above provides the operational implementation: a practical, auditable calculation that domain validators use to compute XP in real deployments. The philosophical formula captures **why** entropy reduction is value; the operational formula captures **how** to measure it.*

Each factor is bounded and auditable. The formula is deliberately multiplicative rather than additive — a zero in any factor zeroes the entire value. This prevents gaming through high scores in easy dimensions while neglecting critical ones.

The temporal decay factor T is where Universal Times directly integrates with the value system. T is calculated using universal duration units (not local clock time), ensuring that decay rates are planet-independent. A contribution that decays in value over 2 Currents on Earth also decays over 2 Currents on Mars — the same physical elapsed time.

> **In Plain Terms:**
> *Imagine you write a software patch that fixes a critical bug. The base metric (B) measures the size and complexity of the fix. The domain multiplier (D) reflects that security patches are worth more than cosmetic changes. The temporal factor (T) means the fix is worth more when it is fresh and less as time passes. The validation score (V) reflects peer review confirming it actually works. The scarcity modifier (S) reflects that few people could have written this fix. Multiply all five together and you get the XP value of your contribution.*

11.3 Temporal Decay and Universal Duration

In legacy economic systems, temporal value decay is measured in Earth-centric units: "this coupon expires in 30 days," "your warranty lasts 1 year." These statements are meaningless to a Martian colonist whose days and years are different lengths.

In the XP system, all temporal decay is expressed in Universal Duration units:

- "This token's validation weight halves every 5 Currents."
- "Contribution freshness decays exponentially with a half-life of 1 Season."
- "Staking rewards vest over 3 Epochs."

Because Universal Duration units are physics-defined and planet-independent, these decay curves mean the same thing everywhere. A 5-Current half-life is approximately 40 days on Earth and approximately 40 days on Mars — the same physical duration, regardless of how many local days or months that spans.

> **In Plain Terms:**
> *If a gift card says it expires in 30 days, that only makes sense on Earth. On Mars, a day is 40 minutes longer. Over 30 Martian days, you would get an extra 20 hours compared to Earth. In Universal Times, expiration would be stated in Currents or Seasons — units that mean the same physical duration everywhere. Your gift card expires in 5 Currents, period. That is the same amount of real time whether you are on Earth, Mars, or a space station.*

11.4 Entropy Accounting

Every XP transaction on the DAG includes an entropy audit trail:

- Input entropy: measured disorder of the inputs to the contribution
- Output entropy: measured disorder of the outputs
- Net entropy reduction: input minus output (must be positive for value creation)
- Energy cost: total energy consumed in the transformation
- Efficiency ratio: net entropy reduction per unit of energy consumed

This audit trail is recorded on the DAG alongside the quant timestamp, creating a permanent record of when value was created, how much entropy was reduced, and at what efficiency.

The entropy accounting layer is what transforms the XP system from a reputation score into a physical measurement. Traditional reputation systems are subjective ("5 stars out of 5"). Entropy accounting is objective ("this process reduced system entropy by X joules per kelvin"). The temporal integration ensures all measurements use the same universal time reference.

11.5 The Thermodynamic Consistency Principle

Universal Times and the XP value system share a philosophical foundation: both are grounded in thermodynamics.

- Time measurement is entropy production (each hydrogen hyperfine transition is a micro-entropy event).
- Value measurement is entropy reduction (each validated contribution is a measured ordering event).

This is not a coincidence — it is the design principle. The system measures the universe's tendency toward disorder (time flowing forward) and humanity's ability to push back against that tendency (value creation). Time and value are the two sides of the thermodynamic coin.

This consistency principle means that the system cannot be internally contradictory. A contribution cannot claim to reduce entropy while the temporal record shows no entropy-producing process occurring. The physics constrains the economics, and the economics are legible through the physics.

> **In Plain Terms:**
> *The universe gets messier over time (entropy increases). Humans fight that messiness by building things, organizing things, and solving problems (entropy decreases locally). Universal Times measures the first thing (how much time has passed, measured by atomic entropy production). The XP system measures the second thing (how much value has been created, measured by entropy reduction). Together, they form a complete picture: how much disorder the universe added, and how much of it humans managed to reverse.*

Section 12: The Temporal Token — How the Blockchain Becomes a Clock

12.1 What Is a Temporal Token

The Temporal Token (TT) is one of the seven prime tokens in the Extropy Engine ecosystem. It serves a unique function: it transforms the act of blockchain validation into the act of timekeeping.

Every Temporal Token carries:

- A quant timestamp (the exact universal time of minting)
- A causal parent reference (which previous DAG nodes it depends on)
- A validation proof (cryptographic evidence that the timestamp is authentic)
- A duration attestation (how many quants elapsed during the validated process)

When a Temporal Token is minted, it simultaneously accomplishes two things: it records a validated event on the blockchain, and it advances the system's temporal record. The minting IS the tick.

12.2 Minting as Timekeeping

In traditional blockchains, blocks are timestamped by miners or validators using their local system clocks. This creates a weak temporal guarantee — block timestamps can be slightly manipulated, and they depend on the accuracy of individual node clocks.

The Extropy Engine takes a fundamentally different approach. The Temporal Token's timestamp is not an afterthought attached to a block — it is the primary payload. The blockchain exists to produce validated temporal records. Value tracking, transaction recording, and smart contract execution are all secondary functions that ride on top of the temporal infrastructure.

This inversion changes what a blockchain IS. It is no longer a ledger that happens to have timestamps. It is a clock that happens to produce a ledger.

> **In Plain Terms:**
> *Think of a notary public. A notary stamps documents to prove they existed at a certain time. The stamp is the important thing — the document just happens to be there too. In the Extropy Engine, the blockchain is the notary. Its primary job is stamping time. Everything else — tracking money, recording transactions, running programs — is just documents that get stamped along the way.*

12.3 The Temporal Token Minting Process

Step 1: A validator node observes its local hydrogen maser clock (or receives a validated quant count from a trusted timekeeper node).

Step 2: The validator bundles pending transactions with the current quant timestamp.

Step 3: The validator produces a Temporal Token containing the timestamp, transaction bundle, and cryptographic proof of work or stake.

Step 4: The token is submitted to the DAG. Other validators verify the timestamp against their own clocks and the causal ordering constraints.

Step 5: If consensus is reached (the timestamp is plausible given the causal history), the token is accepted and becomes part of the permanent DAG.

Step 6: The Quant Accumulator advances. The system clock has ticked.

The critical innovation is Step 4: temporal consensus. The network does not merely agree that a transaction is valid — it agrees that the TIMESTAMP is valid. This transforms consensus from a financial integrity mechanism into a temporal integrity mechanism.

> **In Plain Terms:**
> *When you deposit a check at a bank, the bank verifies the check is real. In the Extropy Engine, the network verifies not just that the transaction is real, but that it really happened WHEN it claims to have happened. If someone tries to backdate a transaction ("this happened yesterday"), the network rejects it because it contradicts the causal history. You cannot lie about time.*

12.4 Why This Makes the Blockchain a Calendar

The sequence of Temporal Tokens, ordered by quant timestamp and linked by causal references, constitutes a calendar. Not a human calendar with months and holidays (that is Layer 4), but a structural calendar — a complete, ordered, auditable record of when everything in the system happened.

This DAG-calendar has properties that no paper or digital calendar has ever had:

- **Immutability:** Past entries cannot be altered without invalidating all subsequent entries.
- **Decentralization:** No single entity controls the calendar.
- **Universality:** The calendar works on any planet because it is quant-based.
- **Granularity:** Resolution down to the quant level (sub-nanosecond).
- **Causality:** Every entry shows what came before it and what depends on it.

A traditional calendar tells you what month it is. The DAG-calendar tells you every event that has ever been recorded, in exact causal and temporal order, with cryptographic proof of authenticity. It is not just a calendar. It is history itself, made tamper-proof.

> **In Plain Terms:**
> *A regular calendar is a grid of squares with numbers. It tells you the date. The Extropy Engine's calendar is more like a perfect diary that writes itself. Every event that happens in the system is automatically recorded with the exact time, in order, and no one can go back and change what was written. It is as if the universe kept its own journal and let everyone read it but no one edit it.*

12.5 Temporal Token Economics

Temporal Tokens have economic value because accurate time is valuable. The system incentivizes honest timekeeping through:

- **Minting rewards:** Validators who produce accurate, consensus-verified timestamps earn TT rewards.
- **Slashing penalties:** Validators who submit inaccurate or manipulated timestamps lose staked tokens.
- **Time-as-a-service:** Applications built on the Extropy Engine can purchase validated timestamps for their own records.
- **Temporal anchoring:** External systems (legacy databases, other blockchains) can anchor their timestamps to the Extropy Engine's temporal record for a fee.

This creates an economic ecosystem where time itself has a market price — not the abstract concept of time, but the concrete service of providing validated, universal, tamper-proof temporal records.

> **In Plain Terms:**
> *Accurate time has always been valuable. Ships needed precise clocks to navigate the ocean. Stock exchanges need precise timestamps to process trades fairly. The Extropy Engine creates a marketplace where the service of providing guaranteed-accurate time is bought and sold. Validators are like lighthouse keepers — they maintain the time signal, and they get paid for keeping it accurate.*

Section 13: The 7-Prime Token Economy

13.1 Token Architecture Overview

The Extropy Engine operates on a 7-prime token model. Each token represents a distinct dimension of value creation and system function. The seven tokens are:

XP — Experience Points: The primary value token. Represents validated entropy reduction. Earned through contributions that create measurable order from disorder.

CT — Contribution Token: Tracks raw contributions before validation. A CT is a claim that work was done. It becomes XP only after validation confirms the work actually reduced entropy.

CAT — Catalyst Token: Rewards enabling actions — contributions that make other contributions possible. A teacher who trains a developer earns CAT when the developer's work generates XP. Catalysis is force-multiplied value creation.

IT — Infrastructure Token: Represents investment in shared infrastructure. Running a validator node, maintaining network hardware, providing bandwidth — these earn IT. Infrastructure does not directly reduce entropy but makes entropy reduction possible at scale.

DT — Data Token: Quantifies the value of curated, organized, validated data. Raw data is high-entropy noise. Curated datasets are low-entropy signal. The transformation from noise to signal earns DT.

EP — Entropy Points: The meta-currency that tracks total system entropy. EP is not earned — it is calculated. It represents the system's thermodynamic state. Rising EP means the system is becoming more disordered (losing value). Falling EP means the system is becoming more ordered (gaining value). EP is the system's vital sign.

TT — Temporal Token: As described in Section 12, TT is earned through validated timekeeping. It is the currency of temporal integrity.

13.2 Why Seven Tokens

Seven tokens exist because value creation has seven distinct dimensions that cannot be collapsed into a single number without losing critical information. Attempting to represent all value as a single token (like money) creates the same flattening that representing all time as a single number (like UTC) creates — it works locally but fails at scale.

Each token captures a dimension that the others cannot:

- **XP** measures what was built.
- **CT** measures what was attempted.
- **CAT** measures what was enabled.
- **IT** measures what was sustained.
- **DT** measures what was organized.
- **EP** measures system health.
- **TT** measures temporal integrity.

Collapsing these into one number would be like collapsing temperature, pressure, volume, and composition into a single "weather number." Technically possible, practically useless.

> **In Plain Terms:**
> *Think of a company. Revenue is one number, but you also need to track costs, employee satisfaction, customer retention, infrastructure investment, and data quality. If you only measured revenue, you would miss critical signals about the health of the business. The seven tokens are like seven vital signs for the value economy. You need all of them to understand what is really happening.*

13.3 Temporal Integration Across All Tokens

Every token interaction in the Extropy Engine is timestamped with a quant value from the Temporal Token layer. This means:

- Every XP minting event has an exact universal time.
- Every CT submission event has an exact universal time.
- Every CAT attribution event has an exact universal time.
- Every IT reward event has an exact universal time.
- Every DT valuation event has an exact universal time.
- Every EP calculation event has an exact universal time.

The Temporal Token is not just one of seven tokens — it is the temporal backbone that gives all other tokens their time dimension. Without TT, the other tokens would be snapshots without sequence. With TT, they become a movie — a continuous, ordered, causally linked record of value creation over time.

> **In Plain Terms:**
> *A photograph captures a moment. A video captures motion over time. Without the Temporal Token, the other six tokens would be photographs — isolated snapshots of value. With the Temporal Token, they become a video — you can see how value was created, in what order, over what duration, and with what causal relationships. The temporal layer is what turns a pile of data points into a story.*

13.4 Token Interaction Matrix

The seven tokens interact in structured ways:

- CT → XP: Contribution tokens become experience points after validation.
- CAT → XP (indirect): Catalyst tokens amplify XP generation by enabling others.
- IT → all: Infrastructure tokens support the generation of all other tokens.
- DT → XP: Organized data feeds into higher-quality contributions.
- TT → all: Temporal tokens timestamp all other token operations.
- EP ← all: Entropy points are calculated from the aggregate state of all other tokens.

No token exists in isolation. The system is a web of interdependencies, all anchored in time by the Temporal Token and grounded in physics by the quant.

13.5 Prime Number Symbolism

The choice of seven tokens is not accidental. Seven is a prime number, and prime numbers have a structural property that maps well to token design: they cannot be factored into smaller components. Each of the seven tokens represents an irreducible dimension of value — no token can be decomposed into a combination of the others.

This primality is more than symbolism. It is a design constraint. If a proposed eighth token could be expressed as a function of the existing seven, it would be rejected as redundant. The system maintains seven tokens because seven is the minimum set of irreducible value dimensions required to fully describe the Extropy Engine's value creation process.

Section 14: The Clock Face — Visual Architecture

14.1 Design Philosophy

The Universal Times clock face is not merely a display — it is a visual map of the entire 5-layer temporal architecture. Reading the clock from outside-in should teach the user the system's structure:

- Outer bezel: System identity (Extropy Engine / XP Temporal Substrate) — Layer 4
- Main face: Loop/Arc/Tick hands and divisions — Layer 3 (Solar Clock)
- Subdials: Duration, calendar, and profile complications — Layers 2–4
- Center hub: Hydrogen symbol (H / 21cm) — Layer 1 (Physical Anchor)
- Top register: Quant Accumulator — Layer 1 (Universal Position)

The clock face is the system's rosetta stone. A person who understands the face understands the architecture.

14.2 Main Face Layout

The main face is a base-10 analog dial with 10 major divisions (0–9), representing the 10 loops in a local day. Each major division is subdivided into 100 arcs, and each arc into 100 ticks, though only the major and minor divisions are visually marked.

Three hands sweep the main face:

Loop hand (short, slow): Points to the current loop (0–9). Completes one revolution per local day. Analogous to the legacy hour hand.

Arc hand (medium, moderate): Points to the current arc within the current loop (00–99). Completes one revolution per loop. Analogous to the legacy minute hand.

Tick hand (long, fast): Points to the current tick within the current arc (00–99). Completes one revolution per arc. Analogous to the legacy second hand.

The digital time display format is: **t:L:AA:TT**

Where L is the loop (0–9), AA is the arc (00–99), and TT is the tick (00–99). The t: prefix identifies the timestamp as Universal Times format.

Example: t:7:42:85 means Loop 7, Arc 42, Tick 85.

> **In Plain Terms:**
> *The clock looks like a regular analog clock but with 10 numbers instead of 12. There are three hands, just like a normal clock — one for the rough time of day (loop), one for the medium time (arc), and one that sweeps around quickly (tick). Instead of reading "3:45:30" you read "t:3:45:30" — the numbers work the same way, they just count in tens instead of twelves and sixties.*

14.3 Subdials and Complications

The clock face includes several subdials (called "complications" in watchmaking terminology):

12 o'clock: Quant Accumulator Register
Displays the current universal position in scientific notation (Q: 1.42×10^{18}). This is the universal timestamp —

identical on every clock in the system. Scope: Universal.

3 o'clock: Season/Orbit Progress
Displays progress through the current orbital year as a percentage or progress bar. Scope: Planet-specific (Layer 3).

6 o'clock: Planet Profile Indicator
Displays the active planet profile using a standard symbol. Earth: a circle with a cross (the astronomical symbol). Mars: the Mars symbol. Custom: user-defined symbol for stations, ships, or other bodies. Scope: Planet-specific (Layer 3).

9 o'clock: Cycle Counter
Displays the current day within the 5-day cycle (1–5). Scope: Planet-specific (Layer 3).

Center: Hydrogen Reference
The hydrogen symbol (H) and the 21cm wavelength notation. Represents the physical anchor — the quant. Scope: Universal (Layer 1).

14.4 Duration Subdials

In addition to the solar clock complications, the face includes two duration subdials representing System 2 (Universal Duration):

Pulse subdial: A small rotating dial that shows elapsed Pulses. Resets periodically or on demand. Useful for timing tasks in universal duration.

Wave subdial: A larger rotating dial that shows elapsed Waves. Useful for meeting-length and work-block timing.

These duration subdials serve two purposes:

Practical: They function as stopwatch/timer complications for everyday use.

Pedagogical: They let the user visually compare universal duration passage against local solar time passage, building intuition for how the two systems relate.

> **In Plain Terms:**
> *The clock has two little timer dials built in. One counts Pulses (roughly one-minute chunks) and one counts Waves (roughly twelve-minute chunks). They work like the stopwatch on a sports watch. You can use them to time things, and because they count in universal units, the timing means the same thing regardless of what planet you are on.*

14.5 Color and Material Conventions

The clock face uses color coding to distinguish system layers:

Universal elements (Layers 0–1): Gold or white — the quant register, hydrogen symbol, and duration subdials.

Solar elements (Layer 3): Silver or grey — the main face divisions, hands, and solar complications.

Governance elements (Layer 4): Colored accents — cycle counter, season progress, planet profile.

This color hierarchy reinforces the layer architecture visually. Universal elements are always the most prominent. Local elements are secondary. Governance elements are decorative accents.

14.6 Digital Display Format

For digital contexts (screens, APIs, logs), the full timestamp format is:

$$\mathbf{t{:}L{:}AA{:}TT \mid Q{:}X.XXX \times 10^{XX} \mid P{:}EARTH}$$

Where:

- t:L:AA:TT = local solar time (Loop:Arc:Tick)
- Q:X.XXX × 10^{XX} = universal quant position
- P:EARTH = active planet profile

Shortened formats for everyday use:

- t:7:42 (loop and arc only, tick omitted)
- t:7:42:85 (full local time)
- Q:1.428 × 10^{18} (quant position only)

The format is designed to be unambiguous, machine-parseable, and human-readable.

Section 15: Adversarial Modeling and Game-Theoretic Analysis

15.1 Threat Model Overview

Any timekeeping system that carries economic value must be resistant to manipulation. Universal Times faces several categories of adversarial attack:

- **Temporal manipulation:** Attempting to forge, backdate, or future-date timestamps to gain economic advantage.
- **Consensus attacks:** Attempting to control enough validator nodes to corrupt the temporal record.
- **Relativity exploits:** Attempting to exploit time dilation effects to create temporal arbitrage.
- **Profile attacks:** Attempting to manipulate planet profiles to gain unfair advantages in local time rendering.
- **Sybil attacks:** Creating fake validator identities to dilute honest timekeeping.

15.2 Temporal Manipulation Defenses

The primary defense against timestamp forgery is the DAG's causal structure. Every node references its parents. A forged timestamp must be consistent with all parent timestamps and all descendant timestamps. Inserting a fake node into the middle of the DAG requires rewriting the entire subsequent history — computationally infeasible for the same reasons that blockchain history rewriting is infeasible.

Additionally, the network maintains a temporal consensus window: the acceptable range of quant values for new nodes, based on the network's collective clock readings. A node claiming a timestamp outside this window is rejected regardless of its cryptographic validity.

> **In Plain Terms:**
> *Imagine trying to insert a fake page into the middle of a book where every page references the page before it by content. You would have to rewrite every page after the fake one. And even if you did, other readers would notice because their copies do not match. The DAG works the same way — faking a timestamp means rewriting history, and the network will not accept it.*

15.3 Consensus Attack Resistance

The Extropy Engine uses a hybrid consensus mechanism that weights validators by both stake and temporal accuracy history. A validator with a long track record of accurate timestamps has more influence than a new validator with a large stake but no history.

This temporal reputation system means that an attacker must not only acquire economic stake but must also maintain accurate timekeeping over an extended period before gaining enough influence to manipulate the system. The attack cost is measured not just in capital but in time — and the time must be honestly kept.

The game-theoretic equilibrium is clear: honest timekeeping is the dominant strategy because it accumulates both economic rewards (TT minting) and temporal reputation (consensus weight), while dishonest timekeeping risks both economic loss (slashing) and reputation destruction.

15.4 Relativistic Considerations

General and special relativity create real temporal discrepancies between clocks at different gravitational potentials or relative velocities. A clock on a mountaintop runs measurably faster than a clock at sea level. A clock on a spacecraft moving at significant fractions of light speed runs slower than a stationary clock.

Universal Times addresses relativity through the planet profile and the quant accumulator:

Within a planet: Gravitational time dilation between the surface and orbit is small (nanoseconds per day for Earth) and is handled by applying known corrections to the quant count. GPS already does this.

Between planets: Each planet's quant accumulator runs at its own rate relative to the system epoch due to gravitational potential differences. The corrections are well-understood and computable.

Deep space / high velocity: Relativistic corrections become significant. The system defines a reference frame (the solar system barycenter for the initial deployment) and all quant counts are normalized to this frame.

The key principle: the quant is defined by physics, and physics includes relativity. The system does not pretend relativity does not exist. It incorporates relativistic corrections as a standard part of the protocol.

> **In Plain Terms:**
> *Einstein showed that time passes at slightly different rates depending on gravity and speed. A clock at the top of a tall building runs faster than one in the basement — not by much, but measurably. GPS satellites already correct for this effect. Universal Times builds the same corrections into its protocol. The system acknowledges that time is not perfectly uniform everywhere and accounts for the differences mathematically.*

15.5 Economic Attack Vectors

Because Temporal Tokens have economic value, attackers may attempt to manipulate time for financial gain:

Front-running: Submitting a transaction with a slightly earlier timestamp to gain priority in a queue.
Defense: The temporal consensus window and causal ordering prevent timestamp manipulation below the consensus granularity.

Stale-dating: Submitting old work with a recent timestamp to claim freshness bonuses.
Defense: The validation process requires causal proof that the work product did not exist before the claimed timestamp.

Decay manipulation: Attempting to slow perceived temporal decay of a token's value.
Defense: Decay is calculated from quant timestamps, not from local clock time. The quant cannot be manipulated without corrupting the DAG.

15.6 Nash Equilibrium of Honest Timekeeping

The system is designed so that honest timekeeping is a Nash equilibrium — no individual validator can improve their outcome by deviating from honest behavior, given that other validators are honest.

The payoff matrix:

- **Honest validator among honest validators:** Steady TT rewards + growing reputation.
- **Dishonest validator among honest validators:** Slashed stake + destroyed reputation + possible network ban.
- **Honest validator among dishonest validators:** Reduced rewards but maintained integrity; the honest minority eventually gains majority reputation weight.
- **Dishonest validator among dishonest validators:** System collapse, all tokens lose value — nobody wins.

The dominant strategy in all scenarios is honest timekeeping. The game theory reinforces the physics: time cannot be cheated.

Section 16: Implementation Strategy and Adoption Pathways

16.1 Phased Rollout

Universal Times cannot replace legacy timekeeping overnight. The implementation follows a phased strategy designed to build adoption incrementally:

Phase 1 — Parallel Operation: Universal Times runs alongside legacy time. All systems display both formats. Users begin seeing t:L:AA:TT alongside traditional timestamps. The goal is familiarization, not replacement.

Phase 2 — Opt-In Adoption: Early adopter communities (crypto ecosystems, space agencies, international organizations) begin using Universal Times as their primary system. Legacy time remains available as a conversion layer.

Phase 3 — Infrastructure Integration: Major platforms integrate Universal Times APIs. Calendar applications offer Universal Times as a display option. Smart contracts and financial instruments begin using quant timestamps natively.

Phase 4 — Interplanetary Necessity: As human presence extends beyond Earth, Universal Times becomes necessary rather than optional. Mars colonies cannot use Earth-centric time. The system transitions from

"interesting alternative" to "operational requirement."

16.2 Earth Adoption Strategy

The greatest challenge is Earth adoption, because Earth already has a functional (if imperfect) timekeeping system. The adoption strategy does not position Universal Times as a replacement for legacy time but as a superset:

- Every legacy timestamp can be converted to a quant value.
- Every quant value can be rendered as a legacy timestamp.
- The Universal Times Earth profile is designed so that t:5:00:00 corresponds approximately to noon (solar midpoint), making the mapping intuitive.

The target early adopters are communities that already struggle with timezone coordination: remote workers, international teams, cryptocurrency traders, scientific collaborators, and military/logistics operations.

> **In Plain Terms:**
> *You do not have to throw away your old clock to use Universal Times. Think of it like learning the metric system while still knowing imperial units. Both work. Over time, the new system proves itself more convenient for certain tasks (especially anything involving coordination across distances), and adoption grows naturally. Nobody is forced to switch. The system wins by being useful.*

16.3 Developer Integration

The technical integration path for software developers:

- **Libraries:** Open-source libraries in major programming languages for quant timestamp generation, local time conversion, and planet profile management.
- **APIs:** RESTful and WebSocket APIs for real-time quant accumulator values, timestamp validation, and profile lookups.
- **Standards:** An RFC-style specification document defining the timestamp format, conversion protocols, and planet profile schema.
- **SDKs:** Software development kits for mobile, web, and embedded systems that provide clock face widgets, duration calculators, and calendar components.

16.4 Hardware Requirements

For validator nodes (timekeeping infrastructure):

- Hydrogen maser clock or cesium clock access (direct or via trusted timekeeper network)
- Network connectivity for temporal consensus participation
- Standard compute resources for DAG validation

For end users (time display):

- No special hardware required
- Any device with a screen can display Universal Times
- Atomic clock accuracy is not required at the user level — the network provides validated time

> **In Plain Terms:**
> *You do not need a special clock to use Universal Times, any more than you need a GPS satellite to know what time it is. The network of validators maintains the accurate time (like GPS satellites maintain accurate position data), and your phone or computer just reads the result. The expensive physics hardware stays in the infrastructure layer. Your everyday experience is just a clock app with 10 numbers instead of 12.*

16.5 Governance and Standards Body

The Universal Times protocol is maintained by the Extropy Engine governance framework. Key governance decisions include:

Protocol changes: Modifications to Layers 0–2 require supermajority consensus among validators and a formal review process. These changes should be extraordinarily rare.

Profile additions: New planet profiles can be proposed by any stakeholder and are adopted after technical review and testing.

Layer 4 conventions: Display standards, naming conventions, and cultural adaptations are managed by regional governance bodies with broad autonomy.

The governance philosophy: physics is not negotiable (Layers 0–1), protocols change slowly (Layer 2), profiles change as needed (Layer 3), and culture is free (Layer 4).

Section 17: Open Questions and Limitations

17.1 Relativistic Time and the Reference Frame Problem

The system currently defines quant counts relative to a reference frame (solar system barycenter). This works for solar-system-scale operations but becomes problematic at interstellar scales where relativistic effects are significant and reference frame choice becomes non-trivial.

Open question: How should the system handle timekeeping for civilizations or spacecraft moving at relativistic velocities relative to the reference frame? The quant is defined by local physics (hydrogen transitions happen at the same proper frequency everywhere), but the accumulator count depends on reference frame. Two clocks experiencing different gravitational potentials or relative velocities will accumulate different quant counts over the same proper time interval.

Proposed approach: Each clock maintains its own proper quant count. Conversion between frames uses standard general relativistic corrections. The system acknowledges that "simultaneous" is frame-dependent and does not attempt to enforce a single universal "now."

17.2 The Entropy Measurement Problem

Section 11 describes entropy accounting as the basis for XP valuation. However, measuring the entropy of complex real-world processes is extremely difficult. The entropy of a physical system (like a thermodynamic process) can be calculated precisely. The entropy of an abstract system (like a codebase or a business process) requires proxy measurements and agreed-upon metrics.

Open question: How do you rigorously define and measure entropy reduction for abstract contributions? The system currently relies on domain-specific validation committees to define entropy metrics per domain. This is practical but introduces human judgment into what aspires to be a physics-based measurement.

This is acknowledged as an active research area, not a solved problem. The thermodynamic framing provides the philosophical foundation, but the operational implementation of entropy measurement for non-physical domains remains approximate.

17.3 Adoption Chicken-and-Egg Problem

Universal Times becomes most valuable when widely adopted, but achieving wide adoption requires demonstrating value. This is the classic network effect problem.

The mitigation strategy is to target use cases where Universal Times provides immediate value without requiring widespread adoption: cryptocurrency timestamp anchoring, scientific data coordination, and interplanetary mission planning. These niches can sustain the system while broader adoption develops.

17.4 Cultural Resistance

Timekeeping systems are deeply embedded in culture, language, and identity. Replacing hours, minutes, and seconds with loops, arcs, and ticks requires overcoming centuries of linguistic and cultural habit. The French Revolutionary Calendar's failure (abolished after 12 years despite government mandate) demonstrates the difficulty of imposed temporal reform.

The Universal Times strategy differs from the French model in important ways:

- It does not require government mandate — it competes on utility.
- It does not eliminate legacy time — it coexists alongside it.
- It offers genuine new capability (interplanetary coordination) rather than mere aesthetic reform.
- It emerges from a technological ecosystem (blockchain/DAG) rather than political revolution.

Nevertheless, cultural resistance is expected and planned for. The system's success depends on being useful enough that people choose to adopt it, not on being imposed.

17.5 Quantum Decoherence and Fundamental Limits

At extremely fine temporal resolution (below the Planck time, approximately 5.39×10^{-44} seconds), the concept of "time" as a continuous quantity may break down. Quantum gravity effects could introduce fundamental uncertainty into timekeeping at scales far below the quant.

This is not a practical concern — the quant is roughly 34 orders of magnitude larger than the Planck time — but it represents a theoretical boundary on the system's claims to universality. Universal Times is universal within the domain of classical and semi-classical physics. It does not claim to resolve quantum gravity.

17.6 Long-Term Drift

Over very long timescales (billions of years), the hydrogen hyperfine frequency may be affected by changes in fundamental constants (if such changes occur — this is an open question in physics). The system assumes the constancy of fundamental physics but acknowledges this assumption as falsifiable.

If fundamental constants do drift, the system would need to be recalibrated — but this would also invalidate the SI second (defined by cesium transitions) and every other physics-based timekeeping system. Universal Times is no more vulnerable to this scenario than any other physical standard.

Section 18: Conclusion

18.1 Summary of Architecture

Universal Times presents a complete temporal infrastructure for a multi-planetary civilization. Its key innovations:

Dual-system design: Separating clock coordinates (Loop/Arc/Tick — where are you in your day?) from duration units (Pulse/Wave/Tide/Spin/Current/Season/Epoch — how long does this take?) eliminates the category error that plagues all legacy timekeeping systems.

Physics-first anchoring: The hydrogen-1 hyperfine transition grounds the entire system in observable, reproducible, universal physics. No planetary rotation, no political convention, no cultural tradition contaminates the fundamental unit.

5-layer architecture: Epoch, Quant, Universal Duration, Solar Clock, and Display layers create clean separation of concerns. Physics cannot be overridden by governance. Culture cannot corrupt the protocol. Each layer does exactly one job.

DAG-as-clock: The Extropy Engine's directed acyclic graph is not merely timestamped — it IS the clock. Token minting events are temporal landmarks. The blockchain becomes a self-validating, tamper-proof temporal record.

7-prime token economy: Seven irreducible value dimensions (XP, CT, CAT, IT, DT, EP, TT) capture the full complexity of value creation, all temporally anchored by the Temporal Token.

Decimal calendar: 10 months per orbit, 5-day cycles, and a short closing month provide mathematical regularity while accommodating planetary diversity.

18.2 The Philosophical Claim

Universal Times makes a specific philosophical claim: time and value are two expressions of the same thermodynamic reality. Time is entropy production (the universe getting messier). Value is entropy reduction (humans making order from chaos). A system that measures both against the same physical foundation — hydrogen transitions — achieves a coherence that no legacy system possesses.

This is not mere poetry. It is an architectural decision with practical consequences. Because time and value share a physical anchor, the system can enforce consistency between temporal claims and value claims. You cannot claim to have created value without a temporal record of the process. You cannot produce a temporal record without participating in the system's value infrastructure.

Time and value become inseparable. That is the point.

18.3 What This System Is Not

Universal Times is not a proposal to abolish legacy timekeeping. Earth clocks will continue to show hours and minutes for the foreseeable future.

It is not a theory of quantum gravity or a claim about the fundamental nature of spacetime.

It is not a cryptocurrency whitepaper dressed up as a timekeeping specification. The temporal infrastructure is real and useful independent of the token economy.

It is an engineering specification for a modular, extensible, physics-grounded temporal system designed to scale from a single planet to a multi-planetary civilization. It is practical, implementable, and built to last.

18.4 Final Word

Humanity has measured time by the sun, by candles, by pendulums, by quartz crystals, and by cesium atoms. Each advance made timekeeping more precise, more portable, and more universal. Universal Times is the next step in that progression: a timekeeping system anchored not to any planet or star, but to the hydrogen atom — the most fundamental and abundant building block in the cosmos.

The clock is ready. The calendar is ready. The architecture is sound. What remains is the building.

Appendix A: Canonical Earth Planet Profile

Profile Name: EARTH

Profile Symbol: Earth astronomical symbol (circle with cross)

Star: Sol

Orbital Period: 365.2422 solar days

Rotational Period: 86,400.002 legacy seconds (1 solar day)

Solar Clock Configuration:

- Loops per day: 10
- Arcs per loop: 100
- Ticks per arc: 100
- Total ticks per day: 100,000
- Quants per tick: approximately 1.228×10^9
- Quants per day: approximately 1.228×10^{14}

Loop 0 start: Local solar midnight
Loop 5 (t:5:00:00): Approximately local solar noon

Legacy Conversion (approximate):

Universal Times	Legacy Equivalent
1 tick	0.864 legacy seconds
1 arc	86.4 legacy seconds = 1.44 legacy minutes
1 loop	8,640 legacy seconds = 2 hours 24 minutes
t:2:50:00	approximately 7:00 AM legacy
t:5:00:00	approximately 12:00 PM legacy (noon)
t:7:50:00	approximately 7:00 PM legacy

Calendar Configuration:

- Months per orbit: 10
- Days per month (Months 1–9): 40
- Days in Month 10: 5 (6 in leap years)
- Cycles per month: 8
- Days per cycle: 5
- Total days per year: 365 (366 in leap years)

Leap Year Rule: Same as Gregorian (divisible by 4, except centuries unless divisible by 400) or as redefined by governance.

Duration Unit Conversions (Earth-relative approximations):

Unit	Definition	Legacy Equivalent
1 Pulse	10^{11} H-periods	70.4 seconds = 1.17 minutes
1 Wave	10^{12} H-periods	704 seconds = 11.7 minutes
1 Tide	10^{13} H-periods	7,040 seconds = 1.96 hours
1 Spin	10^{14} H-periods	70,400 seconds = 19.6 hours
1 Current	10^{15} H-periods	704,000 seconds = 8.15 days
1 Season	10^{16} H-periods	7,040,000 seconds = 81.5 days
1 Epoch	10^{17} H-periods	70,400,000 seconds = 2.23 years

Appendix B: Canonical Mars Planet Profile

Profile Name: MARS

Profile Symbol: Mars astronomical symbol (circle with arrow)

Star: Sol

Orbital Period: 686.97 solar days (Earth) = 668.6 sols

Rotational Period: 88,775.244 legacy seconds (1 sol)

Solar Clock Configuration:

- Loops per sol: 10
- Arcs per loop: 100
- Ticks per arc: 100
- Total ticks per sol: 100,000
- Quants per tick: approximately 1.261×10^9
- Quants per sol: approximately 1.261×10^{14}

Loop 0 start: Local solar midnight
Loop 5 (t:5:00:00): Approximately local solar noon

Note: Martian ticks are slightly longer than Earth ticks (by approximately 2.75%) because the Martian sol is longer than the Earth day. The tick is a LOCAL unit — it maps to solar position, not to a universal duration. One Martian tick = 0.888 legacy seconds. One Earth tick = 0.864 legacy seconds.

Legacy Conversion (approximate, in Earth time):

Universal Times	Legacy Equivalent
1 Martian tick	0.888 legacy seconds
1 Martian arc	88.8 legacy seconds = 1.48 legacy minutes
1 Martian loop	8,878 legacy seconds = 2 hours 27 minutes 58 seconds

Calendar Configuration:

- Months per orbit: 10
- Days per month (Months 1–9): 74 sols
- Days in Month 10: 3 sols (adjustable for orbital remainder)
- Cycles per month: 14 cycles + 4 sols
- Days per cycle: 5 sols
- Total sols per year: 669 (approximate, adjusted annually)

Note: Mars calendar math is less clean than Earth's because 668.6 does not divide as neatly by 9. The closing month (Month 10) absorbs 2–4 sols depending on the year. This variability is expected and handled by the Month 10 remainder mechanism described in Section 9.4.

Duration Unit Conversions:

Universal Duration units (Pulse, Wave, Tide, etc.) are IDENTICAL on Mars and Earth. A Pulse is 10^{11} hydrogen hyperfine periods regardless of planet. The only difference is how many local ticks, arcs, or loops a given duration spans:

Unit	Duration	Martian Ticks	Earth Ticks
1 Pulse	70.4 seconds	79.3	81.5
1 Wave	11.7 minutes	793	815
1 Tide	1.96 hours	0.79 loops	0.82 loops
1 Spin	19.6 hours	7.95 loops	8.15 loops

This difference is exactly the point. The duration is universal. The local representation varies by planet. The system handles this automatically through the planet profile.