

Cucumber Report

09-Feb-2024, 9:42:19 pm

Start : Feb 09, 9:42:14.714 pm

End : Feb 09, 9:42:19.237 pm

Duration : 4.523 s

Features




Scenarios


Steps

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	Login and Logout	1	0	1	0	1.829 s
2	Projects tab testing	1	0	1	0	0.493 s
3	Comparing UI and DB	1	0	1	0	0.544 s
4	Edit Profile Details	2	0	2	0	1.072 s
5	Parameter Type Test	1	0	1	0	0.551 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login and Logout</u>	<u>Login and Logout test</u>	4	0	0	4	1.824 s
2	<u>Projects tab testing</u>	<u>Projects Filter</u>	4	0	0	4	0.493 s
3	<u>Comparing UI and DB</u>	<u>DB comply</u>	3	0	0	3	0.544 s
4	<u>Edit Profile Details</u>	<u>Profile Details</u>	2	0	0	2	0.604 s
5	<u>Edit Profile Details</u>	<u>Profile Details</u>	2	0	0	2	0.461 s
6	<u>Parameter Type Test</u>	<u>PT</u>	1	0	0	1	0.551 s

(F)- Login and Logout

FAILED	DURATION - 1.829 s	Scenarios		Steps	
/ 9:42:14.714 pm // 9:42:16.543 pm /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

(S)- Login and Logout test



<div>FAILED</div> <div>DURATION - 1.824 s</div>			Steps	
/ 9:42:14.719 pm // 9:42:16.543 pm /			Total - 4	
Login and Logout			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not	FAILED	1.809 s



#	Step / Hook Details	Status	Duration
	<p>compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher</p> <p>at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103)</p> <p>at base.BaseClass.launchBrowser(BaseClass.java:38)</p> <p>at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:89)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p>		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)</p> <p>Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher</p> <p>at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher</p> <p>at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126)</p>		
	BEFORE - stepDefinition.CommonSteps.hitURL()	FAILED	0.001 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null</p> <p>at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40)</p>		
1	When User logs into the ECLIPSE application with "AutomationEngineeer" and "Qwqwqw@12345"	SKIPPED	0.001 s
2	Then Login result should be "true"	SKIPPED	0.000 s
3	When User logs out of application	SKIPPED	0.001 s
4	Then User should be logged out successfully	SKIPPED	0.000 s

(F)- Projects tab testing

FAILED	DURATION - 0.493 s	Scenarios		Steps	
/ 9:42:16.558 pm // 9:42:17.051 pm /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

(S)- Projects Filter



<div>FAILED</div> <div>DURATION - 0.493 s</div>			Steps		
/ 9:42:16.558 pm // 9:42:17.051 pm /			Total - 4		
Projects tab testing			Pass - 0		
			Fail - 0		
			Skip - 4		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\\Users\\Softsuave\\.cache\\selenium\\geckodriver\\win64\\0.34.0-win\\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher	FAILED	0.489 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193) at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126) </pre>		
	<p>BEFORE - stepDefinition.CommonSteps.hitURL()</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40) </pre>	FAILED	0.000 s
1	When User logs into the ECLIPSE application with "AutomationEngineeer" and "Qwqwqw@12345"	SKIPPED	0.000 s
2	Then Login result should be "true"	SKIPPED	0.001 s
3	And Opens "Projects" tab on Home Page	SKIPPED	0.000 s
4	And Filter the Projects as Eclipse Hawk and verify the filter results	SKIPPED	0.000 s

(F)- Comparing UI and DB

FAILED	DURATION - 0.544 s	Scenarios		Steps	
/ 9:42:17.058 pm // 9:42:17.602 pm /		Total - 1	1	Total - 3	3
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	

(S)- DB comply



<div>FAILED</div> <div>DURATION - 0.544 s</div>			Steps		
/ 9:42:17.058 pm // 9:42:17.602 pm /			Total - 3		
Comparing UI and DB			Pass - 0		
@DB			Fail - 0		
			Skip - 3		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\\Users\\Softsuave\\.cache\\selenium\\geckodriver\\win64\\0.34.0-win\\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher	FAILED	0.540 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193) at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126) </pre>		
	BEFORE - stepDefinition.CommonSteps.hitURL()	FAILED	0.000 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40) </pre>		
1	When User logs into the application with username "ReyMysterio69" and password "Qwqwqw@*^_+!\$12"	SKIPPED	0.000 s
2	And User updates his name as "KishoreN" and age as 26	SKIPPED	0.000 s
3	Then Verify the new name KishoreN and age 26 by executing the DB Query	SKIPPED	0.001 s

(F)- Edit Profile Details

FAILED	DURATION - 1.072 s	Scenarios		Steps	
/ 9:42:17.608 pm // 9:42:18.680 pm /		Total - 2		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 4	

(S)- Profile Details

<div>FAILED</div> <div>DURATION - 0.604 s</div>			Steps		
/ 9:42:17.608 pm // 9:42:18.212 pm /			Total - 2		
			Pass - 0		
			Fail - 0		
Edit Profile Details			Skip - 2		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher	FAILED	0.601 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193) at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126) </pre>		
	<p>BEFORE - stepDefinition.CommonSteps.hitURL()</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40) </pre>	FAILED	0.001 s
1	When User logs into the ECLIPSE application with "AutomationEngineeer" and "Qwqwqw@12345"	SKIPPED	0.000 s
2	And User does Edit PROFILE by uploading new ProfilePicture "D:\WS\src\main\resources\sikkuliImage\img.png", "Qwqwqw@12345"	SKIPPED	0.000 s

(S)- Profile Details


<div>FAILED</div> <div>DURATION - 0.461 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 9:42:18.219 pm // 9:42:18.680 pm /				
Edit Profile Details				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193) at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) </pre>	FAILED	0.459 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126)		
	BEFORE - stepDefinition.CommonSteps.hitURL()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40)		
1	When User logs into the ECLIPSE application with "AutomationEngineeer" and "Qwqwqw@12345"	SKIPPED	0.000 s
2	And User does Edit PROFILE by uploading new ProfilePicture "D:\IWS\src\main\resources\sikkuliImage\SearchIcon.png", "Qwqwqw@12345"	SKIPPED	0.000 s

(F)- Parameter Type Test

FAILED		DURATION - 0.551 s		Scenarios		Steps	
/ 9:42:18.686 pm // 9:42:19.237 pm /		Total - 1		Total - 1		Total - 1	
		Pass - 0				Pass - 0	
		Fail - 1				Fail - 0	
		Skip - 0				Skip - 1	

(S)- PT

<div>FAILED</div> <div>DURATION - 0.551 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div>	
/ 9:42:18.686 pm // 9:42:19.237 pm /				
Parameter Type Test				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.CommonSteps.configureBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-F9LGDQJ', ip: '192.168.6.43' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) Caused by: java.io.UncheckedIOException: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:193) at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:208) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128)	FAILED	0.549 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at base.BaseClass.launchBrowser(BaseClass.java:38) at stepDefinition.CommonSteps.configureBrowser(CommonSteps.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: Cannot run program "C:\Users\Softsuave\.cache\selenium\geckodriver\win64\0.34.0-win\geckodriver.exe": CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1170) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1089) at org.openqa.selenium.os.ExternalProcess\$Builder.start(ExternalProcess.java:191) ... 61 more Caused by: java.io.IOException: CreateProcess error=216, This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information and then contact the software publisher at java.base/java.lang.ProcessImpl.create(Native Method) at java.base/java.lang.ProcessImpl.<init>(ProcessImpl.java:500) at java.base/java.lang.ProcessImpl.start(ProcessImpl.java:159) at java.base/java.lang.ProcessBuilder.start(ProcessBuilder.java:1126) </pre>		
	BEFORE - stepDefinition.CommonSteps.hitURL()	FAILED	0.000 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefinition.CommonSteps.driver" is null at stepDefinition.CommonSteps.hitURL(CommonSteps.java:40) </pre>		
1	Then Testing Boolean Parameter type true	SKIPPED	0.000 s