دليل تثقيفي مختصر

العناية الذاتية والمتابعة

- التزم بتعليمات العناية بالجلد والنظافة المناسبة اللي يوضحها الفريق المعالج.
- اتبع برنامج حركة مناسب لحالتك، وتجنب تغيير شدة التمرين بعشوائية لو في أعراض جديدة.
- استخدم وسائل الضغط لو وصفها مختص وشرح لك طريقة الاستعمال وموانع الاستخدام.
- راقب تغيرات الجلد والتورم وناقش أي تطورات مع فريقك.
- لو ظهر تورم مفاجئ أو احمرار أو سخونية أو ألم غير معتاد، اطلب تقييمًا طبيًا عاجلًا. وضيق النفس أو ألم الصدر يستدعي الطوارئ.

المحتوى ده للتثقيف فقط، مش تشخيص أو خطة علاج شخصية. العيادة والاسم التجاري لسه في مرحلة التصور، وملف الدليل مش بديل عن استشارة مختص.

Self-care and follow-up

- Follow the skin-care and hygiene guidance given by your treating team.
- Use an individualized movement program rather than abruptly changing exercise intensity.
- Use compression only when prescribed and fitted appropriately by a qualified professional.
- Monitor relevant changes and discuss them with your care team.
- Seek urgent medical assessment for sudden swelling, redness, fever, or unusual pain. Chest pain or breathlessness requires emergency services.

Educational information only. It does not replace individualized clinical evaluation or treatment. LYMELVA is a preliminary brand concept.

Care references: NHS — https://www.nhs.uk/conditions/lymphoedema/treatment/
Expert consensus on CDT (2024) — https://pubmed.ncbi.nlm.nih.gov/39487245/