## Aids.jsx

```
import React, { useState } from 'react';
import './Aids.css';
const Aids = () => {
  const [formData, setFormData] = useState({
    name: ",
    age: ",
    gender: ",
    contact: ",
    email: ",
    subjects: ",
    goal: "
  });
  const handleChange = (e) \Rightarrow \{
    const { name, value } = e.target;
    setFormData((prevState) => ({
       ...prevState,
       [name]: value
    }));
  };
  const handleSubmit = (e) \Rightarrow \{
    e.preventDefault();
    alert(JSON.stringify(formData, null, 2)); // For now, show data in an alert
  };
  return (
    <div className="form-container">
       <h2>AI & DS Student Form</h2>
       <form onSubmit={handleSubmit}>
         <div className="form-group">
            <label htmlFor="name">Name</label>
            <input type="text" id="name" name="name" value={formData.name} onChange={handleChange} required />
         </div>
         <div className="form-group">
            <label htmlFor="age">Age</label>
            <input type="number" id="age" name="age" value={formData.age} onChange={handleChange} required />
         </div>
         <div className="form-group">
           <label htmlFor="gender">Gender</label>
            <select id="gender" name="gender" value={formData.gender} onChange={handleChange} required>
              <option value="">Select</option>
              <option value="male">Male</option>
              <option value="female">Female</option>
              <option value="other">Other</option>
            </select>
         </div>
         <div className="form-group">
            <label htmlFor="contact">Contact No</label>
            <input type="tel" id="contact" name="contact" value={formData.contact} onChange={handleChange} required
/>
         </div>
         <div className="form-group">
            <label htmlFor="email">Email</label>
            <input type="email" id="email" name="email" value={formData.email} onChange={handleChange} required/>
         </div>
         <div className="form-group">
            <label htmlFor="subjects">Favorite Subjects</label>
            <input type="text" id="subjects" name="subjects" value={formData.subjects} onChange={handleChange} />
         </div>
```

```
<div className="form-group">
           <label htmlFor="goal">Goal</label>
           <button type="submit" className="submit-btn">Submit/button>
      </form>
    </div>
  );
};
export default Aids;
Aids.css
/* General styling */
body {
  font-family: 'Arial', sans-serif;
  background-color: #f0f8ff;
  /* Light blue background */
  margin: 0;
  padding: 0;
.form-container {
  background-color: #fff;
  max-width: 600px;
  margin: 2rem auto;
  padding: 2rem;
  border-radius: 10px;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
h2 {
  color: #4b8eda;
  text-align: center;
.form-group {
  margin-bottom: 1.5rem;
label {
  display: block;
  font-weight: bold;
  margin-bottom: 0.5rem;
  color: #4b4b4b;
input,
select,
textarea {
  width: 100%;
  padding: 0.75rem;
  border: 1px solid #ccc;
  border-radius: 5px;
  font-size: 1rem;
  background-color: #f9f9f9;
  outline: none;
  transition: border 0.3s ease;
input:focus,
select:focus,
```

```
textarea:focus {
   border-color: #4b8eda;
 textarea {
   resize: vertical;
   height: 100px;
 . submit-btn \ \{
   width: 100%;
   padding: 1rem;
   background-color: #4b8eda;
   color: white;
   border: none;
   border-radius: 5px;
   font-size: 1.2rem;
   cursor: pointer;
   transition: background-color 0.3s ease;
 .submit-btn:hover {
   background-color: #357ab8;
 @media (max-width: 768px) {
   .form-container {
     padding: 1.5rem;
     margin: 1.5rem;
   input,
   select,
   textarea {
     padding: 0.5rem;
   . submit-btn \ \{
     padding: 0.75rem;
 App.js
 import React from 'react';
 // import Detail from './detail';
 import Aids from './Aids';
 function App() {
  return (
   <div>
    <Aids />
   </div>
);
}
```

export default App;

## **OUTPUT:**

