

Use new Docker logo

Replace Docker and Java with their logos



Docker for Java Developers

Fabiane Nardon, @fabianenardon
Arun Gupta, @arungupta

Fabiane's introduction


Docker Captain
Java Champion
JavaOne Rock Star (4 years)
NetBeans Dream Team
Silicon Valley JUG Leader
Author
Runner
Lifelong learner




What we plan to cover?

- Java Base Image
- Package Java application with Maven or Gradle
- Multi-container application on single/multiple host(s)
- Multi-container application using Docker for AWS
- Monitor Java application
- Deployment pipeline

Java Base Image



WORA = Write Once Run Anywhere




PODA = Package Once Deploy Anywhere

Java base image #1

https://hub.docker.com/_/java/

java is now available in the Docker Store, the new place to discover public Docker images



OFFICIAL REPOSITORY

java ☆

Last pushed: 17 days ago

Repo Info Tags

Short Description

Java is a concurrent, class-based, and object-oriented programming language.

Full Description

DEPRECATED


This image is officially deprecated in favor of [the openjdk image](#), and will receive no further updates after 2016-12-31 (Dec 31, 2016). Please adjust your usage accordingly.

The image has been OpenJDK-specific since it was first introduced, and as of 2016-08-10 we also have [an ibmjava image](#), which made it even more clear that each repository should represent one upstream instead of one language stack or community, so this rename reflects that clarity appropriately.


Java base image #2

	Debian	Alpine
jdk	244MB	71MB
jre	124MB	56MB

https://hub.docker.com/_/openjdk/



OFFICIAL REPOSITORY

openjdk 

Last pushed: 9 days ago

Repo InfoTags

Short Description

OpenJDK is an open-source implementation of the Java Platform, Standard Edition

Full Description

Supported tags and respective **Dockerfile** links

- 6b38-jdk , 6b38 , 6-jdk , 6 (6-jdk/Dockerfile)
- 6b38-jre , 6-jre (6-jre/Dockerfile)
- 7u121-jdk , 7u121 , 7-jdk , 7 (7-jdk/Dockerfile)
- 7u121-jdk-alpine , 7u121-alpine , 7-jdk-alpine , 7-alpine (7-jdk/alpine/Dockerfile)
- 7u121-jre , 7-jre (7-jre/Dockerfile)
- 7u121-jre-alpine , 7-jre-alpine (7-jre/alpine/Dockerfile)
- 8u121-jdk , 8u121 , 8-jdk , 8 , jdk , latest (8-jdk/Dockerfile)
- 8u121-jdk-alpine , 8u121-alpine , 8-jdk-alpine , 8-alpine , jdk-alpine , alpine (8-jdk/alpine/Dockerfile)
- 8u121-jdk-windowsservercore , 8u121-windowsservercore , 8-jdk-windowsservercore , 8-windowsservercore , jdk-windowsservercore , windowsservercore (8-



```
38     cd /tmp && unzip /tmp/jce_policy-${JAVA_VERSION_MAJOR}.zip && \
39     cp -v /tmp/UnlimitedJCEPolicyJDK8/*.jar /opt/jdk/jre/lib/security; \
40     fi && \
41     sed -i s/#networkaddress.cache.ttl=-1/networkaddress.cache.ttl=10/ $JAVA_HOME/jre/lib/security/java.security && \
42     apk del curl glibc-i18n && \
43     rm -rf /opt/jdk/*src.zip \
44         /opt/jdk/lib/missioncontrol \
45         /opt/jdk/lib/visualvm \
46         /opt/jdk/lib/*javafx* \
47         /opt/jdk/jre/plugin \
48         /opt/jdk/jre/bin/javaws \
49         /opt/jdk/jre/bin/jjs \
50         /opt/jdk/jre/bin/orbd \
51         /opt/jdk/jre/bin/pack200 \
52         /opt/jdk/jre/bin/policytool \
53         /opt/jdk/jre/bin/rmid \
54         /opt/jdk/jre/bin/rmiregistry \
55         /opt/jdk/jre/bin/servertool \
56         /opt/jdk/jre/bin/tnameserv \
57         /opt/jdk/jre/bin/unpack200 \
58         /opt/jdk/jre/lib/javaws.jar \
59         /opt/jdk/jre/lib/deploy* \
60         /opt/jdk/jre/lib/desktop \
61         /opt/jdk/jre/lib/*javafx* \
62         /opt/jdk/jre/lib/*jfx* \
63         /opt/jdk/jre/lib/amd64/libdecora_sse.so \
64         /opt/jdk/jre/lib/amd64/libprism_*.so \
65         /opt/jdk/jre/lib/amd64/libfxplugins.so \
66         /opt/jdk/jre/lib/amd64/libglass.so \
67         /opt/jdk/jre/lib/amd64/libgstreamer-lite.so \
68         /opt/jdk/jre/lib/amd64/libjavafx*.so \
69         /opt/jdk/jre/lib/amd64/libjfx*.so \
70         /opt/jdk/jre/lib/ext/jfxrt.jar \
71         /opt/jdk/jre/lib/ext/nashorn.jar \
72         /opt/jdk/jre/lib/oblique-fonts \
73         /opt/jdk/jre/lib/plugin.jar \
74         /tmp/* /var/cache/apk/* && \
75     echo 'hosts: files mdns4_minimal [NOTFOUND=return] dns mdns4' >> /etc/nsswitch.conf
76
77 # EOF
```

Java base image #3


Add snapshot from container-
registry.oracle.com

Only in US/UK/Australia

https://hub.docker.com/_/openjdk/



OFFICIAL REPOSITORY

openjdk 

Last pushed: 9 days ago

Repo Info [Tags](#)

Short Description

OpenJDK is an open-source implementation of the Java Platform, Standard Edition

Full Description


Supported tags and respective **Dockerfile** links

- 6b38-jdk , 6b38 , 6-jdk , 6 ([6-jdk/Dockerfile](#))
- 6b38-jre , 6-jre ([6-jre/Dockerfile](#))
- 7u121-jdk , 7u121 , 7-jdk , 7 ([7-jdk/Dockerfile](#))
- 7u121-jdk-alpine , 7u121-alpine , 7-jdk-alpine , 7-alpine ([7-jdk/alpine/Dockerfile](#))
- 7u121-jre , 7-jre ([7-jre/Dockerfile](#))
- 7u121-jre-alpine , 7-jre-alpine ([7-jre/alpine/Dockerfile](#))
- 8u121-jdk , 8u121 , 8-jdk , 8 , jdk , latest ([8-jdk/Dockerfile](#))
- 8u121-jdk-alpine , 8u121-alpine , 8-jdk-alpine , 8-alpine , jdk-alpine , alpine ([8-jdk/alpine/Dockerfile](#))
- 8u121-jdk-windowsservercore , 8u121-windowsservercore , 8-jdk-windowsservercore , 8-jdk-windowsservercore , jdk-windowsservercore , windowsservercore ([8-jdk/windowsservercore/Dockerfile](#))

Java base image #4

Snapshot from EC2 Container Registry
Also available in Artifactory

https://hub.docker.com/_/openjdk/



OFFICIAL REPOSITORY

openjdk ☆

Last pushed: 9 days ago

Repo Info [Tags](#)

Short Description

OpenJDK is an open-source implementation of the Java Platform, Standard Edition

Full Description


Supported tags and respective **Dockerfile** links

- 6b38-jdk , 6b38 , 6-jdk , 6 ([6-jdk/Dockerfile](#))
- 6b38-jre , 6-jre ([6-jre/Dockerfile](#))
- 7u121-jdk , 7u121 , 7-jdk , 7 ([7-jdk/Dockerfile](#))
- 7u121-jdk-alpine , 7u121-alpine , 7-jdk-alpine , 7-alpine ([7-jdk/alpine/Dockerfile](#))
- 7u121-jre , 7-jre ([7-jre/Dockerfile](#))
- 7u121-jre-alpine , 7-jre-alpine ([7-jre/alpine/Dockerfile](#))
- 8u121-jdk , 8u121 , 8-jdk , 8 , jdk , latest ([8-jdk/Dockerfile](#))
- 8u121-jdk-alpine , 8u121-alpine , 8-jdk-alpine , 8-alpine , jdk-alpine , alpine ([8-jdk/alpine/Dockerfile](#))
- 8u121-jdk-windowsservercore , 8u121-windowsservercore , 8-jdk-windowsservercore , 8-windowsservercore , jdk-windowsservercore , windowsservercore ([8-jdk/windowsservercore/Dockerfile](#))


Java base image #5

openjdk	244MB	Debian
zulu-openjdk	161MB	Ubuntu

<https://hub.docker.com/r/azul/zulu-openjdk/>



PUBLIC | AUTOMATED BUILD

azul/zulu-openjdk 


Last pushed: 2 months ago

Repo Info Tags Dockerfile Build Details

Short Description

Zulu is a fully tested, compatibility verified, and trusted binary distribution of the OpenJDK.

Full Description

What is Zulu? 

Zulu is a widely available binary distribution of OpenJDK. Zulu distributions are fully tested and verified builds of the latest versions of the OpenJDK 8, 7, and 6 platforms. Zulu is available for Linux, Windows, and MacOS platforms, with commercial support available upon request.

Zulu is built, tested, supported and made available by Azul Systems.

www.azul.com/zulu

First Java Docker Image

```
FROM openjdk:jdk-alpine
```

```
CMD java -version
```

First Java Web App Docker Image

```
FROM jboss/wildfly:10.1.0.Final
```

```
COPY target/webapp.war /opt/jboss/wildfly/  
standalone/deployments/webapp.war
```


Package Java Application using Maven or Gradle

Docker Support in Java IDEs



Multi-Container Application using Docker Compose



Docker Compose

- Define and run multi-container applications
- Configuration defined in one or more files
 - `docker-compose.yml` (default)
 - `docker-compose.override.yml` (default)
 - Multiple files specified using `-f`
- Single command to manage all services
- Great for dev, staging, and CI

Multiple Files - Image and Ports

docker-compose.db.yml

```
version: '3'
services:
  web:
    ports:
      - 80:8080
  db:
    image: couchbase:prod
    ports:
      - 8091:8091
```

Run

```
docker-compose \
-f docker-compose.yml \
-f docker-compose.db.yml \
up -d
```

Services


```
docker-compose \
-f docker-compose.yml \
-f docker-compose.db.yml \
ps
```

Shutdown

```
docker-compose \
-f docker-compose.yml \
-f docker-compose.db.yml \
down
```


Service Discovery with Docker

```
1  version: "3"
2  services:
3    db:
4      image: arungupta/couchbase:travel
5      ports:
6        - 8091:8091
7        - 8092:8092
8        - 8093:8093
9        - 11210:11210
10   web:
11     image: arungupta/wildfly-couchbase-javaee:travel
12     environment:
13       - COUCHBASE_URI=db
14     ports:
15       - 8080:8080
16       - 9990:9990
```



`docker stack deploy --compose-file=docker-compose.yml webapp`

Docker 1.13 - Compose v3

- `docker stack deploy` now supports Compose file
 - Number of desired instances of each service
 - Rolling update
 - Server constraints

Docker Compose Common Use Cases

Use Case	Command
Dev Setup	<code>docker-compose up</code>
Local/remote host	<code>DOCKER_HOST, DOCKER_TLS_VERIFY, DOCKER_CERT_PATH</code>
Single/multiple hosts	Integrated with Swarm
Multiple isolated environments	<code>docker-compose up -p <project></code>
Automated test setup	<code>docker-compose up</code> <code>mvn test</code> <code>docker-compose down</code>
Dev/Prod Impedance mismatch	<code>docker-compose up -f docker-compose.yml -f production.yml</code>

Multi-Container Application on Multi-Host using Swarm-mode



Swarm Mode


- Natively managing a cluster of Docker Engines called a Swarm
- Docker CLI to create a swarm, deploy apps, and manage swarm
 - Optional feature, need to be explicitly enabled
- No Single Point of Failure (SPOF)
- Declarative state model
- Self-organizing, self-healing
- Service discovery, load balancing and scaling
- Rolling updates

Swarm Mode: Initialize




```
docker swarm init --listen-addr <ip>:2377
```

Swarm Mode: Add Worker




```
docker swarm join --token <worker_token> <manager>:2377
```


Swarm Mode: Add More Workers




```
docker swarm join --token <worker_token> <manager>:2377
```

Swarm Mode: Primary/Secondary Master



```
docker swarm join --manager --token <manager_token> --listen-addr <master2>:2377 <master1>:2377
```

Swarm Mode: Replicated Service




```
docker service create --replicas 3 --name web jboss/wildfly
```

Swarm Mode - Routing Mesh


- Load balancers are host-aware, not container-aware
- Swarm mode introduces container-aware routing mesh
- Reroutes traffic from any host to a container
 - Reserves a Swarm-wide ingress port
 - Uses DNS-based service discovery

Swarm Mode: Routing Mesh




```
docker service create --replicas 3 --name web -p 8080:8080 jboss/wildfly
```



Swarm Mode: Node Failure




Swarm Mode: Desired != Actual




Swarm Mode: Reconcile




Swarm Mode: Container Failure




Swarm Mode: Desired != Actual



Swarm Mode: Reconcile




Swarm Mode: Scale




```
docker service scale web=6
```


Swarm Mode: Global Service




```
docker service create --mode=global --name=prom prom/prometheus
```

Swarm Mode: Pause Node




```
docker node update --availability pause <nodename>
```

Swarm Mode: Active Node




```
docker node update --availability active <nodename>
```

Swarm Mode: Drain Node



```
docker node update --availability drain <nodename>
```


Swarm Mode: Rolling Updates




```
docker service update web --image wildfly:2 --update-parallelism  
2 --update-delay 10s
```


Multi-Container Application on Multi-Host using Docker for AWS

Development: Docker



- Docker Community Edition
 - Docker for Mac/Windows/Linux
 - Monthly edge and quarterly stable releases
 - Native desktop or cloud provider experience



Docker for AWS/Azure

- Amazon Web Services
 - Amazon CloudFormation templates
 - Integrated with Autoscaling, ELB, and EBS
- Azure
 - Integrated with VM Scale Sets for autoscaling, Azure Load Balancer, Azure Storage
- docker.com/getdocker

Monitor Docker + Java Applications

Monitoring Docker Containers

- `docker stats` command

- LogEntries



- Service logs: `docker service logs <service>`

- Prometheus endpoint - New in Docker 1.13

- Docker Remote API: `/container/{container-name|cid}/stats`


- Docker Universal Control Plane

- cAdvisor

- Prometheus
- InfluxDB



CI/CD with Docker + Jenkins



References

- Slides: github.com/docker/labs/tree/master/slides
- Workshop: github.com/docker/labs/tree/master/java
- Docs: docs.docker.com