This is a demo of movies in DocOnce

HPL

 $\mathrm{Dec}\ 4,\ 2014$

Here is a movie in WebM format.

../doc/src/manual/mov/wave.webm

Movie 1: 1D wave in WebM.

Here is the same movie in Ogg format:

../doc/src/manual/mov/wave.ogg

Movie 2: 1D wave in Ogg.

Here is the same movie in MP4 format:

Movie 3: 1D wave in MP4.

Here is the same movie in Flash format:

Movie 4: 1D wave in Flash.

And here is a collection of images shown as an animation (frame_*.png):

Movie 5: Animated collection of images.

Here is the same collection, but with images in cyberspace, given as URLs:

http://hplgit.github.io/animate/..../frame_%04d.png:80->129

Taking images to animate from cyberspace.

http://hplgit.github.io/animate/doc/pub/mov-animate/frames/frame_%04d.png:80->129: load movie_player1.html into a browser

Movie 6: Taking images to animate from cyberspace.

The movie above in MPEG format, typeset in a box:



Here is the same movie in AVI format:

 $({\rm Loading}\ ../{\rm doc/src/manual/mov/wave.avi})$

Movie 8: 1D wave in AVI.

Here is the same movie, but with a URL to GitHub:

 $\verb|http://hplgit.github.io/animate/doc/pub/mov-animate/demo.ogg|$

Here is a YouTube video:



Movie 10: YouTube movie.

And a vimeo video:

http://vimeo.com/55562330

Movie 11: Vimeo movie.

Finally, let us demonstrate referencing the movie 7.