Making a Library Catalogue Part of the Semantic Web

Making a Library Catalogue Part of the Semantic Web

or

If Tim Berners-Lee says HTTP URIs are OK then ...

What, how, why


- What we did
- How we did it
- Why we did it


LIBRIS


- Swedish Union Catalogue
- Created cooperatively by around 200 member libraries
- Hosted by the Royal Library
- 6.5M bibliographic records
- ~200k authority records


LIBRIS


- New web OPAC in 2007-2008
- Built from the ground up
- We use iterative development techniques, agile development, user centered design
- Open and collaborative development
- We are in control of almost everything, very few dependencies




















Why search/retrieve protocols ...

- SRU/Z39.50/... does not give the user access to extended information
- ... without extensive knowledge about the indices, the server, how the data is structured, etc., etc.

You could ...

- expose this information in the response of a search/retrieve operation
- build protocols for missing resources, resources that have moved, etc.
- perhaps with multiple access mechanisms

But ...

- you'd end up re-implementing HTTP within another protocol
- for the library community

Linked Data

- Use URIs as names for things
- Use HTTP URIs so that people can look up those names
- When someone looks up a URI, provide useful information
- Include links to other URIs, so that they can discover more things

URIs as names

- libris-bib:123
- libris-auth:456
- libris-hold:789

Use HTTP URIs


- http://libris.kb.se/resource/bib/123 is a URI for a book
- http://libris.kb.se/bib/123 is a URI for page (about a book)

Provide useful information

- Most OPACs do this ...
- ... just not in a machine readable way
- LIBRIS provides RDF through content negotiation

Include links

- Most OPACs do this ...
- ... just not in a machine readable way
- LIBRIS RDF includes links to other resources, internal and external



Link-tag

```
<!--libris.kb.se-->
<script src="http://maps.google.com/maps?file=api&amp;v=2&amp;key=ABQIAAAA7fEQxiquYckwtSpHsnjFsRTevPMz12FSxh_JAlnkvHbFivH9chR6KRcNodCNId8q:
</script>
<script type="text/javascript" src="js/se/getitMap.js"></script>
<link rel="alternate" type="text/rdf+n3" title="RDF Representation" href="http://libris.kb.se/data/bib/5060570?format=text%2Frdf%2Bn3" >
<link rel="alternate" type="application/rdf+xml" title="RDF Representation" href="http://libris.kb.se/data/bib/5060570?format=application% clink rel="icon" href="/images/favicon.ico" type="image/x-icon" >
</script type="text/javascript" src="js/se/getitMap.js"></script>
</script>
</sc
```

Other ways

- GRDDL (Gleaning Resource Descriptions from Dialects of Language)
- RDFa
- Hash URIs
- Cool URIs for the Semantic Web

Example - book

```
# RDF in Turtle/N3 created for the bibliographic record 5059476
<a href="http://libris.kb.se/resource/bib/5059476">http://libris.kb.se/resource/bib/5059476</a>
        foaf:page <http://libris.kb.se/bib/5059476>;
        rdfs:isDefinedBy <a href="http://libris.kb.se/data/bib/5059476">http://libris.kb.se/data/bib/5059476</a>;
         # short bibliographic description
        dc:title
                                "The difference engine":
                               "Gibson, William, 1948-";
        dc:creator
        dc:creator
                                "Sterling, Bruce, 1954-";
        dc:subject
                                "Steampunk";
        dc:identifier
                               <URN:ISBN:0-575-04762-3>;
         # links to authors with authority records
        dc:creator
                               <http://libris.kb.se/resource/auth/220040>;
        dc:creator
                                <http://libris.kb.se/resource/auth/307779>;
         # links to subjects with authority records
        dc:subject
                               <http://libris.kb.se/resource/auth/308073>;
                               <http://libris.kb.se/resource/auth/308074>;
        dc:subject
         # links to other editions of the same work
        libris:frbr related <a href="http://libris.kb.se/resource/bib/5060570">http://libris.kb.se/resource/bib/5060570</a>;
         # user annotations
        annotea: hasAnnotation <a href="http://libris.kb.se/resource/annotation/123">http://libris.kb.se/resource/annotation/123</a>;
        # book is held by the following libraries
        libris:held by <a href="http://libris.kb.se/resource/library/Sk">http://libris.kb.se/resource/library/Sk</a>;
        libris:held by
                              <http://libris.kb.se/resource/library/Vvt> .
```


Example - book


```
# RDF in Turtle/N3 created for the bibliographic record 5059476
<a href="http://libris.kb.se/resource/bib/5059476">http://libris.kb.se/resource/bib/5059476</a>
         foaf:page <http://libris.kb.se/bib/5059476>;
         rdfs:isDefinedBy <a href="http://libris.kb.se/data/bib/5059476">http://libris.kb.se/data/bib/5059476</a>;
         # short bibliographic description
                                   "The difference engine";
         dc:title
                                  "Gibson, William, 1948-";
         dc:creator
                                  "Sterling, Bruce, 1954-";
         dc:creator
         dc:subject
                                  "Steampunk";
         dc:identifier
                                  <URN:ISBN:0-575-04762-3>;
         # links to authors with authority records
                                  <http://libris.kb.se/resource/auth/220040>;
         dc:creator
                                  <a href="http://libris.kb.se/resource/auth/307779">http://libris.kb.se/resource/auth/307779>;</a>
         dc:creator
         # links to subjects with authority records
                                  <http://libris.kb.se/resource/auth/308073>;
         dc:subject
                                  <a href="http://libris.kb.se/resource/auth/308074">http://libris.kb.se/resource/auth/308074</a>;
         dc:subject
         # links to other editions of the same work
         libris:frbr related <a href="http://libris.kb.se/resource/bib/5060570">http://libris.kb.se/resource/bib/5060570</a>;
         # user annotations
         annotea: hasAnnotation <a href="http://libris.kb.se/resource/annotation/123">http://libris.kb.se/resource/annotation/123</a>;
         # book is held by the following libraries
                                 <http://libris.kb.se/resource/library/Sk>;
         libris:held by
         libris:held by <a href="http://libris.kb.se/resource/library/Vvt">http://libris.kb.se/resource/library/Vvt</a>.
```

Example - book

```
# RDF in Turtle/N3 created for the bibliographic record 5059476
               <a href="http://libris.kb.se/resource/bib/5059476">http://libris.kb.se/resource/bib/5059476</a>
                        foaf:page <http://libris.kb.se/bib/5059476>;
                        rdfs:isDefinedBy <a href="http://libris.kb.se/data/bib/5059476">http://libris.kb.se/data/bib/5059476</a>;
                        # short bibliographic description
                                                 "The difference engine";
                        dc:title
                                                "Gibson, William, 1948-";
                        dc:creator
   bibliographic
                        dc:creator
                                                "Sterling, Bruce, 1954-";
                        dc:subject
                                                "Steampunk";
                        dc:identifier
                                                <URN:ISBN:0-575-04762-3>;
                        # links to authors with authority records
                                                <http://libris.kb.se/resource/auth/220040>;
                        dc:creator
                        dc:creator
                                                <http://libris.kb.se/resource/auth/307779>;
authority links
                        # links to subjects with authority records
                        dc:subject
                                                <http://libris.kb.se/resource/auth/308073>;
                                                <a href="http://libris.kb.se/resource/auth/308074">http://libris.kb.se/resource/auth/308074</a>;
                        dc:subject
                        # links to other editions of the same work
           search
                        libris:frbr related <a href="http://libris.kb.se/resource/bib/5060570">http://libris.kb.se/resource/bib/5060570</a>;
                        # user annotations
    annotations
                        annotea: hasAnnotation <a href="http://libris.kb.se/resource/annotation/123">http://libris.kb.se/resource/annotation/123</a>;
                        # book is held by the following libraries
                        libris:held by
                                               <http://libris.kb.se/resource/library/Sk>;
          holdings
                        libris:held by <a href="http://libris.kb.se/resource/library/Vvt">http://libris.kb.se/resource/library/Vvt</a>.
```

Content negotiation





Example - person (FOAF)

```
# RDF in Turtle/N3 created for the authority record 220040
<a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040></a>
        rdfs:isDefinedBy <a href="http://libris.kb.se/data/auth/220040">http://libris.kb.se/data/auth/220040</a>;
          # type of authority record
          rdf:type <http://xmlns.com/foaf/0.1/Person>;
          # description
          foaf:name
                                "Gibson, William, 1948-";
          foaf:name
                               "William Gibson" ;
          # links to external resources
          owl:sameAs
                               <http://dbpedia.org/data/William Gibson> ;
                               <http://en.wikipedia.org/wiki/William Gibson> .
          rdfs:seeAlso
# links to books by this author
<a href="http://libris.kb.se/resource/bib/2716178">http://libris.kb.se/resource/auth/220040></a>.
<a href="http://libris.kb.se/resource/bib/2793076">http://libris.kb.se/resource/auth/220040>.</a>
<a href="http://libris.kb.se/resource/bib/4465470">http://libris.kb.se/resource/auth/220040</a>.
<a href="http://libris.kb.se/resource/bib/4574314">http://libris.kb.se/resource/bib/4574314</a> dc:creator <a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040</a> .
```

Example - person (FOAF)

```
# RDF in Turtle/N3 created for the authority record 220040
<a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040></a>
         rdfs:isDefinedBy <a href="http://libris.kb.se/data/auth/220040">http://libris.kb.se/data/auth/220040</a>;
           # type of authority record
           rdf:type <http://xmlns.com/foaf/0.1/Person>;
           # description
           foaf:name
                                   "Gibson, William, 1948-";
                                   "William Gibson" ;
           foaf:name
           # links to external resources
                                  <http://dbpedia.org/data/William Gibson>;
           owl:sameAs
           rdfs:seeAlso
                                  <http://en.wikipedia.org/wiki/William Gibson> .
# links to books by this author
<http://libris.kb.se/resource/bib/2716178>
                                                           dc:creator <a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040></a>.
<a href="http://libris.kb.se/resource/bib/2793076">http://libris.kb.se/resource/auth/220040>.</a>
<http://libris.kb.se/resource/bib/4465470>
                                                           dc:creator <a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040></a>.
<a href="http://libris.kb.se/resource/bib/4574314">http://libris.kb.se/resource/bib/4574314</a> dc:creator <a href="http://libris.kb.se/resource/auth/220040">http://libris.kb.se/resource/auth/220040</a> .
```

Example - subject heading (SKOS)

```
# RDF in Turtle/N3 created for the authority record 308074
<a href="http://libris.kb.se/resource/auth/308074">http://libris.kb.se/resource/auth/308074</a>
       rdfs:isDefinedBy <a href="http://libris.kb.se/data/auth/308074">http://libris.kb.se/data/auth/308074</a>;
       # type of authority record
       rdf:type
                          skos:Concept;
       # description
       skos:prefLabel "Steampunk";
                         "Science fiction" ;
       skos:related
       skos:related
                        "Cyberpunk" ;
       # links to other subjects
       skos:related
                         <http://libris.kb.se/resource/auth/243892>;
                         <http://libris.kb.se/resource/auth/142481> ;
       skos:related
       # links to external resources
       owl:sameAs <http://dbpedia.org/page/Steampunk> .
# links to books with this subject
<a href="http://libris.kb.se/resource/bib/5059476">http://libris.kb.se/resource/auth/308074</a>.
<a href="http://libris.kb.se/resource/bib/5060570">http://libris.kb.se/resource/auth/308074</a>.
```


Example - library (FOAF)

```
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .@prefix foaf:
    <http://xmlns.com/foaf/0.1/> .@prefix geo: <http://www.w3.org/2003/01/geo/
    wgs84_pos#> .@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
    <http://libris.kb.se/resource/library/S>  # type of record  rdf:type
    foaf:Organization ;  # description  foaf:name  "Kungl.
    biblioteket" ;  geo:lat 59.337534 ;  geo:long 18.071651 ;
    foaf:homepage "http://www.kb.se" .
```

Example - library (FOAF)

```
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .@prefix foaf:
<http://xmlns.com/foaf/0.1/> .@prefix geo: <http://www.w3.org/2003/01/geo/
wgs84_pos#> .@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
<http://libris.kb.se/resource/library/S> # type of record rdf:type
foaf:Organization; # description foaf:name "Kungl.
biblioteket"; geo:lat 59.337534; geo:long 18.071651;
foaf:homepage "http://www.kb.se" .
```

Links, links, links



External links

- ~12.000 links to LCSH.INFO
- A handful of links to Wiki/DBPedia
- ... ~30.000 on the way in

Mothers

skos:exactMatch

Mödrar

Lesbian mothers

skos:exactMatch

Lesbiska mödrar

Mothers

skos:exactMatch

Mödrar

skos:narrower

Lesbian mothers

skos:exactMatch

Lesbiska mödrar

Mothers

skos:exactMatch

Mödrar


skos:narrower


skos:narrower


Lesbian mothers


skos:exactMatch


Lesbiska mödrar















How



How

- RDF server exposes LIBRIS as Linked Data
- "Library Database" can deliver RDF
- Search engine can output RDF for FRBRrelations
- Everything gets mashed up when delivering the complete RDF
- Records can be tagged with properties without changing the record

Why?

- The Semantic Web could be the technology that bridges the gap between "library technology" and the rest of it
- We get more eyes looking at our data
- Eyes are connected to brains ...
- Sometimes we are "just" data providers

Why?

- A good building block for future applications
- You get to use SPARQL
- http://libris.kb.se/sprot/skostest.jsp? query=Historia

Why?

- Libraries are about openness, but that was somehow forgotten when it came to sharing metadata.
- Why are there not (at least) ten search engines containing the majority of the worlds library data?

 Search/retrieve access to library data is to Linked Data what Gopher was to the web Search/retrieve access to library data is to Linked Data what Gopher was to the web

It's the semantic WEB!