MANISA CELAL BAYAR UNIVERSITY - DEPARTMENT OF COMPUTER ENGINEERING PROBLEM SET FOR PARALLEL PROGRAMMING

WEEK 02: DATA STRUCTURES IN PYTHON

```
6. What is the output of the code below?
1. What is the correct writing of the
                                             x = set([int(i/2) for i in range(8)])
programming language that we used in this
course?
                                             print(x)
( ) Phyton
                                             () {0, 1, 2, 3, 4, 5, 6, 7}
( ) Pyhton
                                             () {0, 1, 2, 3}
( ) Pthyon
                                             () {0, 0, 1, 1, 2, 2, 3, 3}
( ) Python
                                             () {0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4}
2. What is the output of the code below?
                                             7. What is the output of the code below?
                                             x = set(i for i in range(0, 4, 2))
my_name = "Bora Canbula"
                                             y = set(i for i in range(1, 5, 2))
print(my_name[2::-1])
                                             print(x^y)
() alu
() ula
                                             () {0, 1, 2, 3}
( ) roB
                                             () {}
() Bor
                                             () {0, 8}
                                             ( ) SyntaxError: invalid syntax
3. Which one is not a valid variable name?
                                             8. Which of the following sequences is
( ) for
                                             immutable?
                                             () List
( ) Manisa_Celal_Bayar_University
( ) IF
                                             ( ) Set
                                             ( ) Dictionary
( ) not
                                             () String
4. What is the output of the code below?
                                             9. What is the output of the code below?
for i in range(1, 5):
                                             print(int(2 999 999.999))
 print(f"{i:2d}{(i/2):4.2f}", end='')
                                             ( ) 2
                                             ( ) 3000000
( ) 010.50021.00031.50042.00
                                             ( ) ValueError: invalid literal
( ) 10.50 21.00 31.50 42.00
                                             () 2999999
( ) 1 0.5 2 1.0 3 1.5 4 2.0
( ) 100.5 201.0 301.5 402.0
5. Which one is the correct way to print
                                             10. What is the output of the code below?
Bora's age?
                                             x = (1, 5, 1)
profs = [
                                             print(x, type(x))
  {"name": "Yener", "age": 25},
                                             ( ) [1, 2, 3, 4] <class 'list'>
  {"name": "Bora", "age": 37},
                                             ( ) (1, 5, 1) <class 'range'>
  {"name": "Ali", "age": 42}
                                             ( ) (1, 5, 1) <class 'tuple'>
                                             ( ) (1, 2, 3, 4) <class 'set'>
]
() profs["Bora"]["age"]
( ) profs[1][1]
( ) profs[1]["age"]
( ) profs.age[name="Bora"]
```