

Rockchip Solutions DDR SDRAM Support List

Ver 2.32

2018/5/25

♦ Revision History

Revision No.	History	Date
2.00	ORG.	2012.12.24
2.01	Add some supporting messages	2013.01.28
2.02	Add some supporting messages	2013.05.17
2.03	Add some supporting messages	2013.10.07
2.04	Add some supporting messages	2014.01.08
2.05	Add some supporting messages	2014.03.21
2.06	Add some supporting messages	2014.05.09
2.07	Add some supporting messages	2014.06.10
2.08	Add some supporting messages	2014.09.16
2.09	Add some supporting messages	2015.03.16
2.10	Add some supporting messages	2015.04.13
2.11	Add some supporting messages	2015.05.06
2.12	Add some supporting messages	2015.07.17
2.13	Add some supporting messages	2015.10.10
2.14	Add some supporting messages	2015.12.17
2.15	Add some supporting messages	2016.03.01
2.16	Add some supporting messages	2016.03.31
2.17	Add some supporting messages	2016.06.24
2.18	Add some supporting messages	2016.07.29
2.19	Add some supporting messages	2016.08.31
2.20	Add some supporting messages	2016.10.20
2.21	Add some supporting messages	2016.11.07
2.22	Add some supporting messages	2016.12.05
2.23	Add some supporting messages	2016.12.09
2.24	Add some supporting messages	2016.12.29
2.25	Add some supporting messages	2017.03.30
2.26	Add some supporting messages	2017.05.24
2.27	Add some supporting messages	2017.07.05
2.28	Add some supporting messages	2017.08.24
2.29	Add some supporting messages	2017.11.24
2.30	Add some supporting messages	2018.01.24
2.31	Add some supporting messages	2018.03.26
2.32	Add some supporting messages	2018.05.25

♦ Symbol

Symbol	Description
✓	Fully Tested and Mass production
T/A	Fully Tested and Applicable
N/A	Not Applicable

♦The Latest Reference Circuits Version

Chip	DRAM Support Type	RK Reference Circuit Version
RK281x	DDR2	RK2818_REF_V1.3
RK2906	DDR2/DDR3/DDR3L	RK2906_PMIC_REF_V20_0418
RK2918	DDR2/DDR3/DDR3L	RK2918_REF_V13_20110517
RK2926/RK3026	DDR3/DDR3L	2926_86v_v1.2_20121109
RK2928/RK3028/RK3028A	DDR3/DDR3L	RK2928-DDR3P208SD4-V10-20120712LX.pcb
RK3066	DDR3/DDR3L/LPDDR2	RK3066_REF_TPS659102_V12_20121024_1CELL
PX2	DDR3/DDR3L/LPDDR2	PX2_CAR_V11.pcb
RK3168/RK3188	DDR3/DDR3L/LPDDR2	RK3188-DDR3P416SD4-V10-20130607WF.pcb
RK3126	DDR3/DDR3L	2926_86v_v1.2_20121109
RK3128	DDR3/DDR3L/LPDDR2	RK3128-DDR3P216SD4-V10-20140912HJH.pcb
RK3288	DDR3/DDR3L/LPDDR2/LPDDR3	RK3288-DDR3P416SD6-V11-20140305HJH
RK3368	DDR3/DDR3L/LPDDR2/LPDDR3	R88(RK3368)_V01_20150313
RK3036	DDR3/DDR3L	RK3036_SDK_V1.0_20140528
RK3036G	DDR3/DDR3L	DONGLE_RK3036-G_20150408J.pcb
RK3228A/RK3228B/RK3229	DDR3/DDR3L/LPDDR2/LPDDR3	RK3228A_BOX_R88_DISCRETEPOWER_DDR3P216SD4_V1.0_20151129
PX3	DDR3/DDR3L/LPDDR2	RK_SDK_MAIN_PX3_CAR_V10_20160607
RK3399	DDR3/DDR3L/LPDDR3/LPDDR4	RK3399_VR&Tablet_V10_20160620
PX5	DDR3/DDR3L/LPDDR2/LPDDR3	RK_SDK_MAIN_PX5_CAR_V10_20160714_CGC
RK3228H	DDR3/DDR3L/DDR4/LPDDR3	RK_Demo_RK3228H_BOX_RK805-1_DDR3P216SD2_V02_20161128
RK3328	DDR3/DDR3L/DDR4/LPDDR3	RK_EVB_RK3328_BOX_RK805-1_DDR3P416DD6_V11_20161116
RV1108	DDR3/DDR3L/DDR2/LPDDR2	RK_EVB_MAINBOARD_RV1108_V12_20160930
PX3-SE	DDR3/DDR3L/LPDDR2	RK_SDK_MAIN_PX3SE_CAR_V11
RK3326	DDR3/DDR3L/DDR4/LPDDR2	RK_EVB_RK3326_LP3S178P132SD4_V11_20180301FZB
PX30	DDR3/DDR3L/DDR4/LPDDR2	RK_EVB_PX30_DDR4P416DD6_V10_20180301_FZB
RK3308	DDR3/DDR3L/DDR2/LPDDR2	RK_EVB_RK3308_DDR3P116SD4_V10_20180301

Application Note:

- [1] Because lack of Address pin A15 in package, following SoCs do not support the 512M *8 DDR3:
RK2906-6,RK2906-8,RK3066.
- [2]The DRAM Part Number usually consists of two parts divided by '-', which the first part contains memory type, density, organization, package, and the second part usually means data rate. We don't care about the second part.
- [3]RockChip platform can support all the chips that match the first part of Part Number which marks '✓' or 'T/A', and do not need to care the second part. If you want your system running more effective, you may need to find out the exact data rate in DRAM datasheet and config in kernel menuconfig.
- [4]Please copy the Rockchip reference design model of DRAM area PCB Layout directly without any modification and follow the PCB layout rules from Rockchip.
Contact information: fae@rock-chips.com
- [5]Only support for RK3128.
- [6]The maximums frequency of H9CCNNBJTMLAR run on the RK3399 is 800Mhz.
- [7]The DRAM's VDD and VDDQ should powered by 1.5V when it used on these SoCs.

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
Elpida	E1116AEBG-8E-F	1G bit	64M×16	DDR2	84ball	✓											除个别老款颗粒如： EDJ2108BDBG对pcb要求 偏高外总体兼容情况 良好
	EDJ1108DJBG	1G bit	128M x 8	DDR3	78ball	✓											
	EDJ1116DJBG	1G bit	64M×16	DDR3	96ball												
	EDJ2108DEBG	2G bit	256M×8	DDR3	78ball	✓	T/A	T/A	✓	✓							
	EDJ2108BDBG	2G bit	256M×8	DDR3	78ball	✓	T/A	N/A	✓	✓							
	EDJ2108EEBG	2G bit	256M×8	DDR3L	78ball												
	EDJ2108EDBG	2G bit	256M×8	DDR3L	78ball				T/A	T/A							
	EDJ2116DEBG	2G bit	128M×16	DDR3	96ball	✓											
	EDJ2116EEBG	2G bit	128M×16	DDR3L	96ball	T/A											
	EDJ4208BBG	4G bit	512M×8	DDR3	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	EDJ4208FBBG	4G bit	512M×8	DDR3L	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	EDJ4208EBBG	4G bit	512M×8	DDR3L	78ball		T/A	N/A	T/A ⁽¹⁾	T/A							
	EDJ4216BASE	4G bit	256M×16	DDR3	96ball	✓											
	EDJ4216BBBG	4G bit	256M×16	DDR3	96ball	✓			✓	✓							
	EDJ4216EBBG	4G bit	256M×16	DDR3L	96ball	T/A			T/A	T/A							
	EDJ4216FBBG	4G bit	256M×16	DDR3L	96ball	T/A	T/A	T/A	T/A	T/A							
	EDJ416E6MB	8G bit	512Mx16	DDR3L		D/A ⁽¹⁾	D/A	D/A	D/A	D/A							
	EDB4032B2MA	4Gb/2CS	64M×32×2pcs	LPDDR2	134ball												
	EDB8132B3MA	8Gb/2CS	128M×32×2pcs	LPDDR2	134ball												
	EDB8132B3MC	8Gb/2CS	128M×32×2pcs	LPDDR2													
Micron	EDBM164B1PD-1D-I	12Gb/2channel	256Mx32+ 128Mx32	LPDDR2	220ball				N/A	T/A							兼容性好
	EDF8132A3MA-GD-F-D	8Gb	256Mx32	LPDDR3	178ball					T/A							
	EDF8132A1MC-GD-F-D	8Gb	256Mx32	LPDDR3	178ball					T/A							
	FA232A1MA-GD-F	16Gb	512M×32	LPDDR3	178ball					T/A							
	EDFA232A2MA-GD-F-D	16Gb	512M×32	LPDDR3	178ball					T/A							
	MT47H64M16HR-25	1G bit	64M×16	DDR2	84ball	✓											
	MT41J128M8JP-15E(G/D9MNL)	1G bit	128M x 8	DDR3	78ball	✓											
	MT41K128M8DA-107(J/D9RDJ)	1G bit	128M x 8	DDR3L	78ball				T/A								
	MT41J128M16HA-15E(D/D9LGQ)	2G bit	128M×16	DDR3	96ball	✓											
	MT41J256M8HX-15E(D/D9LGK)	2G bit	256M×8	DDR3	78ball	✓	T/A	T/A	T/A	T/A							
	MT41K256M8DA-125(K/D9PSH)	2G bit	256M×8	DDR3L	78ball	✓	T/A	T/A	T/A	T/A							
	MT41K256M8DA-125(M/D9PFJ)	2G bit	256M×8	DDR3L	78ball	T/A	T/A	T/A	T/A	T/A							
	MT41K128M16HA-15E(D/D9LJM)	2G bit	128M×16	DDR3L	96ball	✓											
	MT41K128M16JT-125(K/D9PKT)	2G bit	128M×16	DDR3L	96ball	✓	T/A	T/A	T/A	T/A							
	MT41K512M8RA-15E(D/D9NZZ)	4G bit	512M×8	DDR3L	78ball												
	MT41K512M8RH-125(E/D9QBJ)	4G bit	512M×8	DDR3L	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	MT41K512M8RG-107(N/D9RVX)	4G bit	512M×8	DDR3L	78ball					T/A							
	MT41K512M8DA-107(P/D9SGQ)	4G bit	512M×8	DDR3L	78ball					T/A							
	MT41K256M16RE-15E(D/D9PBF)	4G bit	256M×16	DDR3L	96ball	✓											
	MT41K256M16HA-125(E/D9PXX)	4G bit	256M×16	DDR3L	96ball	✓	T/A	T/A	T/A	T/A							
	MT41K256M16HA-125M(E/D9QLJ)	4G bit	256Mx16	DDR3L	96ball												
	MT41K256M16LY-107(N/D9SDD)	4G bit	256Mx16	DDR3L	96ball		T/A	T/A	T/A	T/A	T/A						
	MT41K256M16TW-107(P/D9SHD)	4G bit	256Mx16	DDR3L	96ball												
	MT41K512M16HA-125(A/D9STQ)	8G bit	512Mx16	DDR3L	96ball												
	MT41K512M16HA-107(A/D9SDQ)	8G bit	512Mx16	DDR3L	96ball				T/A	T/A							
	MT40A256M16GE-083E(B/D9TGQ)	4G bit	256Mx16	DDR4	96ball												
	MT40A512M16JY-083E(B/D9TBK)	8G bit	512Mx16	DDR4	96ball								T/A		T/A		
	MT40A1G16WBU-083E(B/D9TPH)	16G bit	1Gx16	DDR4	96ball								T/A		T/A		
	MT42L128M32D1GU-25 WT:A(Z9QHJ)	4G bit	128Mx32	LPDDR2	134ball				T/A	T/A							
	MT42L256M16D1GU-18 WT:A(D9RLT)	4G bit	256M×16	LPDDR2	134ball							T/A					
	MT42L128M64D2LL-25 WT:A(D9QQG)	8G bit	128Mx32x2Ch	LPDDR2	216ball				N/A	T/A							
	MT52L256M32D1PF-107 WT:B(D9SRZ)	8G bit	256Mx32	LPDDR3	178ball					T/A							
	MT52L512M32D2PF-107 WT:B(D9SSF)	16G bit	512Mx32	LPDDR3	178ball					T/A	T/A						
	MT53B512M32D2NP-062 WT:C (D9TFW)	16G bit	512M×32	LPDDR4	200ball												
	MT53B512M64D4NK-053 WT:C (D9TGF)	32G bit	512M×64	LPDDR4	366ball												

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
Hynix	H5PS1G63CFP	1G bit	64M×16	DDR2	84ball	√											兼容性好
	H5PS1G63EFR	1G bit	64M×16	DDR2	84ball	√											
	H5TQ1G83DFR	1G bit	128M×8	DDR3	78ball	√			T/A	T/A							
	H5TQ1G83TFR	1G bit	128M×8	DDR3	78ball	√											
	H5TQ1G63DFR	1G bit	64M×16	DDR3	96ball												
	H5TQ2G83CFR	2G bit	256M×8	DDR3	78ball	√	√	√	√	√							
	H5TQ2G83BFR	2G bit	256M×8	DDR3	78ball	T/A	T/A	T/A	√	√							
	H5TQ2G83EFR	2G bit	256Mx8	DDR3	78ball	T/A	T/A	T/A	T/A	T/A							
	H5TQ2G83FFR	2G bit	256Mx8	DDR3	78ball		T/A	T/A									
	H5TQ2G83GFR	2G bit	256Mx8	DDR3	78ball				T/A	T/A							
	H5TQ2G63BFR	2G bit	128M×16	DDR3	96ball	√											
	H5TQ2G63FFR	2G bit	128M×16	DDR3	96ball		T/A	T/A									
	H5TQ2G63GFR	2G bit	128M×16	DDR3	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A			T/A	
	H5TC2G63GFR	2G bit	128M×16	DDR3L	96ball												
	H5TQ2G63DFR	2G bit	128M×16	DDR3	96ball	√			T/A	T/A							
	H5TQ4G83AFR	4G bit	512M×8	DDR3	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	H5TC4G83AFR	4G bit	512M×8	DDR3L	78ball				T/A ⁽¹⁾	T/A							
	H5TQ4G83MFR	4G bit	512Mx8	DDR3	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	H5TC4G83BFR	4G bit	512Mx8	DDR3L	78ball		T/A	T/A									
	H5TQ4G63MFR	4G bit	256M×16	DDR3	96ball	√	T/A	T/A	T/A	T/A							
	H5TQ4G63AFR	4G bit	256Mx16	DDR3	96ball	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	H5TC4G63AFR	4G bit	256Mx16	DDR3L	96ball		T/A	T/A	T/A	T/A							
	H5TC4G63CFR	4G bit	256Mx16	DDR3L	96ball				T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	H5TC4G63EFR	4G bit	256Mx16	DDR3L	96ball				T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	H5TQ4G63EFR	4G bit	256Mx16	DDR3	96ball					T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	H5TQ4G63CFR	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	H5TC8G63AMR	8G bit	512M×16	DDR3L	96ball												
	H5TC8G63CMR	8G bit	512M×16	DDR3L	96ball					T/A							
	HSAN4G6NAFR	4G bit	256Mx16	DDR4	96ball								T/A			T/A	
	HSAN4G6NBJR	4G bit	256Mx16	DDR4	96ball								T/A			T/A	
	HSAN8G6NAFR	8G bit	512Mx16	DDR4	96ball								T/A			T/A	
	H9TCNNN4JDMMPR	4Gb/2CS	128M×32	LPDDR2	134ball												
	H9TCNNN8JDMMPR	8Gb/2CS	256M×32	LPDDR2	134ball				T/A	T/A							
	H8TJR00X0MLR	8Gb/2CS	256M×32	LPDDR2	168ball				T/A	T/A							
	H9TP33A8LDMCMR	8Gb/2CS	256M×32	LPDDR2+eNAND	162ball												
	H9TKNNN8KDMMPR	8Gb/2Channel	128Mx32x2Ch	LPDDR2	216ball		T/A ⁽⁵⁾										
	H9TKNNN8PDMRAR	16Gb/2Channel	256Mx32x2Ch	LPDDR2	220ball				N/A	T/A							
	H9CCNNN8JTALAR	8Gb	256Mx32	LPDDR3	178ball					T/A							
	H9CCNNN8GTMLAR	8Gb	256Mx32	LPDDR3	178ball								T/A	T/A	T/A	T/A	
	H9CCNNN8JTMLAR	8Gb	256Mx32	LPDDR3	178ball									T/A	T/A	T/A	
	H9CCNNN8JTALAR	16Gb	512M×32	LPDDR3	178ball					T/A				T/A	T/A	T/A	
	H9CCNNN8LTALAR	16Gb	512M×32	LPDDR3	178ball									T/A	T/A	T/A	
	H9CCNNN8JTMLAR	16Gb	512M×32	LPDDR3	178ball					T/A				T/A ⁽⁴⁾			
	H9HCNNN8PUMLHR - NLE	16Gb	512M×32	LPDDR4	200ball												
	H9HKNNNCUUMUBR - NMH	32Gb	512M×64	LPDDR4	366ball												
	H9HKNNNCUUMUBR - NLH	32Gb	512M×64	LPDDR4	366ball												

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
Nanya	NT5TU32M16CG-3C	512M bit	32M×16	DDR2	84ball	√											兼容性好
	NT5TU64M16GG	1G bit	64M×16	DDR2	84ball												
	NT5TU64M16HG	1G bit	64M×16	DDR2	84ball							T/A					
	NT5CB64M16GP	1G bit	64M×16	DDR3	96ball						T/A	T/A					
	NT5CB128M8DN	1G bit	128M×8	DDR3	96ball	√											
	NT5CC128M8DN	1G bit	128M×8	DDR3L	78ball	√			T/A	T/A							
	NT5CB128M8FN	1G bit	128M×8	DDR3	78ball				T/A	T/A							
	NT5CC128M8GN	1G bit	128M×8	DDR3L	78ball				T/A	T/A							
	NT5CB256M8GN	2G bit	256M×8	DDR3	78ball	√	T/A	T/A	T/A	T/A							
	NT5CB256M8BN	2G bit	256M×8	DDR3	78ball	√	T/A	T/A	T/A	T/A							
	NT5CB256M8FN	2G bit	256M×8	DDR3	78ball	√	T/A	T/A	T/A	T/A							
	NT5CB256M8IN	2G bit	256M×8	DDR3	78ball						T/A					T/A	
	NT5CC256M8IN	2G bit	256M×8	DDR3L	78ball				T/A	T/A	T/A	T/A				T/A	
	NT5CB128M16BP	2G bit	128M×16	DDR3	96ball	√	T/A	T/A	T/A	T/A							
	NT5CB128M16HP	2G bit	128M×16	DDR3	96ball	T/A			T/A	T/A							
	NT5CC128M16BP	2G bit	128M×16	DDR3L	96ball	√											
	NT5CB128M16FP	2G bit	128M×16	DDR3	96ball	√	T/A	T/A	T/A	T/A							
	NT5CC128M16IP	2G bit	128M×16	DDR3L	96ball				T/A	T/A	T/A	T/A					
	NT5CB128M16IP	2G bit	128M×16	DDR3	96ball				T/A	T/A	T/A	T/A					
	NT5CC128M16JR	2G bit	128M×16	DDR3L	96ball					T/A	T/A	T/A				T/A	
	NT5CB512M8DN	4G bit	512M×8	DDR3	78ball						T/A	T/A	T/A			T/A	
	NT5CB512M8BN	4G bit	512M×8	DDR3	78ball			T/A	T/A	T/A ⁽¹⁾	T/A						
	NT5CC512M8CN	4G bit	512M×8	DDR3L	78ball			T/A	T/A	T/A ⁽¹⁾	T/A						
	NT5CC512M8DN	4G bit	512M×8	DDR3L	78ball						T/A	T/A	T/A			T/A	
	NT5CC512M8EN	4G bit	512M×8	DDR3L	78ball						T/A	T/A	T/A			T/A	
	NT5CB256M16BP	4G bit	256M×16	DDR3	96ball	√	T/A	T/A	T/A	T/A							
	NT5CB256M16CP	4G bit	256M×16	DDR3	96ball			T/A	T/A	T/A							
	NT5CB256M16DP	4G bit	256M×16	DDR3	96ball					T/A							
	NT5CB256M16EP	4G bit	256M×16	DDR3	96ball						T/A	T/A	T/A	T/A	T/A	T/A	
	NT5CC256M16CP	4G bit	256M×16	DDR3L	96ball	T/A	T/A	T/A	T/A	T/A							
	NT5CC256M16DP	4G bit	256M×16	DDR3L	96ball			T/A	T/A	T/A	T/A	T/A	T/A			T/A	
	NT5CC256M16EP	4G bit	256M×16	DDR3L	96ball			T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	NT5CC256M16ER	4G bit	256M×16	DDR3L	96ball					T/A	T/A	T/A	T/A	T/A	T/A	T/A	
	NT6TL128M32AQ	4G bit	128M×32	LPDDR2	168ball				T/A	T/A							
	NT6TL256F32AI	8G bit	256M×32	LPDDR2	134ball				T/A	T/A							
	NT6TL256T32AI	8G bit	256M×32	LPDDR2	134ball				T/A	T/A							
	NT6TL256T32AQ	8G bit	256M×32	LPDDR2	168ball				T/A	T/A							
	NT6CL128M32BM	4G bit	128M×32	LPDDR3	178ball					T/A							
	NT6CL256T32BM	8G bit	256M×32	LPDDR3	178ball					T/A	T/A		T/A	T/A	T/A	T/A	
	NT6CL256T32AQ	8G bit	256M×32	LPDDR3	168ball						T/A						
	NT5AD256M16B2	4G bit	256M×16	DDR4	96ball								T/A			T/A	

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
Samsung	K4T1G164QE	1G bit	64M×16	DDR2	84ball	✓											兼容性好 K3PEOE000M RZQ需要改 为150ohm K3PEOE000A-XGC2 RZQ 需要改为NC
	K4B1G0846G	1G bit	128M×8	DDR3	78ball	✓			T/A	T/A							
	K4B2G0846C	2G bit	256M×8	DDR3	78ball	✓											
	K4B2G0846F-xYxx	2G bit	256M×8	DDR3L	78ball				T/A	T/A							
	K4B2G1646C	2G bit	128M×16	DDR3	96ball	✓											
	K4B2G1646E	2G bit	128Mx16	DDR3	96ball	T/A	T/A	T/A	T/A	T/A							
	K4B2G1646Q	2G bit	128Mx16	DDR3	96ball	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A			T/A	T/A
	K4B2G1646F-xYxx	2G bit	128Mx16	DDR3L	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A			T/A	T/A
	K4B4G0846E-xCxx	4G bit	512M×8	DDR3	78ball						T/A	T/A	T/A			T/A	T/A
	K4B4G1646B-xCxx	4G bit	256M×16	DDR3	96ball	✓	T/A	T/A	T/A	T/A							
	K4B4G1646Q-xYxx	4G bit	256M×16	DDR3L	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A			T/A	T/A
	K4B4G1646D-xYxx	4G bit	256M×16	DDR3L	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A			T/A	T/A
	K4B4G1646D-xCxx	4G bit	256M×16	DDR3	96ball		T/A	T/A	T/A	T/A						T/A	T/A
	K4W4G1646Q-xCxx	4G bit	256M×16	DDR3	96ball				T/A	T/A							
	K4B4G1646E-xYxx	4G bit	256M×16	DDR3L	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A		T/A	T/A
	K4B4G1646E-xCxx	4G bit	256M×16	DDR3	96ball		T/A		T/A	T/A	T/A	T/A	T/A				
	K4B8G1646D-xYxx	8G bit	512Mx16	DDR3L	96ball					T/A			T/A	✓		T/A	T/A
	K4A8G165WB-xCxx	8G bit	512Mx16	DDR4	96ball												
	KMKJ5000VM	8Gb/2CS	256M×32	LPDDR2+eMMC	162ball								T/A				
	K3PEOE000A-XGC2	16Gb/2Channel	256Mx32x2Ch	LPDDR2	220ball				N/A	T/A							
	K3PEOE000M-XGC2	16Gb/2Channel	256Mx32x2Ch	LPDDR2	216ball				N/A	T/A							
	K4E8E304ED-EGCC	8Gb	256Mx32	LPDDR3	178ball					T/A	T/A	N/A					
	K4E8E304EE-EGCE	8Gb	256Mx32	LPDDR3	178ball					T/A				T/A			
	K4E8E324EB-AGCF	8Gb	256Mx32	LPDDR3	168ball						T/A	N/A					
	K4E8E324EB-EGCF	8Gb	256Mx32	LPDDR3	178ball					T/A	T/A	N/A	T/A	T/A	T/A	T/A	
	K3QF1F10DM-AGCE	8Gb/2Channel	128Mx32x2Ch	LPDDR3	253ball					T/A							
	K3QF1F10EM-BGCF	8Gb	128Mx32x2Ch	LPDDR3	216ball					T/A							
	K4E6E304EE-EGCE	16Gb	512M×32	LPDDR3	178ball					T/A	T/A	N/A	T/A			T/A	T/A
	K4E6E304ED-EGCE	16Gb	512M×32	LPDDR3	178ball					T/A							
	K4E6E304EB-EGCF	16Gb	512M×32	LPDDR3	178ball					T/A	T/A	N/A		T/A			
	K4E6E304EC-EGCF	16Gb	512M×32	LPDDR3	178ball								T/A	T/A	T/A	T/A	
	K4E6E304EC-EGCF	32Gb	1024M×32	LPDDR3	178ball												
	K3QF3F30BM-QGCF	16Gb	256M×32x2Ch	LPDDR3	216ball					T/A							
	K3QF3F30BM-BGCF	16Gb	256M×32x2Ch	LPDDR3	216ball					T/A							
	K4F8E304HB-MGCJ	8G bit	256M×32	LPDDR4	200ball									T/A			
SPECTEK	PE918-15E (PRN256M8V79DG8GQF-15E)	2G bit	256M×8	DDR3	78ball	T/A	T/A	T/A	T/A	T/A							MICRON子品牌， 兼容性良好
	PE936-15E (PRN256M8V89CG8GQF-15E)	2G bit	256Mx8	DDR3	78ball	T/A	T/A	T/A	N/A	N/A							
	PE947-15E (PRN256M8V80AG8RHF-15E)	2G bit	256Mx8	DDR3	78ball												
	PEB08-15E (PRN512M8V80AG8RHF-15E)	4G bit	512M×8	DDR3	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	PEB15-15E (PRN256M16V80AG8GPF-15E)	4G bit	256Mx16	DDR3	96ball	T/A	T/A	T/A	T/A	T/A							
	PEB16-15E (PRM256M16V80AG8GPF-15E)	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	PE017 (SUU256M16V90BG8LY-125TP)	4G bit	256Mx16	DDR3	96ball			T/A									
	Z9QH6 (SM128MX32U80MD1L1GU-25FT)	4G bit	128Mx32	LPDDR2	134ball				T/A	T/A							
	PB047 (SS256M32V01MD1LPF-107BT)	8G bit	256Mx32	LPDDR3	178ball								N/A	N/A	N/A	N/A	
	PB008 (SM512M322E0FD4LHL)	8G bit	256Mx32	LPDDR3	178ball									T/A			
	PS007 SU512M32Z01MD28NP	16G bit	512M×32	LPDDR4	200ball										T/A		
	PS013 (SM512M64Z01MD48NK)	32Gbit	512M×64	LPDDR4	366ball										T/A		
Elixir	N2TU1G16GG-AC	1G bit	64M×16	DDR2	84ball	✓											NANYA子品牌，兼容性良 好，特供指定渠道及客 户使用。南亚科技指定 经销商：彩虹奥特姆 (Aotom)、AVT、富鸿 (FIL)、芯智(SMC)、伟世 科技(WEISHI)、世平 (WP1)，提供正品保固及 售后服务
	N2CB1G80GN-CG	1G bit	128M×8	DDR3	78ball	✓											
	N2CB2G80GN	2G bit	256M×8	DDR3	78ball	✓			✓	✓							
	N2CB2G16BP-CG	2G bit	128M×16	DDR3	96ball	✓											
	N2CB2G16FP-DI	2G bit	128Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	N2CB4G08DN-CG	4G bit	512M×8	DDR3	78ball		T/A	T/A	T/A ⁽¹⁾	T/A							
	N2CB4G16BP-DI	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	N2CC4G16DP	4G bit	256Mx16	DDR3L	96ball		T/A	T/A	T/A	T/A							

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
Eorex	EM47DM1688SBA	2G bit	128M×16	DDR3	96ball	N/A											台湾颗粒厂商， 兼容性较好
	EM47EM0888SBA-150	2G bit	256Mx8	DDR3	78ball	T/A	N/A	N/A	T/A	T/A							
	EM47EM1688SBA-150	4G bit	256Mx16	DDR3	96ball	T/A											
	EM47EM1688SBB-150A	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	EM47FM0888SBA-150	4G bit	512Mx8	DDR3	78ball		T/A	T/A									
	EM47FM0888SBA-150A	4G bit	512Mx8	DDR3	78ball		T/A	T/A									
	EM47EM3288MBA-125	8G bit	256Mx32	DDR3	136ball				T/A	T/A							
	EM45FM3288LBA-187F	16Gb/2Channel	256Mx32x2Ch	LPDDR2	220ball				N/A	T/A							
Etron Tech	EM68B16CWPB-25H	512M bit	32M×16	DDR2	84ball	✓											台湾颗粒厂商，兼容性 较好
	EM6GC16EWKG-12H	1G bit	64Mx16	DDR3	96ball						T/A	T/A					
	EM6GD16EWKG-12H	2G bit	128Mx16	DDR3	96ball						T/A	T/A					
	EM6GD16EWXF-12H	2G bit	128Mx16	DDR3	96ball						T/A	T/A					
	EM6GE16EWSB-15H	4G bit	256M×16	DDR3	96ball	T/A	T/A	T/A	T/A	T/A							
	EM6GE08EW8C-12H	4G bit	512Mx8	DDR3	78ball		T/A	T/A									
	EM6GE16EWXC-12H	4G bit	256M×16	DDR3	96ball		T/A	T/A	T/A	T/A							
	EM6HE16EWXD-12H	4G bit	256M×16	DDR3L	96ball								T/A		T/A	T/A	
	EM6GE16EWXD-12H	4G bit	256M×16	DDR3	96ball		T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	T/A	
MIRA	P3R1GE4CFE-G8E	1G bit	64M×16	DDR2	84ball	✓											256M16在RK3066， RK31xx平台上需要添加 定频相关补丁。并且对 参考层完整性要求较 高，需要严格遵照我们 的布板要求布板。
	P3R1GE3FGF-G8E	1G bit	128M×8	DDR2	84ball	✓											
	P2P2GF4ALF-GGN	2G bit	128Mx16	DDR3	96ball						T/A	T/A					
	P3P4GF3BLF-GGN	4G bit	512M×8	DDR3	78ball		T/A	N/A	N/A	N/A							
	P3P4GF4BLF-GGN	4G bit	256Mx16	DDR3	96ball		T/A		T/A	T/A	T/A	T/A	T/A		T/A	T/A	
UnitC	SCN13H2G160AF-13K	2G bit	128M×16	DDR3	96ball		T/A										
	SCB13H4G1600AF-11M	4G bit	256Mx16	DDR3L	96ball					T/A	T/A	T/A					
	HXB15H4G800AF-13K	4G bit	512M×8	DDR3	78ball						T/A	T/A					
	HXB13H4G160AF-13KT	4G bit	256Mx16	DDR3	96ball		T/A	T/A		T/A	T/A	T/A					
SCSemicon	HXB18T1G160AF-25D	1G bit	64M×16	DDR2	84ball	✓											256M16在RK3066， RK31xx平台上需要添加 定频相关补丁。并且对 参考层完整性要求较 高，需要严格遵照我们 的布板要求布板。
	HXB18T2G160AF-25D	2G bit	128M×16	DDR2	84ball	✓											
	HXB15H2G800BF-15H	2G bit	256M×8	DDR3	78ball	N/A	T/A	N/A	T/A	T/A							
	HXB15H2G160CF-13K	2G bit	128M×16	DDR3	96ball		T/A										
	HXB15H4G800BF-15H	4G bit	512M×8	DDR3	78ball	N/T ⁽¹⁾	T/A	N/A	T/A ⁽¹⁾	T/A							
	HXB15H4G160BF-15H	4G bit	256Mx16	DDR3	96ball	T/A				T/A	T/A						
ADATA	3CCD-1211A EL1250V	2G bit	256Mx8	DDR3	78ball	N/A	T/A	N/A	T/A	T/A							使用Elpida晶圆兼容性 一般。PCB不允许有参 考层有割断的现象。
	DWND-1211A EL1311V	4G bit	512Mx8	DDR3	78ball												
	D2ND-1211A EL1345V	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	D2ND-1211A NA1518V	4G bit	256Mx16	DDR3L	96ball		T/A	T/A	T/A	T/A							
ANOR	AM43Q2G08AFP-150C	2G bit	256Mx8	DDR3	78ball	N/A	T/A	N/A	T/A	T/A							使用Elpida晶圆兼容性一 般。PCB不允许有参考层 有割断的现象。
	AM43Q4G08AFP-150C	4G bit	512Mx8	DDR3	78ball		T/A	N/A									
Zentel	A3R12E40DBF-AH	512M bit	32M×16	DDR2	84ball							T/A					
ProMOS	V59C1G01168QBASXJ25	1G bit	64M×16	DDR2	84ball	✓											
	V73CAG01808RA JI9	1G bit	128M×8	DDR3	78ball	✓											
	V59C1G02168QB	2G bit	128M×16	DDR2	84ball	✓											

Manufacturer	Part Number	Density	Organization	Type	package	RK290x RK2918	RK2928/RK30 28A/RK3128/ PX3-SE	RK2926/RK3026/ RK3036/RK3036G /RK3126	RK3066/RK3066A/PX2 RK3168/RK3188/PX3	RK3288	RK3368/RK3228A/ RK3228B/RK3229/ PX5	RV1108 /RK3308	RK3228H	RK3399	RK3328	RK3326/ PX30	与RK兼容情况
SMART	S4B2G0846C -HYH9	2G bit	256Mx8	DDR3	78ball				T/A	T/A							巴西颗粒，国内用的不多
	S4B2G0846D -HYK0	2G bit	256Mx8	DDR3	78ball				T/A	T/A							
πPM	PME810816B8R -E6DN	1G bit	64Mx16	DDR2	84ball												
	PMF510816ABR -G8DN	1G bit	64Mx16	DDR3	96ball	√											
	PMF510808ABR -I9DN	1G bit	128Mx8	DDR3	78ball												
	PMF511816ABR -G8DN	2G bit	128Mx16	DDR3	96ball	√											
	PMF511816DBR -KADN	2G bit	128Mx16	DDR3	96ball				T/A	T/A							
	PMF512816B8R -KADN	4G bit	256Mx16	DDR3	96ball				T/A	T/A							
	PMF512816DBR -KADN	4G bit	256Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	PMF412816FBR -KADN	4G bit	256Mx16	DDR3L	96ball					T/A							
MT.MOSET	ED3E25608CE -P9	2G bit	256Mx8	DDR3	78ball	T/A	T/A	N/A	T/A	T/A							
WINS	VP5TQ1G0835 -F9	1G bit	128Mx8	DDR3	78ball	√											
	VP5TQ1G0835L -F9	1G bit	128Mx8	DDR3	78ball												
	VP5TQ2G1635FFP -F9	2G bit	128Mx16	DDR3	96ball	√	N/A	N/A									
	VP5TQ2G0835L -F9	2G bit	256Mx8	DDR3	78ball	√											
	PMF511816ABR -I9DN	2G bit	256Mx8	DDR3													
	GT8UB512M8EN -BG	4G bit	512Mx8	DDR3		N/T [1]	N/A	N/A	N/A [1]								
Kingston	D5128EETBPGGBU	4G bit	512Mx8	DDR3	78ball		T/A	T/A	T/A	T/A							
	D2516EC48XGGB	4G bit	256Mx16	DDR3L	96ball		T/A [7]	T/A [7]	T/A [7]	T/A [7]	T/A [7]	T/A [7]					
	D2516JC48XGJD	4G bit	256Mx16	DDR3	96ball					T/A							
	KB23AADL3E08G	8G bit	512Mx16	LPDDR3	178ball					T/A							
	Q5116PH1MDGPAR	16G bit	512Mx32	LPDDR4	200ball									T/A			
ISSI	IS43TR16640B -125KBL	1G bit	64Mx16	DDR3	96ball							T/A					256M16在RK3066，RK31xx 平台上需要添加定频相关补丁。并且对参考层完整性要求较高，需要严格遵照我们的布板要求布板。
axeme	H2A301G1656BC6C	1G bit	64Mx16	DDR2	84ball							T/A					
	H2A402G1666BFBC	2G bit	128Mx16	DDR3	96ball		T/A	T/A									
	H2A404G0866CD8C	4G bit	512Mx8	DDR3	78ball				T/A	T/A							
ISDT	IL28R20E8H	16G bit/2Channel	256Mx32x2Ch	LPDDR2	220ball					T/A							
Winbond	W971GG6S8 -18	1G bit	64Mx16	DDR2	84ball							T/A					
	W631GGKB -12	1G bit	64Mx16	DDR3	96ball						T/A	T/A					
	W632GG6KB -12	2G bit	128Mx16	DDR3	96ball												
	W632GG6KB -15	2G bit	128Mx16	DDR3	96ball		T/A	T/A	T/A	T/A							
	W634GG6LB -12	4G bit	128Mx16	DDR3	96ball												
BIWIN	8WMD4X32H2A -16Gb	16G bit	512Mx32	LPDDR4	200ball									T/A			
FORSEE	NCLD3B2256M32	8G bit/ 2cs	256Mx32	LPDDR3	178ball					T/A				T/A			
	NCLD4C1MA256M32FC01L	8G bit	256Mx32	LPDDR4	200ball									T/A			
	NCLD4C2MA512M32FC02L	16G bit	512Mx32	LPDDR4	200ball									T/A			