

1. Data Import:

- Import List of Orders.csv into Power BI.
- Open the list of orders in the Power Query Editor using the Transform Data option.
- Import Order Details.csv and Sales Target.csv into Power Query Editor.

Queries [3]

- List of Orders
- Order Details
- Sales target

Formula Bar: = Table.TransformColumnTypes(#\"Promoted Headers\",{{\"Order ID\", type text}, {\"Order Date\", type date}})

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

5 COLUMNS, 560 ROWS

Query Settings

PROPERTIES

Name: List of Orders

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type

The **List of Orders** dataset was imported successfully, and all columns and rows were displayed correctly.

The **Order Details** and **Sales** table was added to the Power Query Editor and appeared in the Queries pane on the left.

2. Row Limiting & Data Types:

- Restrict the List of Orders table to the first 500 rows.
- Set the Order Date column to the Date data type.
- Change the Amount and Target columns to fixed decimal numbers.

Queries [3]

- List of Orders
- Order Details
- Sales target

Formula Bar: = Table.TransformColumnTypes(#\"Kept First 500 Rows\",{{\"Order Date\", type date}})

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

Query Settings

PROPERTIES

Name: List of Orders

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Kept First 500 Rows
- Changed Data type as DATE

Queries [3] fx = Table.TransformColumnTypes(#Promoted Headers,{"Order ID", type text}, {"Amount", Currency.Type}, {"Profit",

	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1,275.00	-1148	7	Furniture	Bookcases
2	B-25601	66.00	-12	5	Clothing	Stole
3	B-25601	8.00	-2	3	Clothing	Hankerchief
4	B-25601	80.00	-56	4	Electronics	Electronic Games
5	B-25602	168.00	-111	2	Electronics	Phones
6	B-25602	424.00	-272	5	Electronics	Phones
7	B-25602	2,617.00	1151	4	Electronics	Phones
8	B-25602	561.00	212	3	Clothing	Saree
9	B-25602	119.00	-5	8	Clothing	Saree
10	B-25603	1,355.00	-60	5	Clothing	Trousers
11	B-25603	24.00	-30	1	Furniture	Chairs
12	B-25603	193.00	-166	3	Clothing	Saree
13	B-25603	180.00	5	3	Clothing	Trousers
14	B-25603	116.00	16	4	Clothing	Stole
15	B-25603	107.00	36	6	Clothing	Stole
16	B-25603	12.00	1	2	Clothing	Hankerchief
17	B-25603	38.00	18	1	Clothing	Kurti
18	B-25604	65.00	17	2	Clothing	T-shirt
19	B-25604	157.00	5	9	Clothing	Saree
20	B-25605	75.00	0	7	Clothing	Saree
21	B-25606	87.00	4	2	Clothing	Shirt
22	B-25607	50.00	15	4	Clothing	Leggings
23	B-25608	1,364.00	-1864	5	Furniture	Tables
24	B-25608	476.00	0	3	Furniture	Chairs

6 COLUMNS, 999+ ROWS

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

Source

Promoted Headers

Changed Amount Datatype

Activate Windows

Go to Settings to activate Windows.

PREVIEW DOWNLOADED AT 12:56

Queries [3] fx = Table.TransformColumnTypes(#Promoted Headers,{"Month of Order Date", type date}, {"Category", type text},

	Month of Order Date	Category	Target
1	01-04-2018	Furniture	10,400.00
2	01-05-2018	Furniture	10,500.00
3	01-06-2018	Furniture	10,600.00
4	01-07-2018	Furniture	10,800.00
5	01-08-2018	Furniture	10,900.00
6	01-09-2018	Furniture	11,000.00
7	01-10-2018	Furniture	11,100.00
8	01-11-2018	Furniture	11,300.00
9	01-12-2018	Furniture	11,400.00
10	01-01-2019	Furniture	11,500.00
11	01-02-2019	Furniture	11,600.00
12	01-03-2019	Furniture	11,800.00
13	01-04-2018	Clothing	12,000.00
14	01-05-2018	Clothing	12,000.00
15	01-06-2018	Clothing	12,000.00
16	01-07-2018	Clothing	14,000.00
17	01-08-2018	Clothing	14,000.00
18	01-09-2018	Clothing	14,000.00
19	01-10-2018	Clothing	16,000.00
20	01-11-2018	Clothing	16,000.00
21	01-12-2018	Clothing	16,000.00
22	01-01-2019	Clothing	16,000.00
23	01-02-2019	Clothing	16,000.00
24	01-03-2019	Clothing	16,000.00

3 COLUMNS, 36 ROWS

Query Settings

PROPERTIES

Name

Sales target

APPLIED STEPS

Source

Promoted Headers

Changed Target Datatype

Activate Windows

Go to Settings to activate Windows.

PREVIEW DOWNLOADED AT 12:56

The table was successfully limited to the first **500 records**, reducing the dataset size while retaining the original column structure. This makes the data easier to process and analyze.

The **Order Date** column was converted to the **Date** data type.

The **Amount** and **Target** columns were converted to **Fixed Decimal Number**, ensuring that the numeric values were stored with consistent decimal precision.

3. Text Formatting:

- Format the CustomerName column to proper case to ensure consistent capitalization.

Queries [3] fx = Table.TransformColumns(#"Changed Data type as DATE",{"CustomerName", Text.Proper, type text})

	Order ID	Order Date	CustomerName	State	City
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna

Query Settings

PROPERTIES

Name

List of Orders

APPLIED STEPS

Source

Promoted Headers

Changed Type

Kept First 500 Rows

Changed Data type as DATE

Capitalized Each Word

4. Column Creation:

- Merge the City and State columns to create a new column named Location in the format: City, State
- Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)

The screenshot shows the Power BI Desktop interface. The main view is a table with columns: Order ID, Order Date, CustomerName, and Location. The Location column is highlighted with a red box, showing values like "Gujarat,Ahmedabad", "Maharashtra,Pune", etc. The formula bar at the top shows the DAX formula: `= Table.CombineColumns("#Capitalized Each Word",("State", "City"),Combiner.CombineTextByDelimiter(",",""))`. On the right, the Query Settings pane is open, showing the "APPLIED STEPS" list. The step "City and State column merged" is highlighted with a red box.

Order ID	Order Date	CustomerName	Location
1	01-04-2018	Bharat	Gujarat,Ahmedabad
2	01-04-2018	Pearl	Maharashtra,Pune
3	03-04-2018	Jahan	Madhya Pradesh,Bhopal
4	03-04-2018	Divsha	Rajasthan,Jaipur
5	05-04-2018	Kasheen	West Bengal,Kolkata
6	06-04-2018	Hazel	Karnataka,Bangalore
7	06-04-2018	Sonakshi	Jammu and Kashmir,Kashmir
8	08-04-2018	Aarushi	Tamil Nadu,Chennai
9	09-04-2018	Iltesh	Uttar Pradesh,Lucknow
10	09-04-2018	Yogesh	Bihar,Patna
11	11-04-2018	Anita	Kerala,Thiruvananthapuram
12	12-04-2018	Shrichand	Punjab,Chandigarh
13	12-04-2018	Mukesh	Haryana,Chandigarh
14	13-04-2018	Vandana	Himachal Pradesh,Simla
15	15-04-2018	Bhavna	Sikkim,Gangtok
16	15-04-2018	Kanak	Goa,Goa
17	17-04-2018	Sagar	Nagaland,Kohima
18	18-04-2018	Manju	Andhra Pradesh,Hyderabad
19	18-04-2018	Ramesh	Gujarat,Ahmedabad
20	20-04-2018	Sarita	Maharashtra,Pune
21	20-04-2018	Deepak	Madhya Pradesh,Bhopal
22	22-04-2018	Monisha	Rajasthan,Jaipur
23	22-04-2018	Atharv	West Bengal,Kolkata
24	22-04-2018	Vini	Karnataka,Bangalore

The screenshot shows the Power BI Desktop interface. The main view is a table with columns: Order ID, Amount, Profit, Quantity, Category, Sub-Category, and Profit Margin. The Profit Margin column is highlighted with a red box, showing values like -90.04%, -18.18%, etc. The formula bar at the top shows the DAX formula: `= Table.TransformColumnTypes("#Profit Margin Column",{{"Profit Margin", Percentage.Type}})`. On the right, the Query Settings pane is open, showing the "APPLIED STEPS" list. The step "Changed as Percentage Datatype" is highlighted with a red box.

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Profit Margin
1	1,275.00	-1148	7	Furniture	Bookcases	-90.04%
2	66.00	-12	5	Clothing	Stole	-18.18%
3	8.00	-2	3	Clothing	Hankerchief	-25.00%
4	80.00	-56	4	Electronics	Electronic Games	-70.00%
5	168.00	-111	2	Electronics	Phones	-66.07%
6	424.00	-272	5	Electronics	Phones	-64.15%
7	2,617.00	1151	4	Electronics	Phones	43.98%
8	561.00	212	3	Clothing	Saree	37.79%
9	119.00	-5	8	Clothing	Saree	-4.20%
10	1,355.00	-60	5	Clothing	Trousers	-4.43%
11	24.00	-30	1	Furniture	Chairs	-125.00%
12	193.00	-166	3	Clothing	Saree	-86.01%
13	180.00	5	3	Clothing	Trousers	2.78%
14	116.00	16	4	Clothing	Stole	13.79%
15	107.00	36	6	Clothing	Stole	33.64%
16	12.00	1	2	Clothing	Hankerchief	8.33%
17	38.00	18	1	Clothing	Kurti	47.37%
18	65.00	17	2	Clothing	T-shirt	26.15%
19	157.00	5	9	Clothing	Saree	3.18%
20	75.00	0	7	Clothing	Saree	0.00%
21	87.00	4	2	Clothing	Shirt	4.60%
22	50.00	15	4	Clothing	Leggings	30.00%
23	1,364.00	-1864	5	Furniture	Tables	-136.66%
24	476.00	0	3	Furniture	Chairs	0.00%

A new column named **Location** was created.

The values from **City** and **State** were combined into a single field in the format **City, State**.

A new column named **Profit Margin** was created.

The values were calculated by dividing **Profit** by **Amount**.

Change the data type of **Profit Margin** to **Percentage**.

5. Conditional Column:

- Add a conditional column named Profit Status based on:

- Profit < 0 → Loss
- Profit = 0 → Break-Even
- Profit > 0 → Profit

The screenshot shows a Power BI Desktop interface with a table containing 8 columns and 999+ rows. The columns are: Amount, Profit, Quantity, Category, Sub-Category, Profit Margin, and Profit Status. The Profit Status column is highlighted in green. The formula bar shows the formula: `=Table.AddColumn(#"Changed as Percentage Datatype", "Profit Status", each if [Profit] < 0 then "Loss" else if [Profit] = 0 then "Break-Even" else "Profit")`. The 'APPLIED STEPS' pane on the right shows the steps: Source, Promoted Headers, Changed Amount Datatype, Profit Margin Column, Changed as Percentage Datatype, and Conditional Column to find Profit Status. The 'Conditional Column to find Profit Status' step is highlighted with a red box.

	Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
1	1,275.00	-1148	7	Furniture	Bookcases	-90.04%	Loss
2	66.00	-12	5	Clothing	Stole	-18.18%	Loss
3	8.00	-2	3	Clothing	Hankerchief	-25.00%	Loss
4	80.00	-56	4	Electronics	Electronic Games	-70.00%	Loss
5	168.00	-111	2	Electronics	Phones	-66.07%	Loss
6	424.00	-272	5	Electronics	Phones	-64.15%	Loss
7	2,617.00	1151	4	Electronics	Phones	43.98%	Profit
8	561.00	212	3	Clothing	Saree	37.79%	Profit
9	119.00	-5	8	Clothing	Saree	-4.20%	Loss
10	1,355.00	-60	5	Clothing	Trousers	-4.43%	Loss
11	24.00	-30	1	Furniture	Chairs	-125.00%	Loss
12	193.00	-166	3	Clothing	Saree	-86.01%	Loss
13	180.00	5	3	Clothing	Trousers	2.78%	Profit
14	116.00	16	4	Clothing	Stole	13.79%	Profit
15	107.00	36	6	Clothing	Stole	33.64%	Profit
16	12.00	1	2	Clothing	Hankerchief	8.33%	Profit
17	38.00	18	1	Clothing	Kurti	47.37%	Profit
18	65.00	17	2	Clothing	T-shirt	26.15%	Profit
19	157.00	5	9	Clothing	Saree	3.18%	Profit
20	75.00	0	7	Clothing	Saree	0.00%	Break-Even
21	87.00	4	2	Clothing	Shirt	4.60%	Profit
22	50.00	15	4	Clothing	Leggings	30.00%	Profit
23	1,364.00	-1864	5	Furniture	Tables	-136.66%	Loss

The **Profit Status** conditional column was successfully created using the **Profit** values. Each record was automatically classified as **Loss**, **Break-Even**, or **Profit**.

6. Merging Data (Joins)

- Merge the List of Orders and Order Details tables using Order ID.
- Name the merged output table as Orders Data.

The screenshot shows a Power BI Desktop interface with a table containing 12 columns and 999+ rows. The columns are: Order ID, Order Date, Customer Name, Location, Order Details Order ID, and Order Details Amount. The 'Orders Data' table is highlighted in green. The formula bar shows the formula: `=Table.ExpandTableColumn(Source, "Order Details", {"Order ID", "Amount", "Profit", "Quantity", "Category", "Sub-Category", "Profit Margin", "Profit Status"})`. The 'APPLIED STEPS' pane on the right shows the steps: Source, Expanded Order Details, and Orders Data. The 'Orders Data' step is highlighted with a red box.

	Order ID	Order Date	Customer Name	Location	Order Details Order ID	Order Details Amount
1	B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad	B-25601	1,275.00
2	B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad	B-25601	66.00
3	B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad	B-25601	8.00
4	B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad	B-25601	80.00
5	B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad	B-25601	168.00
6	B-25602	01-04-2018	Pearl	Maharashtra,Pune	B-25602	424.00
7	B-25602	01-04-2018	Pearl	Maharashtra,Pune	B-25602	2,617.00
8	B-25602	01-04-2018	Pearl	Maharashtra,Pune	B-25602	561.00
9	B-25602	01-04-2018	Pearl	Maharashtra,Pune	B-25602	119.00
10	B-25602	01-04-2018	Pearl	Maharashtra,Pune	B-25602	1,355.00
11	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	24.00
12	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	193.00
13	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	180.00
14	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	116.00
15	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	107.00
16	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	12.00
17	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	38.00
18	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	65.00
19	B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal	B-25603	157.00
20	B-25604	03-04-2018	Divsha	Rajasthan,Jaipur	B-25604	75.00
21	B-25605	05-04-2018	Kasheen	West Bengal,Kolkata	B-25605	87.00
22	B-25606	06-04-2018	Hazel	Karnataka,Bangalore	B-25606	50.00
23	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir,Kashmir	B-25607	1,364.00
24	B-25608	08-04-2018	Aarushi	Tamil Nadu,Chennai	B-25608	-1864.00

The **List of Orders** and **Order Details** tables were successfully joined using the **Order ID** field. The merged dataset, named **Orders Data**, contains information from both tables in a single view.

7. Handling Missing Data & Duplicate Data

- Identify missing values across all tables.
- Define and apply appropriate strategies such as:
 - Replacing missing values
 - Removing records
 - Retaining nulls with justification
- Identify duplicate rows and define a suitable handling strategy based on business logic.

Queries [4] | Query Settings

Formula Bar: `= Table.Distinct("City and State column merged", {"Order ID"})`

Order ID	Order Date	Customer Name	Location
1 B-25601	01-04-2018	Bharat	Gujarat,Ahmedabad
2 B-25602	01-04-2018	Pearl	Maharashtra,Pune
3 B-25603	03-04-2018	Jahan	Madhya Pradesh,Bhopal
4 B-25604	03-04-2018	Divsha	Rajasthan,Jaipur
5 B-25605	05-04-2018	Kasheen	West Bengal,Kolkata
6 B-25606	06-04-2018	Hazel	Karnataka,Bangalore
7 B-25607	06-04-2018	Sonakshi	Jammu and Kashmir,Kashmir
8 B-25608	08-04-2018	Aarushi	Tamil Nadu,Chennai
9 B-25609	09-04-2018	Jitesh	Uttar Pradesh,Lucknow
10 B-25610	09-04-2018	Yogesh	Bihar,Patna
11 B-25611	11-04-2018	Anita	Kerala,Thiruvananthapuram
12 B-25612	12-04-2018	Shrichand	Punjab,Chandigarh
13 B-25613	12-04-2018	Mukesh	Haryana,Chandigarh
14 B-25614	13-04-2018	Vandana	Himachal Pradesh,Simla
15 B-25615	15-04-2018	Bhavna	Sikkim,Gangtok
16 B-25616	15-04-2018	Kanak	Goa,Goa
17 B-25617	17-04-2018	Sagar	Nagaland,Kohima
18 B-25618	18-04-2018	Manju	Andhra Pradesh,Hyderabad
19 B-25619	18-04-2018	Ramesh	Gujarat,Ahmedabad
20 B-25620	20-04-2018	Sarita	Maharashtra,Pune
21 B-25621	20-04-2018	Deepak	Madhya Pradesh,Bhopal
22 B-25622	22-04-2018	Monisha	Rajasthan,Jaipur
23 B-25623	22-04-2018	Atharv	West Bengal,Kolkata
24 B-25624	22-04-2018	Vini	Karnataka,Bangalore

4 COLUMNS, 500 ROWS | PREVIEW DOWNLOADED AT 16:48

APPLIED STEPS:

- Source
- Promoted Headers
- Changed Type
- Kept First 500 Rows
- Changed Data type as DATE
- Capitalized Each Word
- City and State column merged
- Removed Duplicates**

Queries [4] | Query Settings

Formula Bar: `= Table.Distinct("Conditional Column to find Profit status", {"Order ID"})`

Order ID	Amount	Profit	Quantity	Category	Sub-Category	% Profit Margin	Profit Status
1 B-25601	1,275.00	-1148	7	Furniture	Bookcases	-90.04%	Loss
2 B-25602	168.00	-111	2	Electronics	Phones	-66.07%	Loss
3 B-25603	1,355.00	-60	5	Clothing	Trousers	-4.43%	Loss
4 B-25604	65.00	17	2	Clothing	T-shirt	26.15%	Profit
5 B-25605	75.00	0	7	Clothing	Saree	0.00%	Break-Even
6 B-25606	87.00	4	2	Clothing	Shirt	4.60%	Profit
7 B-25607	50.00	15	4	Clothing	Leggings	30.00%	Profit
8 B-25608	1,364.00	-1864	5	Furniture	Tables	-136.66%	Loss
9 B-25609	485.00	29	4	Electronics	Electronic Games	5.98%	Profit
10 B-25610	1,076.00	-38	4	Electronics	Printers	-3.53%	Loss
11 B-25611	160.00	-59	2	Clothing	Saree	-36.88%	Loss
12 B-25612	259.00	-55	2	Furniture	Chairs	-21.24%	Loss
13 B-25613	1,603.00	0	9	Clothing	Saree	0.00%	Break-Even
14 B-25614	494.00	54	4	Furniture	Bookcases	10.93%	Profit
15 B-25615	68.00	20	5	Clothing	Hankierchief	29.41%	Profit
16 B-25616	42.00	12	5	Clothing	Hankierchief	28.57%	Profit
17 B-25617	305.00	-270	5	Electronics	Electronic Games	-88.52%	Loss
18 B-25618	362.00	127	1	Furniture	Bookcases	35.08%	Profit
19 B-25619	353.00	90	8	Clothing	Saree	25.50%	Profit
20 B-25620	193.00	46	1	Electronics	Printers	23.83%	Profit
21 B-25621	233.00	-10	5	Electronics	Electronic Games	-4.29%	Loss
22 B-25622	534.00	0	3	Clothing	Saree	0.00%	Break-Even
23 B-25623	53.00	1	4	Clothing	Stole	1.89%	Profit

8 COLUMNS, 500 ROWS | PREVIEW DOWNLOADED AT 16:49

APPLIED STEPS:

- Source
- Promoted Headers
- Changed Amount Datatype
- Profit Margin Column
- Changed as Percentage Datat...
- Conditional Column to find Pr...
- Removed Duplicates**

Queries [4] ✕ ✓ f_x = Table.Distinct("#Changed Target Datatype", {"Month of Order Date"}) ✕

	Month of Order Date	Category	Target
1	01-04-2018	Furniture	10,400.00
2	01-05-2018	Furniture	10,500.00
3	01-06-2018	Furniture	10,600.00
4	01-07-2018	Furniture	10,800.00
5	01-08-2018	Furniture	10,900.00
6	01-09-2018	Furniture	11,000.00
7	01-10-2018	Furniture	11,100.00
8	01-11-2018	Furniture	11,300.00
9	01-12-2018	Furniture	11,400.00
10	01-01-2019	Furniture	11,500.00
11	01-02-2019	Furniture	11,600.00
12	01-03-2019	Furniture	11,800.00

Query Settings ✕

PROPERTIES

Name
Sales target

All Properties

APPLIED STEPS

Source ✕

Promoted Headers ✕

Changed Target Datatype ✕

Removed Duplicates ✕

The first **500 rows** of the **List of Orders**, **Order Details**, and **Sales Target** tables were examined for missing values and duplicate records. No missing values or duplicate rows were identified within this subset of data. As a result, no replacement, removal, or retention strategy was required, and the dataset was considered clean and ready for further analysis.

8. Sorting and Filtering Data

- Sort records in the Orders Data table by Order Date in descending order.
- Apply filters to analyze orders from a specific state (e.g., Tamil Nadu).

Queries [4] ✕ ✓ f_x = Table.SelectRows("#Sorted as Descending Order", each ([Location] = "Tamil Nadu,Chennai")) ✕

	Order ID	Order Date	CustomerName	Location	Order Details:Order ID	Order Details:Amount
1	B-26081	22-03-2019	Aarushi	Tamil Nadu,Chennai	B-26081	359.00
2	B-26018	14-02-2019	Aarushi	Tamil Nadu,Chennai	B-26018	326.00
3	B-26008	09-02-2019	Kalyani	Tamil Nadu,Chennai	B-26008	22.00
4	B-25860	15-11-2018	Akshay	Tamil Nadu,Chennai	B-25860	112.00
5	B-25788	21-09-2018	Dinesh	Tamil Nadu,Chennai	B-25788	12.00
6	B-25716	11-07-2018	Surabhi	Tamil Nadu,Chennai	B-25716	58.00
7	B-25698	23-06-2018	Amisha	Tamil Nadu,Chennai	B-25698	87.00
8	B-25608	08-04-2018	Aarushi	Tamil Nadu,Chennai	B-25608	1,364.00

Query Settings ✕

PROPERTIES

Name
Order Data

All Properties

APPLIED STEPS

Source ✕

Expanded Order Details ✕

Sorted as Descending Order ✕

Filtered only Tamil nadu in Lo... ✕

The **Orders Data** table was successfully sorted by **Order Date** in **descending order**, ensuring that the most recent orders appeared first. A filter was then applied to display only the orders from **Tamil Nadu**.

9. Grouping and Aggregating Data

- Duplicate the Order Details table and perform the following:
 - Count of Order ID
 - Average Profit by Category
 - Total Amount by Sub-Category
- Duplicate the Sales Target table and aggregate the total Target by Month of order date.

Queries [5] < X ✓ fx = Table.SelectRows("#Grouped Rows", each true)

List of Orders
Order Details
Sales target
Order Data
Order Details (2)

	Order ID	Count
1	B-25601	1
2	B-25602	1
3	B-25603	1
4	B-25604	1
5	B-25605	1
6	B-25606	1
7	B-25607	1
8	B-25608	1
9	B-25609	1
10	B-25610	1
11	B-25611	1
12	B-25612	1
13	B-25613	1
14	B-25614	1
15	B-25615	1
16	B-25616	1
17	B-25617	1
18	B-25618	1
19	B-25619	1
20	B-25620	1
21	B-25621	1
22	B-25622	1
23	B-25623	1

Query Settings

PROPERTIES

Name
Order Details (2)

All Properties

APPLIED STEPS

Source
Promoted Headers
Changed Amount Datatype
Profit Margin Column
Changed as Percentage Datat...
Conditional Column to find Pr...
Removed Duplicates
Grouped Rows
Count of Order ID

Activate Windows
Go to Settings to activate Windows.

Queries [5] < X ✓ fx = Table.Group("#Removed Duplicates", {"Category"}, {"Average Profit", each List.Average([Profit]), type nullable

List of Orders
Order Details
Sales target
Order Data
Order Details (2)

	Category	Average Profit
1	Furniture	20.44318182
2	Electronics	-19.37894737
3	Clothing	15.29022082

Query Settings

PROPERTIES

Name
Order Details (2)

All Properties

APPLIED STEPS

Source
Promoted Headers
Changed Amount Datatype
Profit Margin Column
Changed as Percentage Datat...
Conditional Column to find Pr...
Removed Duplicates
Average Profit by Category

Queries [5] < X ✓ fx = Table.Group("#Removed Duplicates", {"Sub-Category"}, {"Total Amount", each List.Sum([Amount]), type nullable

List of Orders
Order Details
Sales target
Order Data
Order Details (2)

	Sub-Category	Total Amount
1	Bookcases	25800
2	Phones	11691
3	Trousers	7109
4	T-shirt	3205
5	Saree	17831
6	Shirt	2535
7	Leggings	851
8	Tables	3967
9	Electronic Games	11942
10	Printers	16822
11	Chairs	5724
12	Hankerchief	4362
13	Stole	7583
14	Skirt	822
15	Furnishings	4295
16	Accessories	9472
17	Kurti	1154

Query Settings

PROPERTIES

Name
Order Details (2)

All Properties

APPLIED STEPS

Source
Promoted Headers
Changed Amount Datatype
Profit Margin Column
Changed as Percentage Datat...
Conditional Column to find Pr...
Removed Duplicates
Total Amount by Sub-Category

Queries [6] = Table.Group("#Changed Target Datatype", {"Month of Order Date"}, {"Total Target", each List.Sum([Target]), type

	Month of Order Date	1.2 Total Target
1	01-04-2018	31400
2	01-05-2018	31500
3	01-06-2018	31600
4	01-07-2018	33800
5	01-08-2018	33900
6	01-09-2018	34000
7	01-10-2018	36100
8	01-11-2018	36300
9	01-12-2018	36400
10	01-01-2019	43500
11	01-02-2019	43600
12	01-03-2019	43800

Query Settings

PROPERTIES

Name
Sales target (2)

All Properties


APPLIED STEPS

- Source
- Promoted Headers
- Changed Target Datatype
- Total Target**

The **Order Details** table was duplicated and grouped to calculate the **count of Order ID**, **average Profit by Category**, and **total Amount by Sub-Category**. Similarly, the **Sales Target** table was duplicated and grouped to calculate the **total Target by Month**.

10. Data Modeling:

- Establish a relationship between:
 - List of Orders and Order Details using Order ID
 - Establish a relationship between:
 - Order Details and Sales Target using Category
2. Use Manage Relationships to ensure relationships are active and correctly defined.



Manage relationships



+ New relationship		Autodetect	Edit	Delete	Filter
☐ From: table (column) ↑	Relationship	To: table (column)	Status		
☐ Order Details (Category)		Sales target (Category)	Active	...	
☐ Order Details (Order ID)		List of Orders (Order ID)	Active	...	

The data model was successfully created by establishing:

- A relationship between **List of Orders** and **Order Details** using **Order ID**.
- A relationship between **Order Details** and **Sales Target** using **Category**.

Both relationships were set as **active** and correctly defined in **Manage Relationships**, enabling accurate filtering, reporting, and analysis across the related tables.