Live SQL



Schema Initialized. Script run, 22 statements attempted.

My Session **①**

Actions 🗸

Reset Session



most recent first Statements and Results Sort View

Statement 22



SELECT * FROM onesem

COURSECODE	COURSENAMES	MARKS	GRADE
CLAD1001	Emotional Intelligence and Reasoning Skills	95	0
CSEN1001	IT Productivity Tools	94	S
CSEN1011	Problem Solving and Programming in C	94	0
LANG1011	Communication Skills in English	78	Α
MATH1001	Single Variable Calculus	93	0
MATH1011	Several variable calculus	95	0
MECH1021	Workshop	92	0
PHYS1001	Physics	75	Α
VEDC1001	Venture Development	93	0

Download CSV

9 rows selected.

Statement 21



insert into onesem values('VEDC1001','Venture Development',93,'0')

1 row(s) inserted.

Live SOL



My Session **①**

Reset Session Actions ~





Live SOL



My Session **①**


Reset Session Actions ~



94,'S')

1 row(s) inserted. Statement 13 insert into onesem values('CLAD1001', 'Emotional Intelligence and Reasoning Skills',95,'0') ⑪ 1 row(s) inserted. Statement 12 create table onesem(coursecode varchar(20),coursenames varchar(50),marks number(3),grade char(2)) Ŵ \triangleright Table created. Statement 11 create table semone(coursecode varchar(20),coursenames varchar(50),marks number(3),grade char(2)) \triangleright ORA-00955: name is already used by an existing object Statement 10 insert into semone values('VEDC1001','Venture Development',93,'0') ⑪ \triangleright 1 row(s) inserted.

Live SOL



My Session **①**

Reset Session Actions ~







© 2022 Oracle · Live SQL 22.2.2, running Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · Database Documentation · Ask Tom · Dev Gym Built with ♥ using Oracle APEX · Privacy · Terms of Use