

- [Contact, Imprint, Terms](#)
- [Sign up](#)
- [Sign in](#)

# Ruby on Rails CommunityGuides <sup>beta</sup>

has\_many :guides, :through => :communityguides

- [Featured Articles \[14\]](#)
- [All Articles \[16\]](#)
- [About](#)

-  [Subscribe](#)

- 

## Textile reference for CommunityGuides

### 1. Let's start with a basic example:

h1. CommunityGuides: Basic Textile

A *\*simple\** paragraph with  
a line break, some *\_emphasis\_* and a ["link":http://www.communityguides.eu].

## CommunityGuides: Basic Textile

A **simple** paragraph with a line break,  
some *emphasis* and a [link](#).

Note: if your text contains *\_* you can use *\_\_* for emphasis

### 2. Headers, Paragraphs and Lists

**Empty lines are the key to write textile.** An empty line ends the last textile. If you continue with normal tags without any textile tags it will be formatted as a normal paragraph.

h1. Header 1

This is the first paragraph

This is the second paragraph  
This is a line break in the second paragraph

This is the third paragraph

h2. Header 2

h3. Header 3

Unordered list:

- \* Foo
- \* Bar

Ordered list:

- # Item one
- # Item two

Mixed list:

- # Item one
- \*\* Foo
- \*\* Bar
- # Item two

# Header 1

This is the first paragraph

This is the second paragraph

This is a line break in the second paragraph

This is the third paragraph

## Header 2

### Header 3

Unordered list:

- Foo
- Bar




Ordered list:

1. Item one
2. Item two

Mixed list:

1. Item one
  - Foo
  - Bar
2. Item two

## 3. Links, Images and Links with Images

\*A link:\* "CommunityGuides":<http://www.communityguides.eu>  
\*An image:\* !  
\*An image with alt:\* !  
\*An image that is a link:\* :<http://www.communityguides.eu>

**A link:** [CommunityGuides](http://www.communityguides.eu)

# Ruby on Rails CommunityGuides

An image: `has_many :guides, :through => :communityguides`

## Ruby on Rails CommunityGuides

An image with alt: `has_many :guides, :through => :communityguides`

## Ruby on Rails CommunityGuides

An image that is a link: `has_many :guides, :through => :communityguides`

There must be no space before or after the colon. If the link is not followed by a space or line feed, then you may need to enclose the link in square brackets: ["CommunityGuides":http://www.communityguides.eu].

## 4. Code Blocks

```
h6. app/controllers/articles_controller.rb
@@@ruby
def index
  @article = Article.all
end
@@@
```

### app/controllers/articles\_controller.rb

```
def index
  @article = Article.all
end
```

Each block of code has to start with the path of the file formatted as header 6. Use "h6. Terminal" for input on the command line instead of a path. A code block has to be enclosed by @@@. There is an optional parameter to tell the syntax highlighter which language to use. Choose between "ruby", "yaml", "rhtml", "html" and "css".

CommunityGuides uses RedCloth to render Textile. Please note that CommunityGuides does not support the full textile syntax.

## Support CommunityGuides

- Write an article
- Comment on articles
- Rate articles

- Promote this site [R3c0m3nd3d](#)

## CommunityGuides

[Feedback \(Userveice\)](#)

[Bugtracker \(Lighthouse\)](#)

## Links (Editor's Picks)

[RailsGuides \(official\)](#)

[Rails API \(official\)](#)

[Google Group \(official\)](#)



All content is licensed under [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#).