

SQL ASSIGNMENT (SUBQUERIES)

-- LEVEL 1: BASIC LEVEL QUERIES

-- Q1. Retrieve the names of employees who earn more than the average salary of all employees.

```
3 • SELECT * FROM Sales;
4 • SELECT name
5 FROM Employee
6 WHERE salary > (SELECT AVG(salary) FROM Employee);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	name
▶	Priya
	Rohit
	Neha
	Sneha
	Kiran
	Tanuja

-- Q2. Find the employees who belong to the department with the highest average salary.

```
4
5 • SELECT * FROM Employee
6 WHERE department_id = (
7     SELECT department_id
8     FROM Employee
9     GROUP BY department_id
10    ORDER BY AVG(salary) DESC
11    LIMIT 1
12 );
```

Result Grid | Filter Rows: | Edit: |

	emp_id	name	department_id	salary
▶	107	Ravi	D04	60000
	108	Sneha	D04	75000
*	NULL	NULL	NULL	NULL

-- Q3. List all employees who have made at least one sale.

```
4
5 • SELECT * FROM Employee
6 WHERE emp_id IN (SELECT DISTINCT emp_id FROM Sales);
```

emp_id	name	department_id	salary
101	Abhishek	D01	62000
102	Shubham	D01	58000
103	Priya	D02	67000
104	Rohit	D02	64000
105	Neha	D03	72000
106	Aman	D03	55000
107	Ravi	D04	60000
108	Sneha	D04	75000
109	Kiran	D05	70000
110	Tanuja	D05	65000

-- Q5. Retrieve the names of employees whose salaries are higher than Shubham's salary.

```
6
7 • SELECT name
8 FROM Employee
9 WHERE salary > (SELECT salary FROM Employee WHERE name = 'Shubham');
```

name
Abhishek
Priya
Rohit
Neha
Ravi
Sneha
Kiran
Tanuja

-- LEVEL 2: INTERMEDIATE LEVEL QUERIES

-- Q1. Find employees who work in the same department as Abhishek.

```
71
72 • SELECT * FROM Employee
73 WHERE department_id = (SELECT department_id FROM Employee WHERE name = 'Abhishek')
74 AND name <> 'Abhishek';
```

Result Grid

	emp_id	name	department_id	salary
▶	102	Shubham	D01	58000
*	NULL	NULL	NULL	NULL

-- Q2. List departments that have at least one employee earning more than ₹60,000.

```
32 AND name <> 'Abhishek'; -- Abhishek ko khud exclude krna
33
34 • SELECT * FROM Department
35 WHERE department_id IN (
36 SELECT DISTINCT department_id
37 FROM Employee
38 WHERE salary > 60000
39 );
```

Result Grid

	department_id	department_name	location
▶	D01	Sales	Mumbai
	D02	Marketing	Delhi
	D03	Finance	Pune
	D04	HR	Bangaluru
	D05	IT	Hyderabad
*	NULL	NULL	NULL

-- Q3. Find the department name of the employee who made the highest sale.

SQL Editor interface showing a query and its result.

```

64 SELECT department_id
65 FROM Employee
66 WHERE emp_id = (
67     SELECT emp_id
68     FROM Sales
69     ORDER BY sale_amount DESC
70     LIMIT 1
71 )
72 );

```

Result Grid

department_name
Marketing

-- Q4. Retrieve employees who have made sales greater than the average sale amount.

SQL Editor interface showing a query and its result.

```

59 (209, 109, 3900, '2025-02-20'),
60 (210,
61
62 SELECT * FROM Employee
63 WHERE emp_id IN (
64     SELECT emp_id
65     FROM Sales
66     WHERE sale_amount > (SELECT AVG(sale_amount) FROM Sales)
67 );

```

Result Grid

emp_id	name	department_id	salary
102	Shubham	D01	58000
104	Rohit	D02	64000
105	Neha	D03	72000
106	Aman	D03	55000
110	Tanuja	D05	65000
NULL	NULL	NULL	NULL

-- Q5. Find the total sales made by employees who earn more than the average salary.

```

62
63 • SELECT SUM(sale_amount) AS total_sales
64 FROM Sales
65 WHERE emp_id IN (
66     SELECT emp_id
67     FROM Employee
68     WHERE salary > (SELECT AVG(salary) FROM Employee)
69 );

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	total_sales
▶	44700

-- LEVEL 3: ADVANCED LEVEL QUERIES

-- Q1. Find employees who have not made any sales.

```

60 (210, 110, 7200, '2025-05-01');
61
62
63
64 • SELECT * FROM Employee
65 WHERE emp_id NOT IN (SELECT DISTINCT emp_id FROM Sales);

```

Result Grid | Filter Rows: | Edit: | Export/Import:

	emp_id	name	department_id	salary
▶	111	Vikram	D05	45000
*	NULL	NULL	NULL	NULL

-- Q2. List departments where the average salary is above ₹55,000.

```

54
55 • SELECT * FROM Department
56 WHERE department_id IN (
57     SELECT department_id
58     FROM Employee
59     GROUP BY department_id
60     HAVING AVG(salary) > 55000
61 )

```

Result Grid

department_id	department_name	location
D01	Sales	Mumbai
D02	Marketing	Delhi
D03	Finance	Pune
D04	HR	Bengaluru
D05	IT	Hyderabad
NULL	NULL	NULL

-- Q3. Retrieve department names where the total sales exceed ₹10,000.

```

69 SELECT department_id
70 FROM Employee
71 WHERE emp_id IN (
72     SELECT emp_id
73     FROM Sales
74     GROUP BY emp_id
75     HAVING SUM(sale_amount) > 10000
76 )
77

```

Result Grid

department_name
Marketing
Finance

-- Q4. Find the employee who has made the second-highest sale

```

65
66
67 • SELECT * FROM Employee
68   WHERE emp_id = (
69       SELECT emp_id
70       FROM Sales
71       ORDER BY sale_amount DESC
72       LIMIT 1 OFFSET 1
73   );

```

Result Grid

	emp_id	name	department_id	salary
▶	106	Aman	D03	55000
✱	NULL	NULL	NULL	NULL

-- Q5. Retrieve the names of employees whose salary is greater than the highest sale amount recorded.

```

65
66
67
68 • SELECT name
69   FROM Employee
70  WHERE salary > (SELECT MAX(sale_amount) FROM Sales);

```

Result Grid

	name
▶	Abhishek
	Shubham
	Priya
	Rohit
	Neha
	Aman
	Ravi
	Sneha
	Kiran
	Tanuja

Employee 27 ✕