Cucumber Report

22 Mar 2024, 3:46:19 pm

| **Start : Mar 22, 3:40:56.969 pm**	**End : Mar 22, 3:46:19.369 pm**	**Duration : 5 m 22.400 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 15 FAILED - 3 SKIPPED - 0	PASSED - 74 FAILED - 3 SKIPPED - 3

3

18

80

Pass %

33 %

Pass %

83 %

Pass %

92 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Page	13.914 s	2	2	0	0	8	8	0	0
CRUD Timesheet	2 m 11.458 s	7	6	1	0	27	26	1	0
CRUD SD Issue	2 m 57.015 s	9	7	2	0	45	40	2	3

#	Feature Name	Scenario Name
1	*CRUD Timesheet*	*User submit timesheet*
2	*CRUD SD Issue*	*User edit SD Issue*
3		*User search issue - with result*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@All	18	15	3	0	3	1	2	0
@login	2	2	0	0	1	1	0	0
@positive	4	3	1	0	3	1	2	0
@negative	4	4	0	0	3	1	2	0
@view	2	2	0	0	2	0	2	0
@timesheet	7	6	1	0	1	0	1	0
@add	4	4	0	0	2	0	2	0
@edit	2	1	1	0	2	0	2	0
@stop	1	1	0	0	1	0	1	0
@delete	1	1	0	0	1	0	1	0
@submit	1	0	1	0	1	0	1	0
@issue	9	7	2	0	1	0	1	0
@search	2	1	1	0	1	0	1	0
@assign	1	1	0	0	1	0	1	0
@status	2	2	0	0	1	0	1	0
@change	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Page	2	2	0	0	13.914 s
2	CRUD Timesheet	7	6	1	0	2 m 11.458 s
3	CRUD SD Issue	9	7	2	0	2 m 57.015 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page	User success login	4	4	0	0	8.327 s
2		User failed login - invalid credential	4	4	0	0	5.582 s
3	CRUD Timesheet	User view list Timesheet	3	3	0	0	10.226 s
4		User add new Timesheet	4	4	0	0	31.400 s
5		User failed add new Timesheet - Empty values	4	4	0	0	13.872 s
6		User edit Timesheet	4	4	0	0	12.523 s
7		User stop timer	4	4	0	0	10.001 s
8		User delete Timesheet	5	5	0	0	14.454 s
9		User submit timesheet	3	2	1	0	38.967 s
10	CRUD SD Issue	User view list SD Issue	4	4	0	0	9.296 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	CRUD SD Issue	User success add new SD Issue	4	4	0	0	14.339 s
12		User failed add new SD Issue - Empty	3	3	0	0	8.437 s
13		User edit SD Issue	7	3	1	3	38.878 s
14		User search issue - with result	5	4	1	0	42.841 s
15		User search issue - no result	5	5	0	0	11.530 s
16		User filter assign to me	5	5	0	0	10.627 s
17		User filter status	5	5	0	0	9.850 s
18		User change status to closed	7	7	0	0	31.202 s

Login Page

PASSED	DURATION - 13.914 s	Scenarios		Steps	
/ 3:40:56.969 pm // 3:41:10.883 pm /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 8 Pass - 8 Fail - 0 Skip - 0	8

User success login

PASSED	DURATION - 8.327 s		Steps	
/ 3:40:56.970 pm // 3:41:05.297 pm /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login Page				
@All @login @positive				

#	Step / Hook Details	Status	Duration
1	Given User on login Page	PASSED	1.561 s
2	Then User input credentials	PASSED	0.071 s
3	And User click button login	PASSED	1.048 s
4	Then User go to dashboard page	PASSED	2.618 s

User failed login - invalid credential

PASSED	DURATION - 5.582 s		Steps	
/ 3:41:05.301 pm // 3:41:10.883 pm /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login Page				
@All @negative @login				

#	Step / Hook Details	Status	Duration
1	Given User on login Page	PASSED	1.426 s
2	Then User input invalid credentials	PASSED	0.069 s
3	And User click button login	PASSED	1.046 s
4	Then User get alert	PASSED	0.281 s

CRUD Timesheet

FAILED	DURATION - 2 m 11.458 s	Scenarios Total - 7 Pass - 6 Fail - 1 Skip - 0	7	Steps Total - 27 Pass - 26 Fail - 1 Skip - 0	27
/ 3:41:10.889 pm // 3:43:22.347 pm /					

User view list Timesheet

PASSED	DURATION - 10.226 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 3:41:10.889 pm // 3:41:21.115 pm /				
CRUD Timesheet				
@All @view @timesheet				

#	Step / Hook Details	Status	Duration
1	Given User on homepage	PASSED	5.913 s
2	Then User click button view list	PASSED	1.581 s
3	And User see the list	PASSED	0.020 s

User add new Timesheet

PASSED	DURATION - 31.400 s		Steps	
/ 3:41:21.118 pm // 3:41:52.518 pm /			Total - 4	
CRUD Timesheet			Pass - 4 Fail - 0	4
@All @add @positive @timesheet			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User on timesheet page	PASSED	3.050 s
2	And User click button Start Timer	PASSED	12.405 s
3	Then User choose project	PASSED	13.077 s
4	And User click button Start	PASSED	0.150 s

User failed add new Timesheet - Empty values

PASSED	DURATION - 13.872 s		Steps	
/ 3:41:52.520 pm // 3:42:06.392 pm /			Total - 4	
CRUD Timesheet			Pass - 4 Fail - 0	4
@All @add @negative @timesheet			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User on timesheet page	PASSED	4.435 s
2	And User click button Start Timer	PASSED	4.658 s
3	And User click button Start	PASSED	0.034 s
4	Then User get modal alert required	PASSED	2.024 s

User edit Timesheet

PASSED	DURATION - 12.523 s
/ 3:42:06.395 pm // 3:42:18.918 pm /	
CRUD Timesheet	
@edit @All @timesheet	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on homepage	PASSED	5.142 s
2	Then User choose timesheet	PASSED	0.835 s
3	And User click button edit timesheet	PASSED	3.813 s
4	Then User click button save	PASSED	0.033 s

User stop timer

PASSED	DURATION - 10.001 s
/ 3:42:18.921 pm // 3:42:28.922 pm /	
CRUD Timesheet	
@All @stop @timesheet	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on homepage	PASSED	5.196 s
2	Then User choose timesheet	PASSED	1.118 s
3	And User click resume timer	PASSED	0.713 s
4	And User click button complete	PASSED	0.276 s

User delete Timesheet

PASSED	DURATION - 14.454 s
/ 3:42:28.924 pm // 3:42:43.378 pm /	
CRUD Timesheet	
@All @delete @timesheet	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on homepage	PASSED	4.894 s
2	Then User choose timesheet	PASSED	1.092 s
3	And User click button delete	PASSED	3.735 s
4	And User click button Yes	PASSED	0.035 s
5	Then Timesheet success get delete	PASSED	2.022 s

User submit timesheet

FAILED	DURATION - 38.967 s
/ 3:42:43.380 pm // 3:43:22.347 pm /	
CRUD Timesheet	
@All @submit @timesheet	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on homepage	PASSED	4.950 s
2	Then User choose timesheet	PASSED	1.092 s
3	And User click button Submit	FAILED	30.091 s

	org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element
	    at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:90)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
	    at PageFactory.TimesheetPage.clickBtnTimer(TimesheetPage.java:324)
	    at StepDefinition.TimesheetTest.user_click_button_submit(TimesheetTest.java:129)		

| #	Step / Hook Details	Status	Duration
	at ?.User click button Submit(file:///D:/SD-ERP-V2/sd-erp-v2/src/test/resources/features/02TimesheetPage.feature:50)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[normalize-space()='Resume Timer']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [d4e00f135f4948cddc4c1d5676c0a0f7, findElement {value=//button[normalize-space()='Resume Timer'], using=xpath]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\personal\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61173}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61173/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d4e00f135f4948cddc4c1d5676c0a0f7		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access$001(AjaxElementLocator.java:38)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator$SlowLoadingElement.isLoaded(AjaxElementLocator.java:156)		
	at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:79)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:86)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)		
	at PageFactory.TimesheetPage.clickBtnTimer(TimesheetPage.java:324)		
	at StepDefinition.TimesheetTest.user_click_button_submit(TimesheetTest.java:129)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinition.Hooks.getResultStatus(io.cucumber.java.Scenario) image 	PASSED	0.123 s

CRUD SD Issue

FAILED	DURATION - 2 m 57.015 s	Scenarios Total - 9 Pass - 7 Fail - 2 Skip - 0		Steps Total - 45 Pass - 40 Fail - 2 Skip - 3	
/ 3:43:22.354 pm // 3:46:19.369 pm /					

User view list SD Issue

PASSED	DURATION - 9.296 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:43:22.354 pm // 3:43:31.650 pm /				
CRUD SD Issue				
@All @issue @view				

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	4.833 s
2	And User go to Projects page	PASSED	0.111 s
3	And User go to SD Issues page	PASSED	0.568 s
4	Then User see list SD Issue	PASSED	1.098 s

User success add new SD Issue

PASSED	DURATION - 14.339 s

/ 3:43:31.651 pm // 3:43:45.990 pm /

CRUD SD Issue

@All @add @issue @positive

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on SD Issues Page	PASSED	3.134 s
2	And User input issue	PASSED	8.414 s
3	And User click button Save	PASSED	0.031 s
4	Then User success add SD Issue	PASSED	0.066 s

User failed add new SD Issue - Empty

PASSED	DURATION - 8.437 s

/ 3:43:45.992 pm // 3:43:54.429 pm /

CRUD SD Issue

@All @add @negative @issue

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User on SD Issues Page	PASSED	3.051 s
2	And User click button Save	PASSED	2.412 s
3	Then User get alert require field	PASSED	0.291 s

User edit SD Issue

FAILED	DURATION - 38.878 s
/ 3:43:54.431 pm // 3:44:33.309 pm /	
CRUD SD Issue	
@edit @All @issue	

Steps
Total - 7
Pass - 3
Fail - 1
Skip - 3

7

| #	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	5.250 s
2	And User go to Projects page	PASSED	0.160 s
3	And User go to SD Issues page	PASSED	0.568 s
4	Then User choose Issue	FAILED	30.045 s

	org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element
	    at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:90)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
	    at PageFactory.SDIssuePage.chooseIssue(SDIssuePage.java:181)
	    at StepDefinition.SDIssueTest.user_choose_issue(SDIssueTest.java:78)
	    at ?.User choose Issue(file:///D:/SD-ERP-V2/sd-erp-v2/src/test/resources/features/03SDIssue.feature:29)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@title='Testing Issue 4593']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b4f4dbc1f4f9bf97299d96f3b2664ec, findElement {value=//a[@title='Testing Issue 4593'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\personal\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61365/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b4f4dbc1f4f9bf97299d96f3b2664ec
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access$001(AjaxElementLocator.java:38)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator$SlowLoadingElement.isLoaded(AjaxElementLocator.java:156)		
	at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:79)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:86)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)		
	at PageFactory.SDIssuePage.chooseIssue(SDIssuePage.java:181)		
	at StepDefinition.SDIssueTest.user_choose_issue(SDIssueTest.java:78)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		

| #	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinition.Hooks.getResultStatus(io.cucumber.java.Scenario)	PASSED	0.106 s
	image		
5	And User edit Issue	SKIPPED	0.000 s
6	And User click button Save	SKIPPED	0.000 s
7	And User get alert success	SKIPPED	0.000 s

User search issue - with result

FAILED	*DURATION - 42.841 s*

/ 3:44:33.311 pm // 3:45:16.152 pm /

CRUD SD Issue

@All @issue @search @positive

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	5.383 s
2	And User go to Projects page	PASSED	0.165 s
3	And User go to SD Issues page	PASSED	0.555 s
4	And User search issue by subject	PASSED	3.888 s
5	Then User get the result	FAILED	30.041 s

org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element
   at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:90)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy24.getText(Unknown Source)
   at PageFactory.SDIssuePage.verifyResult(SDIssuePage.java:203)
   at StepDefinition.SDIssueTest.user_get_the_result(SDIssueTest.java:99)
   at ?.User get the result(file:///D:/SD-ERP-V2/sd-erp-v2/src/test/resources/features/03SDIssue.feature:40)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@title='Testing Issue 4593']"}   (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2416502b6df7835637c1fa46911e0883, findElement {value=//a[@title='Testing Issue 4593'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\personal\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61470}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61470/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2416502b6df7835637c1fa46911e0883
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access$001(AjaxElementLocator.java:38)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator$SlowLoadingElement.isLoaded(AjaxElementLocator.java:156)		
	at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:79)		
	at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:86)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy24.getText(Unknown Source)		
	at PageFactory.SDIssuePage.verifyResult(SDIssuePage.java:203)		
	at StepDefinition.SDIssueTest.user_get_the_result(SDIssueTest.java:99)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinition.Hooks.getResultStatus(io.cucumber.java.Scenario) image 	PASSED	0.106 s

User search issue - no result

PASSED	*DURATION - 11.530 s*

/ 3:45:16.155 pm // 3:45:27.685 pm /

CRUD SD Issue

@All @negative @issue @search

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	5.084 s
2	And User go to Projects page	PASSED	0.036 s
3	And User go to SD Issues page	PASSED	0.564 s
4	And User search invalid issue by subject	PASSED	3.108 s
5	Then User get no result	PASSED	0.013 s

User filter assign to me

PASSED	*DURATION - 10.627 s*

/ 3:45:27.686 pm // 3:45:38.313 pm /

CRUD SD Issue

@All @assign @issue

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	5.162 s
2	And User go to Projects page	PASSED	0.037 s
3	And User go to SD Issues page	PASSED	0.563 s
4	And User click assign to me	PASSED	2.149 s
5	Then User get result	PASSED	0.011 s

User filter status

PASSED	DURATION - 9.850 s
/ 3:45:38.314 pm // 3:45:48.164 pm /	
CRUD SD Issue	
@status @All @issue	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	5.153 s
2	And User go to Projects page	PASSED	0.037 s
3	And User go to SD Issues page	PASSED	0.565 s
4	And User choose status	PASSED	1.400 s
5	Then User get result with status	PASSED	0.013 s

User change status to closed

PASSED	DURATION - 31.202 s
/ 3:45:48.167 pm // 3:46:19.369 pm /	
CRUD SD Issue	
@status @All @issue @change	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given User in homepage	PASSED	6.419 s
2	And User go to Projects page	PASSED	0.587 s
3	And User go to SD Issues page	PASSED	0.559 s
4	And User choose Status and Issue	PASSED	4.695 s
5	And User change status	PASSED	0.045 s
6	And User click button Save	PASSED	0.032 s
7	Then Status changed	PASSED	16.152 s