

Enteprise Security API ESAPI













Sécurité DHD5 2º édition et MySQL

Damien Seguy Philippe Gamache



EYROLLES









I answer question





The problems






The problems

- Input Validation and Output Encoding
- Authentication and Identity
- URL Access Control
- Business Function Access Control
- Data Layer Access Control






The problems

- Presentation Layer Access Control
- Errors, Logging, and Intrusion Detection
- Encryption, Hashing, and Randomness





OWASP TOP 10

Al - Injection

A2 - Cross-Site Scripting (XSS)

A3 – Broken Authentication and Session Management


A4 – Insecure Direct Object References

A5 - Cross-Site Request Forgery (CSRF) A6 - Security Misconfiguration

A7 – Insecure Cryptographic Storage A8 - Failure to Restrict URL Access


A9 - Insufficient Transport Layer Protection A10 – Unvalidated Redirects and Forwards






And over 300 others security problems types






Vulnerabilities and Security Controls









Why Input Validation Is Hard?








Percent (url) Encoding

- %3c
- %3C






- <
- <
- <
- <
- <
- <

- <
- <
- <
- <
- <
- <






- <
- <
- <
- <
- <
- <

- <
- <
- <
- <
- <
- <





• <

• <

• <

• <

• <

• <

• <

• <


• <

• <

• <

• <






- <
- <
- <
- <
- <
- <

- <
- <
- <
- <
- <
- <






- <
- <
- <
- <
- <
- <

- <
- <
- <
- <
- <
- <





• <

• &lT

• &Lt

• <


• <

• &lT;

• ≪

• <






JavaScript Escape

- \<
- \x3c
- \X3c
- \u003c
- \U003c

- \x3C
- \X3C
- \u003C
- \U003C





CSS Escape

• \3c

• \3C

• \03c

• \03C

• \003c

• \003C


• \0003c

• \0003C

• \00003c

• \00003C






UTF-7 vs UTF-8

- +ADW-
- %cO%bc
- %e0%80%bc
- %f0%80%80%bc
- %f8%80%80%80%bc
- %fc%80%80%80%80%bc






1,677,721,600,000,000


ways to encode <script>






The Solutions?





What is Enterprise Security API?





ESAPI Community

Communauté ESAPI



JavaSoript




Library

Wiki

php
















ESAPI Community

Communauté ESAPI





Library

Wiki
















ESAPI Community

Communauté ESAPI





Library

Wiki



Mailing List




Users


Developers








Overview of the Architectural Impact







AccessController AccessReferenceMap

Encoder

Validator

HTTPUtilities

Encryptor

Randomizer


EncryptedProperties

Exception Handling

Logger

IntrusionDetector SecurityConfiguration





Authenticator


User

Authenticator User

AccessController

```
isAuthorizedForData()
isAuthorizedForFile()
isAuthorizedForFunction()
isAuthorizedForService()
isAuthorizedForURL()
```





User
AccessController
AccessReferencelMap

Validator


PIICOGEI. T中TPTTtilitie Encryptor

Randomizer

Logger


IntrusionDetector





```
<?php echo $ESAPI</pre>
    ->validator()
    ->getValidInput(
        String $context,
Validator
        String $input,
        String type,
        int $maxLength,
        boolean allowNull,
        ValidationErrorList
            $errorList);
```





interface ValidationRule



abstract BaseValidationRule




CreditCard ValidationRule Validator

```
assertIsValidHttpRequest()
assertIsValidHttpRequest
    ParameterSet()
assertIsValidFileUpload()
getValidDate()
```

```
getValidDate()
getValidDouble()
getValidDirectoryPath()
getValidDouble()
getValidFileContent()
getValidFileName()
```





interface ValidationRule




abstract BaseValidationRule



CreditCard ValidationRule Validator

```
isValidCreditCard()
isValidDataFromBrowse()
isValidDirectoryPath()
isValidFileContent()
isValidFileName()
isValidHTTPRequest()
isValidListItem()
isValidRedirectLocation()
isValidSafeHTML()
isValidPrintable()
safeReadLine()
```





encodeForDN
encodeForHTML
encodeForLDAP
encodeForSQL
encodeForVRL
encodeForXML
encodeForXML


Encoder

<?php echo \$ESAPI</pre>

- ->encoder()
- ->encodeForHTML(\$name)
- ?>

encodeForJavaScript encodeForVBScript encodeForXMLAttribute encodeForXMLAttribute






- Add Safe Header
- No Cache Headers
- Set Content Type
- Add Safe Cookie
- Kill Cookie
- Change SessionID
- CSRF Tokens

• isSecureChannel

- Safe Request Logging
- Safe File Uploads
- sendSafeForward
- sendSafeRedirect
- Encrypt State in Cookie
- Hidden Field Encryption
- Querystring Encryption







Encryptor

Integrity Seals

Strong GUID

• Random Tokens

Encryption


• Digital Signatures

Salted Hash

• Safe Config Details


Timestamp





EncryptedProperties





AccessController AccessReferenceMap

H.n.o.dar

I'I'PUtilities


Encryptor neryptedProperti

Randomizer

xception Handling

Logger


IntrusionDetector



- AccessControlException
- AuthenticationException
- AvailabilityException
- EncodingException
- EncryptionException
- ExecutorException
- IntegrityException
- IntrusionException
- ValidationException

Exception Handling





Accessiontroner ccessReferenceMap

Encoder

ITTPUtilities


Encryptor

Randomizer

xception Handling

Logger


IntrusionDetector



- Configurable Thresholds
- Responses
 - Log Intrusion
 - Logout User
 - Disable Account

IntrusionDetector





AccessController cessReferenceMa

V dillidatoll


I'I'PUtilities

xception Handlin

Logger


IntrusionDetector

SecurityConfiguration




OWASP TOP 10	ESAPI
A1: Injection	Encoder
A2: Cross Site Scripting (XSS)	Encoder, Validator
A3: Broken Authentication and Session Management	Authenticator, User, HTTPUtilities
A4: Insecure Direct Object Reference	AccessReferenceMap, AccessController
A5: Cross Site Request Forgery (CSRF)	User (CSRF Token)
A6: Security Misconfiguration	SecurityConfiguration
A7: Insecure Cryptographic Storage	Encryptor
A8: Failure to Restrict URL Access	AccessController
A9: Insufficient Transport Layer Protection	HTTPUtilities (Secure Cookie, Channel)
A10: Unvalidated Redirects and Forwards	AccessController





	Java	Microsoft* .NET	Microsoft ^e ASP		Php	3	JavaSortpt	}	Objective -C
Authentication	2.0	1.4	1.4	1.4					
Identity	2.0	1.4	1.4	1.4					
Access Control	2.0	1.4	1.4	1.4	1.4				
Input Validation	2.0	1.4	1.4	1.4	1.4	1.4	2.0		
Output Escaping	2.0	1.4	1.4	1.4		1.4	2.0		
Canonicalization	2.0	1.4	1.4	1.4		1.4	2.0		
Encryption	2.0	1.4	1.4	1.4	1.4				
Random Numbers	2.0	1.4	1.4	1.4	1.4				
Exception Handling	2.0	1.4	1.4	1.4	1.4	1.4	2.0		
Logging	2.0	1.4	1.4	1.4	1.4	1.4	2.0		
Intrusion Detection	2.0	1.4	1.4	1.4					
Security Configuration	2.0	1.4	1.4	1.4	1.4	1.4	2.0		
WAF	2.0								





Adopters






























Additional Resources

OWASP Home Page

http://www.owasp.org

• ESAPI Project Page

http://www.esapi.org


• ESAPI-Users Mailing List

https://lists.owasp.org/mailman/
listinfo/esapi-users

• ESAPI-Dev Mailing List

https://lists.owasp.org/mailman/
listinfo/esapi-dev





Questions?

- philippe@ph-il.ca
- http://www.ph-il.ca
- @SecureSymfony




- http://www.ph-il.ca/en/conferences
- http://www.ph-il.ca/fr/conferences









© creative commons

Attribution-Noncommercial-No Derivative Works 2.5 Canada

You are free:





to Share — to copy, distribute and transmit the work

Under the following conditions:



Attribution. You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).



Noncommercial. You may not use this work for commercial purposes.



No Derivative Works. You may not alter, transform, or build upon this work.

- . For any reuse or distribution, you must make clear to others the licence terms of this work.
- Any of the above conditions can be waived if you get permission from the copyright holder.
- The author's moral rights are retained in this licence.



