```
Users (ID, username, password)
Client (fname, Iname, email, phoneNo, C_ID)
Client.C_ID references Users
Banker (B_ID)
Banker.B_ID references Users
Admin (A_ID)
Admin.A_ID references users
ClientAccount (IBAN, C ID)
ClientAccount.C_ID references Client
Transactions (ID, type, region, amount, date, A_ID)
Transactions.A_ID references Admin
CreditCardBill (ID, cardNumber)
CreditCardBill.ID references Transactions
CreditCardBill.cardNumber references CreditCard
BankTransfer (receiver IBAN, ID)
BankTransferReceiver.ID references Transactions
Bills (ID)
Bills.ID references Transactions
LoanBill (ID, LoanID)
LoanBill.ID references Transactions
LoanBill.LoanID references Loan
```

Loan (<u>ID</u>, dueDate, type, value, <u>IBAN</u>, <u>B_ID</u>) Loan.IBAN references ClientAccount Loan.B_ID references Banker CreditCard (cardNumber, ccv, sufficientFunds, issueDate, expirationDate, points,type, IBAN, B_ID) CreditCard.IBAN references ClientAccount CreditCard.B_ID references Banker NotificationsAndAnnouncements (ID, type, time, A ID) NotificationsAndAnnouncements.A_ID references Admin Reminders (ID, type) ThirdPartyApps (<u>ID</u>, Name) TechnicalIssues (<u>ID</u>, issueDate, issueDescription) CreditCardIssues (ID, issueDate, issueDescription) Resolves (A_ID, ID) Resolves.A_ID references Admin Resolves.ID references TechnicalIssues Reports (ID, C ID) Reports.ID references TechnicalIssues

Block (A_ID, IBAN)

Block.A_ID references Admin

Reports.C_ID references Client

Block.IBAN references ClientAccount

Receives (ID, C_ID)

Receives.ID references NotificationsAndAnnouncements

Receives.C_ID references Client

Monitor (B_ID, ID)

Monitor.B_ID references Banker

Monitor.ID references Transactions

Resolves2 (B_ID, ID)

Resolves.B_ID references Banker

Resolves.ID references CreditCardIssues

Reports2(ID, C_ID)

Reports.ID references CreditCardIssues

Reports.C_ID references Client

Makes (ID, IBAN)

Makes.ID references Transactions

Makes.IBAN references ClientAccount

PaidBy (ID, T_ID)

PaidBy.ID references Transactions

PaidBy.T_ID references ThirdPartyApps

Uses (IBAN, T ID)

Uses.IBAN references ClientAccount

Uses.T_ID references ThirdPartyApps

Set (IBAN, ID)

Set.IBAN references ClientAccount

Set.ID references Reminders

Receives2 (<u>IBAN</u>, <u>ID</u>)

Receives.IBAN references ClientAccount

Receives.ID references Reminders