Report No. : QHJ2103011902/EN Page 1 of 15 Issued: 2021-03-19

Test Report

Applicant : Arduino S.r.l.

Address : Via Andrea Appiani, 25

20900 MONZA (Italy)

Manufacturer : Arduino S.r.l.

Address : Via Andrea Appiani, 25

20900 MONZA (Italy)

Sample Name : MKR WiFi 1010

Sample Model : ABX00023 Sample Brand : Arduino

Received Date : March 12, 2021

Testing Period : March 12, 2021 ~ March 19, 2021

Test Requested : As requested by client, SVHC screening is performed according to:

two hundred and eleven (211) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals

Agency (ECHA) on and before January 19, 2021 Regarding Regulation

(EC) No 1907/2006 concerning the REACH.

Eight (8) substances in the Candidate List of Substances of Very High

Concern (SVHC) for consultation on March 9, 2021.

Test Method : Please refer to next page.

Test Results : Please refer to next page(s).

Conclusion : According to the specified scope and analytical technique in this report,

two hundred and eleven (211) Substances of Very High Concern (SVHC) concentrations were less than 0.1% (m/m) in the submitted samples.

CCIC (Shenzhen) Environmental Service Co., Ltd.

Completed by:

Reviewed by:

Approvedby:

Aimaa Vaa

Renvou.Yand

Http://www.ccicshenzhen.com.cn

Report No. : QHJ2103011902/EN Page 2 of 15 Issued: 2021-03-19

Test Results:

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|-------------------------|------------------------|-------------|--------|
| 1 | Cobalt dichloride # | 7646-79-9 | 231-589-4 | ND | 0.01 |
| 2 | Diarsenic pentaoxide; # | 1303-28-2 | 215-116-9 | ND | 0.005 |
| 3 | Diarsenic trioxide # | 1327-53-3 | 215-481-4 | ND | 0.005 |
| 4 | Lead hydrogen arsenate # | 7784-40-9 | 232-064-2 | ND | 0.005 |
| 5 | Triethyl arsenate # | 15606-95-8 | 427-700-2 | ND | 0.005 |
| 6 | Sodium dichromate, dihydrate # | 7789-12-0 | 234-190-3 | ND | 0.005 |
| 7 | Bis (tributyltin) oxide (TBTO) # | 56-35-9 | 200-268-0 | ND | 0.005 |
| 8 | Anthracene | 120-12-7 | 204-371-1 | ND | 0.005 |
| 9 | 4,4-diaminodiphenylmethane (MDA) | 101-77-9 | 202-974-4 | ND | 0.005 |
| | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified | 25637-99-4 3194-55-6 | 247-148-4 221-695-9 | - ND | 0.01 |
| 10 | α - HBCDD | 134237-50-6 | _ | | |
| | β - HBCDD | 134237-51-7 | | | |
| | γ - HBCDD | 134237-52-8 | _ | | |
| 11 | 5-tert-butyl-2,4,6-trinitro-mxylene (musk xylene) | 81-15-2 | 201-329-4 | ND | 0.01 |
| 12 | Bis (2-ethylhexyl) phthalate (DEHP) | 117-81-7 | 204-211-0 | ND | 0.01 |
| 13 | Dibutyl phthalate (DBP) | 84-74-2 | 201-557-4 | ND | 0.005 |
| 14 | Benzyl butyl phthalate (BBP) | 85-68-7 | 201-622-7 | ND | 0.005 |
| 15 | Short chain chlorinated paraffins (C10-13) | 85535-84-8 | 287-476-5 | ND | 0.005 |
| 16 | Anthracene oil | 90640-80-5 | 292-602-7 | ND | 0.01 |
| 17 | Anthracene oil, anthracene paste, distn. lights | 91995-17-4 | 295-278-5 | ND | 0.01 |

Http://www.ccicshenzhen.com.cn



Report No. : QHJ2103011902/EN Page 3 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|---|--------------------------------------|------------------------|-------------|--------|
| 18 | Anthracene oil, anthracene paste, Anthracene fraction | 91995-15-2 | 295-275-9 | ND | 0.01 |
| 19 | Anthracene oil, anthracene-low | 90640-82-7 | 292-604-8 | ND | 0.01 |
| 20 | Anthracene oil, anthracene paste | 90640-81-6 | 292-603-2 | ND | 0.01 |
| 21 | Pitch, coal tar, high temp. | 65996-93-2 | 266-028-2 | ND | / |
| 22 | 2,4-Dinitrotoluene | 121-14-2 | 204-450-0 | ND | 0.01 |
| 23 | Diisobutyl phthalate (DIBP) | 84-69-5 | 201-553-2 | ND | 0.01 |
| 24 | Lead chromate # | 7758-97-6 | 231-846-0 | ND | 0.01 |
| 25 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104) # | 12656-85-8 | 235-759-9 | ND | 0.01 |
| 26 | Lead sulfochromate yellow (C.I.Pigment Yellow 34) # | 1344-37-2 | 215-693-7 | ND | 0.01 |
| 27 | Tris(2-chloroethyl)phosphate | 115-96-8 | 204-118-5 | ND | 0.01 |
| 28 | Acrylamide | 79-06-1 | 201-173-7 | ND | 0.01 |
| 29 | Trichloroethylene | 79-01-6 | 201-167-4 | ND | 0.01 |
| 30 | Boric acid # | 10043-35-3 11113-50-1 | 233-139-2 234-343-4 | ND | 0.01 |
| 31 | Disodium tetraborate, anhydrous # | 1303-96-4 1330-43-4 12179-04-3 | 215-540-4 | ND | 0.01 |
| 32 | Tetraboron disodium heptaoxide, hydrate # | 12267-73-1 | 235-541-3 | ND | 0.01 |
| 33 | Sodium chromate # | 7775-11-3 | 231-889-5 | ND | 0.01 |
| 34 | Potassium chromate # | 7789-00-6 | 232-140-5 | ND | 0.01 |
| 35 | Ammonium dichromate # | 7789-09-5 | 232-143-1 | ND | 0.01 |
| 36 | Potassium dichromate # | 7778-50-9 | 231-906-6 | ND | 0.01 |
| 37 | Cobalt (II) sulphate # | 10124-43-3 | 233-334-2 | ND | 0.01 |

Http://www.ccicshenzhen.com.cn



Report No. : QHJ2103011902/EN Page 4 of 15 Issued: 2021-03-19

| No. | Substance name | | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|--------------------|-----------------------|-----------|-------------|--------|
| 38 | Cobalt (II) dinitrate # | | 10141-05-6 | 233-402-1 | ND | 0.01 |
| 39 | Cobalt (II) carbonate # | | 513-79-1 | 208-169-4 | ND | 0.01 |
| 40 | Cobalt (II) diacetate # | | 71-48-7 | 200-755-8 | ND | 0.01 |
| 41 | 2-Methoxyethanol | | 109-86-4 | 203-713-7 | ND | 0.01 |
| 42 | 2-Ethoxyethanol | | 110-80-5 | 203-804-1 | ND | 0.01 |
| 43 | Chromium trioxide # | | 1333-82-0 | 215-607-8 | ND | 0.01 |
| | | Chromic acid # | 7738-94-5 | 231-801-5 | ND | |
| 44 | Acids generated from chromium | Dichromic acid # | 13530-68-2 | 236-881-5 | ND | 0.01 |
| | trioxide and their oligomers Oligomers of chromic acid and dichromic acid # | _ | _ | ND | | |
| 45 | 2-ethoxyethyl acetate | | 111-15-9 | 203-839-2 | ND | 0.01 |
| 46 | Strontium chromate # | | 7789-6-2 | 232-142-6 | ND | 0.01 |
| 47 | 1,2-Benzenedicarboxyli di-C7-11-branched and | | 68515-42-4 | 271-084-6 | ND | 0.01 |
| 48 | Hydrazine | | 7803-57-8 302-01-2 | 206-114-9 | ND | 0.01 |
| 49 | 1-methyl-2-pyrrolidone | | 872-50-4 | 212-828-1 | ND | 0.01 |
| 50 | 1,2,3-trichloropropane | | 96-18-4 | 202-486-1 | ND | 0.01 |
| 51 | 1,2-Benzenedicarboxyli di-C6-8-branched alkyl | · | 71888-89-6 | 276-158-1 | ND | 0.01 |
| 52 | Dichromium tris (chrom | ate) # | 24613-89-6 | 246-356-2 | ND | 0.01 |
| 53 | Potassium hydroxyoctaoxodizincat | edi-chromate # | 11103-86-9 | 234-329-8 | ND | 0.01 |
| 54 | Pentazinc chromate oct | | 49663-84-5 | 256-418-0 | ND | 0.01 |
| 55 | Aluminosilicate Refracto (RCF) # | ory Ceramic Fibres | _ | _ | ND | 0.05 |

Http://www.ccicshenzhen.com.cn



Report No.: QHJ2103011902/EN Page 5 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|---|------------|-----------|-------------|--------|
| 56 | Zirconia Aluminosilicate Refractory Ceramic Fibres # | _ | _ | ND | 0.05 |
| 57 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 500-036-1 | ND | 0.01 |
| 58 | Bis (2-methoxyethyl) phthalate | 117-82-8 | 204-212-6 | ND | 0.005 |
| 59 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 201-963-1 | ND | 0.005 |
| 60 | 4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol) | 140-66-9 | 205-426-2 | ND | 0.005 |
| 61 | 1,2-Dichloroethane | 107-06-2 | 203-458-1 | ND | 0.005 |
| 62 | Bis(2-methoxyethyl) ether | 111-96-6 | 203-924-4 | ND | 0.005 |
| 63 | Arsenic acid # | 7778-39-4 | 231-901-9 | ND | 0.01 |
| 64 | Calcium arsenate # | 7778-44-1 | 231-904-5 | ND | 0.01 |
| 65 | Trilead diarsenate # | 3687-31-8 | 222-979-5 | ND | 0.01 |
| 66 | N,N-dimethylacetamide | 127-19-5 | 204-826-4 | ND | 0.005 |
| 67 | Phenolphthalein | 77-09-8 | 201-004-7 | ND | 0.005 |
| 68 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 101-14-4 | 202-918-9 | ND | 0.005 |
| 69 | Lead azide Lead diazide # | 13424-46-9 | 236-542-1 | ND | 0.01 |
| 70 | Lead styphnate # | 15245-44-0 | 239-290-0 | ND | 0.01 |
| 71 | Lead dipicrate # | 6477-64-1 | 229-335-2 | ND | 0.01 |
| 72 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 | 203-977-3 | ND | 0.005 |
| 73 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 203-794-9 | ND | 0.005 |
| 74 | Diboron trioxide # | 1303-86-2 | 215-125-8 | ND | 0.01 |
| 75 | Formamide | 75-12-7 | 200-842-0 | ND | 0.01 |
| 76 | Lead (II) bis (methanesulfonate) # | 17570-76-2 | 401-750-5 | ND | 0.005 |

Http://www.ccicshenzhen.com.cn Phone: 86-755-86632632 Fax: 86-755-86632632 E-mail: zjjc@sz.ccic.com



Report No. : QHJ2103011902/EN Page 6 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|-------------|-----------|-------------|--------|
| 77 | 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinae- 2,4,6 -trione (TGIC) | 2451-62-9 | 219-514-3 | ND | 0.005 |
| 78 | 1,3,5-tris[(2S and 2R)-2-3-epoxypropyl]-1,3, 5-triazine-2,4,6- (1H,3H,5H)-trione (β-TGIC) | 59653-74-6 | 423-400-0 | ND | 0.005 |
| 79 | 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) | 90-94-8 | 202-027-5 | ND | 0.005 |
| 80 | N,N,N',N'-tetramethyl-4,4'-methylenedianilin e (Michler's base) | 101-61-1 | 202-959-2 | ND | 0.005 |
| 81 | [4-[4,4'-bis(dimethylamino)benzhydrylidene] cyclohexa-2,5-dien-1-ylidene]dimethylammo nium chloride (C.I. Basic Violet 3) | 548-62-9 | 208-953-6 | ND | 0.005 |
| 82 | [4-[[4-anilino-1-naphthyl][4- (dimethylamino) phenyl]methylene]cyclohexa-2,5-dien-1-ylid ene] dimethylammonium chloride (C.I. Basic Blue 26) | 2580-56-5 | 219-943-6 | ND | 0.005 |
| 83 | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I.Solvent Blue 4) | 6786-83-0 | 229-851-8 | ND | 0.005 |
| 84 | 4,4'-bis(dimethylamino)-4"-(methylamino)trit yl alcohol | 561-41-1 | 209-218-2 | ND | 0.005 |
| 85 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxaz olidine | 143860-04-2 | 421-150-7 | ND | 0.01 |
| 86 | 4-methyl-m-phenylenediamine (toluene-2,4-diamine) | 95-80-7 | 202-453-1 | ND | 0.005 |
| 87 | N-methylacetamide | 79-16-3 | 201-182-6 | ND | 0.01 |
| 88 | Pentalead tetraoxide sulphate | 12065-90-6 | 235-067-7 | ND | 0.005 |
| 89 | Biphenyl-4-ylamine | 92-67-1 | 202-177-1 | ND | 0.005 |
| 90 | Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 88-85-7 | 201-861-7 | ND | 0.01 |
| 91 | Dioxobis(stearato)trilead # | 12578-12-0 | 235-702-8 | ND | 0.005 |
| 92 | Lead dinitrate # | 10099-74-8 | 233-245-9 | ND | 0.005 |
| 93 | Tetralead trioxide sulphate # | 12202-17-4 | 235-380-9 | ND | 0.005 |
| 94 | Lead oxide (lead monoxide) # | 1317-36-8 | 215-267-0 | ND | 0.005 |

Http://www.ccicshenzhen.com.cn



Report No. : QHJ2103011902/EN Page 7 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|---|------------|-----------|-------------|--------|
| 95 | Lead titanium trioxide # | 12060-00-3 | 235-038-9 | ND | 0.005 |
| 96 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 212-658-8 | ND | 0.005 |
| 97 | Acetic acid, lead salt, basic # | 51404-69-4 | 257-175-3 | ND | 0.005 |
| 98 | Dimethyl sulphate | 77-78-1 | 201-058-1 | ND | 0.01 |
| 99 | Furan | 110-00-9 | 203-727-3 | ND | 0.005 |
| 100 | Pyrochlore, antimony lead yellow # | 8012-00-8 | 232-382-1 | ND | 0.005 |
| 101 | Tetraethyllead # | 78-00-2 | 201-075-4 | ND | 0.005 |
| 102 | [Phthalato(2-)]dioxotrilead # | 69011-06-9 | 273-688-5 | ND | 0.005 |
| 103 | Diethyl sulphate | 64-67-5 | 200-589-6 | ND | 0.01 |
| 104 | Lead cynamidate # | 20837-86-9 | 244-073-9 | ND | 0.005 |
| 105 | Silicic acid, barium salt, lead-doped # | 68784-75-8 | 272-271-5 | ND | 0.005 |
| 106 | Trilead dioxide phosphonate # | 12141-20-7 | 235-252-2 | ND | 0.005 |
| 107 | o-Toluidine | 95-53-4 | 202-429-0 | ND | 0.005 |
| 108 | o-aminoazotoluene | 97-56-3 | 202-591-2 | ND | 0.005 |
| 109 | 4-Aminoazobenzene | 60-09-03 | 200-453-6 | ND | 0.005 |
| 110 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 | 204-419-1 | ND | 0.005 |
| 111 | Dibutyltin dichloride (DBTC) # | 683-18-1 | 211-670-0 | ND | 0.001 |
| 112 | Lead Titanium Zirconium Oxide # | 12626-81-2 | 235-727-4 | ND | 0.005 |
| 113 | Methyloxirane (Propylene oxide) | 75-56-9 | 200-879-2 | ND | 0.01 |
| 114 | 1-bromopropane (n-propyl bromide) | 106-94-5 | 203-445-0 | ND | 0.005 |
| 115 | trilead bis(carbonate)dihydroxide # | 1319-46-6 | 215-290-6 | ND | 0.005 |

Http://www.ccicshenzhen.com.cn



Report No.: QHJ2103011902/EN Page 8 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|--|--|-------------|--------|
| 116 | Fatty acids, C16-18, lead salts # | 91031-62-8 | 292-966-7 | ND | 0.005 |
| 117 | Orange lead (lead tetroxide) # | 1314-41-6 | 215-235-6 | ND | 0.005 |
| 118 | Sulfurous acid, lead salt, dibasic # | 62229-08-7 | 263-467-1 | ND | 0.005 |
| 119 | 4,4'-oxydianiline and its salts | 101-80-4 | 202-977-0 | ND | 0.01 |
| 120 | lead oxide sulfate # | 12036-76-9 | 234-853-7 | ND | 0.005 |
| 121 | Lead bis(tetrafluoroborate) # | 13814-96-5 | 237-486-0 | ND | 0.005 |
| 122 | Silicic acid, lead salt # | 11120-22-2 | 234-363-3 | ND | 0.005 |
| 123 | Bis(pentabromophenyl) ether (decabromodiphenyl ether;DecaBDE) | 1163-19-5 | 214-604-9 | ND | 0.001 |
| 124 | 4-Nonylphenol, branched and linear | | | ND | 0.01 |
| 125 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) | 123-77-3 | 204-650-8 | ND | 0.01 |
| 126 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated | | | ND | 0.01 |
| 127 | 1,2-Diethoxyethane | 629-14-1 | 211-076-1 | ND | 0.01 |
| 128 | Hexahydromethylphathalic anhydride Hexahydro-4-methylphathalic anhydride Hexahydro-1-methylphathalic anhydride Hexahydro-3-methylphathalic anhydride | 25550-51-0 19438-60-9 48122-14-1 57110-29-9 | 247-094-1 243-072-0 256-356-4 260-566-1 | ND | 0.01 |
| 129 | Cyclohexane-1,2-dicarboxylic anhydride; cis-cyclohexane-1,2-dicarboxylic anhydride; trans-cyclohexane-1,2-dicarboxylic anhydride | 85-42-7 13149-00-3 14166-21- | 201-604-9 236-086-3 238-009-9 | ND | 0.005 |
| 130 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 284-032-2 | ND | 0.005 |
| 131 | N-pentyl-isopentylphthalate | | 933-378-9 | ND | 0.005 |
| 132 | Heptacosafluorotetradecanoic acid | 376-06-7 | 206-803-4 | ND | 0.005 |
| 133 | Pentacosafluorotridecanoic acid | 72629-94-8 | 276-745-2 | ND | 0.005 |
| 134 | Henicosafluoroundecanoic acid | 2058-94-8 | 218-165-4 | ND | 0.005 |

 $\label{lem:http://www.ccicshenzhen.com.cn} \\ Phone: 86-755-86632632 \ Fax: 86-755-86632632 \ E-mail: zjjc@sz.ccic.com. \\ \\$



Report No.: QHJ2103011902/EN Page 9 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|---|------------|-----------|-------------|--------|
| 135 | Tricosafluorododecanoic acid | 307-55-1 | 206-203-2 | ND | 0.005 |
| 136 | Methoxyacetic acid | 625-45-6 | 210-894-6 | ND | 0.005 |
| 137 | Diisopentylphthalate | 605-50-5 | 210-088-4 | ND | 0.005 |
| 138 | N,N-dimethylformamide | 68-12-2 | 200-679-5 | ND | 0.005 |
| 139 | Cadmium # | 7440-43-9 | 231-152-8 | ND | 0.005 |
| 140 | Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 | 223-320-4 | ND | 0.005 |
| 141 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 206-397-9 | ND | 0.005 |
| 142 | Dipentyl phthalate (DPP) | 131-18-0 | 205-017-9 | ND | 0.005 |
| 143 | 4-Nonylphenol, branched and linear, ethoxylated | | | ND | 0.005 |
| 144 | Cadmium oxide # | 1306-19-0 | 215-146-2 | ND | 0.005 |
| 145 | Cadmium sulphide # | 1306-23-6 | 215-147-8 | ND | 0.005 |
| 146 | Dihexyl phthalate | 84-75-3 | 201-559-5 | ND | 0.005 |
| 147 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis (azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) # | 573-58-0 | 209-358-4 | ND | 0.005 |
| 148 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo] [1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenyl azo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) # | 1937-37-7 | 217-710-3 | ND | 0.005 |
| 149 | Imidazolidine-2-thione; (2-imidazoline-2-thiol) | 96-45-7 | 202-506-9 | ND | 0.01 |
| 150 | Lead di(acetate) # | 301-04-2 | 206-104-4 | ND | 0.005 |
| 151 | Trixylyl phosphate | 25155-23-1 | 246-677-8 | ND | 0.01 |
| 152 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 271-093-5 | ND | 0.01 |
| 153 | Cadmium chloride # | 10108-64-2 | 233-296-7 | ND | 0.005 |

 $\label{lem:http://www.ccicshenzhen.com.cn} \\ Phone: 86-755-86632632 \ Fax: 86-755-86632632 \ E-mail: zjjc@sz.ccic.com. \\ \\$



Report No. : QHJ2103011902/EN Page 10 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|--------------------------|-------------------------|-------------|--------|
| 154 | Sodium perborate; perboric acid, sodium salt # | | 239-172-9; 234-390-0 | ND | 0.005 |
| 155 | Sodium peroxometaborate # | 7632-04-4 | 231-556-4 | ND | 0.005 |
| 156 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 223-346-6 | ND | 0.01 |
| 157 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphen ol (UV-328) | 25973-55-1 | 247-384-8 | ND | 0.01 |
| 158 | 2-ethylhexyl10-ethyl-4,4-dioctyl-7-oxo-8-oxa -3,5-dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 239-622-4 | ND | 0.01 |
| 159 | reaction mass of 2-ethylhexyl10-ethyl-4, 4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetr adecanoate and 2-ethylhexyl 10-ethyl-4- [[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-oct yl-7-oxo-8-oxa-3,5-dithia-4-stannatetradeca noate (reaction mass of DOTE and MOTE) | | | ND | / |
| 160 | Cadmium fluoride # | 7790-79-6 | 232-222-0 | ND | 0.005 |
| 161 | Cadmium sulphate # | 10124-36-4 31119-53-6 | 233-331-6 | ND | 0.005 |
| 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5 68648-93-1 | 271-094-0 272-013-1 | ND | 0.01 |
| 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] | | | ND | / |
| 164 | 1,3-propanesultone | 1120-71-4 | 214-317-9 | ND | 0.01 |
| 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327) | 3864-99-1 | 223-383-8 | ND | 0.01 |
| 166 | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec -butyl)phenol (UV-350) | 36437-37-3 | 253-037-1 | ND | 0.01 |
| 167 | Nitrobenzene | 98-95-3 | 202-716-0 | ND | 0.01 |

Http://www.ccicshenzhen.com.cn



Report No.: QHJ2103011902/EN Page 11 of 15 Issued: 2021-03-19

| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
|-----|--|-------------------------------------|------------------------|-------------|--------|
| 168 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | 375-95-1 21049-39-8 4149-60-4 | 206-801-3 | ND | 0.01 |
| 169 | Benzo[def]Chrysene | 50-32-8 | 200-028-5 | ND | 0.01 |
| 170 | 4,4'-isopropylidenediphenol(bisphenol A) | 80-05-7 | 201-245-8 | ND | 0.01 |
| 171 | 4-heptylphenol, branched and linear | | | ND | 0.01 |
| 172 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | 3830-45-3 3108-42-7 335-76-2 | 221-470-5 206-400-3 | ND | 0.01 |
| 173 | p-(1,1-dimethylpropyl)phenol | 80-46-6 | 201-280-9 | ND | 0.01 |
| 174 | Perfluorohexane-1-sulphonic acid and its salts (PFHxS) | | | ND | 0.01 |
| 175 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) | | | ND | 0.01 |
| 176 | Dodecachloropentacyclo[12.2.1.16,9.02,13. 05,10]octadeca-7,15-diene ("Dechlorane Plus"™) | | | ND | 0.01 |
| 177 | Chrysene | 218-01-9, 1719-03-5 | 205-923-4 | ND | 0.01 |
| 178 | Cadmium nitrate # | 10022-68-1, 10325-94-7 | 233-710-6 | ND | 0.01 |
| 179 | Cadmium hydroxide # | 21041-95-2 | 244-168-5 | ND | 0.01 |
| 180 | Cadmium carbonate # | 513-78-0 | 208-168-9 | ND | 0.01 |
| 181 | Benz[a]anthracene | 56-55-3, 1718-53-2 | 200-280-6 | ND | 0.01 |
| 182 | Benzo[ghi]perylene | 191-24-2 | 205-883-8 | ND | 0.01 |
| 183 | Decamethylcyclopentasiloxane (D5) # | 541-02-6 | 208-764-9 | ND | 0.01 |
| 184 | Disodium octaborate # | 12008-41-2 | 234-541-0 | ND | 0.01 |
| 185 | Dodecamethylcyclohexasiloxane (D6) # | 540-97-6 | 208-762-8 | ND | 0.01 |

Http://www.ccicshenzhen.com.cn



Report No. : QHJ2103011902/EN Page 12 of 15 Issued: 2021-03-19

| • | | | | | |
|-----|--|-------------------------|-----------|-------------|--------|
| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
| 186 | Ethylenediamine (EDA) | 107-15-3 | 203-468-6 | ND | 0.01 |
| 187 | Lead # | 7439-92-1 | 231-100-4 | ND | 0.01 |
| 188 | Octamethylcyclotetrasiloxane (D4) # | 556-67-2 | 209-136-7 | ND | 0.01 |
| 189 | Terphenyl, hydrogenated | 61788-32-7 | 262-967-7 | ND | 0.01 |
| 190 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride; TMA) | 552-30-7 | 209-008-0 | ND | 0.01 |
| 191 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 201-545-9 | ND | 0.01 |
| 192 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 401-720-1 | ND | 0.01 |
| 193 | Benzo[k]fluoranthene | 207-08-9 | 205-916-6 | ND | 0.01 |
| 194 | Fluoranthene | 206-44-0, 93951-69-0 | 205-912-4 | ND | 0.01 |
| 195 | Phenanthrene | 85-01-8 | 201-581-5 | ND | 0.01 |
| 196 | Pyrene | 129-00-0, 1718-52-1 | 204-927-3 | ND | 0.01 |
| 197 | 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2 .2.1]heptan-2-one | 15087-24-8 | 239-139-9 | ND | 0.01 |
| 198 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | | | ND | 0.01 |
| 199 | 4-tert-butylphenol | 98-54-4 | 202-679-0 | ND | 0.01 |
| 200 | 2-methoxyethyl acetate | 110-49-6 | 203-772-9 | ND | 0.01 |
| 201 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)pr opionic acid, its salts and its acyl halides | | | ND | 0.01 |
| 202 | 2-benzyl-2-dimethylamino-4'-morpholinobut yrophenone | 119313-12-1 | 404-360-3 | ND | 0.01 |
| 203 | 2-methyl-1-(4-methylthiophenyl)-2-morpholi nopropan-1-one | 71868-10-5 | 400-600-6 | ND | 0.01 |
| 204 | Diisohexyl phthalate | 71850-09-4 | 276-090-2 | ND | 0.01 |
| 205 | Perfluorobutane sulfonic acid (PFBS) and its salts | | | ND | 0.01 |

Http://www.ccicshenzhen.com.cn



Report No. : QHJ2103011902/EN Page 13 of 15 Issued: 2021-03-19

| | | • | | | |
|-----|--|--|---------------------------------------|-------------|--------|
| No. | Substance name | CAS No. | EC No. | Results (%) | MDL(%) |
| 206 | 1-vinylimidazole | 1072-63-5 | 214-012-0 | ND | 0.01 |
| 207 | 2-methylimidazole | 693-98-1 | 211-765-7 | ND | 0.01 |
| 208 | Butyl 4-hydroxybenzoate | 94-26-8 | 202-318-7 | ND | 0.01 |
| 209 | Dibutylbis (pentane-2,4-dionato-O,O') tin # | 22673-19-4 | 245-152-0 | ND | 0.01 |
| 210 | Bis(2-(2-methoxyethoxy)ethyl)ether | 143-24-8 | 205-594-7 | ND | 0.01 |
| 211 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | | | ND | 0.01 |
| 212 | 1,4-dioxane | 123-91-1 | 204-661-8 | ND | 0.01 |
| 213 | 2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1- propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA) | 3296-90-0, 36483-57-5, 1522-92-5, 96-13-9 | 221-967-7, 253-057-0, 202-480-9 | ND | 0.01 |
| 214 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | | | ND | 0.01 |
| 215 | 4,4'-(1-methylpropylidene)bisphenol; (bisphenol B) | 77-40-7 | 201-025-1 | ND | 0.01 |
| 216 | Glutaral | 111-30-8 | 203-856-5 | ND | 0.01 |
| 217 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | | | ND | 0.01 |
| 218 | Orthoboric acid, sodium salt # | 13840-56-7 | 237-560-2 | ND | 0.01 |
| 219 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | | | ND | 0.01 |

Note:

Http://www.ccicshenzhen.com.cn

Report No.: QHJ2103011902/EN Page 14 of 15 Issued: 2021-03-19

- 1. MDL= Method detection limit. All MDL are based on homogenous material.
- 2. ND = Not Detected (< MDL)
- 3. % = Percentage by weight
- 4. The results shown were calculated based on total weight of the sample.
- 5. #=The substance is calculated by using the test results of element (E.g. Tin, Arsenic, Lead, Cobalt, Cr(VI), Molybdenum, Aluminum, Silicon, Zirconium, Sodium, Potassium, Strontium, Boron, Cadmium and so on). The SVHC concentration is based on the assessment of the result and the characteristic of material.
- The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: http://echa.europa.eu/web/quest/candidate-list-table

These lists are under evaluation by ECHA and may subject to change in the future.

- 7. Reference Regulation (EC) No 1907/2006, paragraph 2 of Article 7, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance included in the Candidate List, if both the following conditions are met (a) The substance is present in those articles in quantities totalling over 1 tonne per producer or importer per year; (b) The substance is present in those articles above a concentration of 0.1 % weight by weight (w/w).
- 8. Reference Regulation (EC) No 1907/2006, Article 33, supplier of an article containing a substance included in the Candidate List and the concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- 9. If a SVHC is found over the MDL, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Method:

In-House method ZJJC-JC-015A, and analyzed by XRF, ICP-OES, GC-MS, UV-VIS or HPLC-DAD/MS.


Test Component Description:

MKR WiFi 1010


Http://www.ccicshenzhen.com.cn

Report No. : QHJ2103011902/EN Page 15 of 15 Issued: 2021-03-19

Test Process:



Appendix:



This test document cannot be reproduced in any way, except in full context, without the prior approval in writing of the laboratory.

The result of this test report is based on our received samples only.

*****End of Report*****

Http://www.ccicshenzhen.com.cn