The TCS Global Coding Contest



**01** Hr **46** Min **34** Sec

#### **Guidelines**

**Coding Area** 

Public Testcase Submissions

**Private Testcase Submissions** 

Unevaluated Submissions

Feedback Form

Graphs

# Coding Area

A B C D E F

**ONLINE EDITOR (B)** 

# Digit Pairs

+ Problem Description

Given N three-digit numbers, your task is to find bit score of all N numbers and then print the number of pairs possible based on these calculated bit score.

### 1. Rule for calculating bit score from three digit number:

From the 3-digit number,

- · extract largest digit and multiply by 11 then
- · extract smallest digit multiply by 7 then
- · add both the result for getting bit pairs.

Note: - Bit score should be of 2-digits, if above results in a 3-digit bit score, simply ignore most significant digit.

Consider following examples:

Say, number is 286

Largest digit is 8 and smallest digit is 2

So, 8\*11+2\*7 = 102 so ignore most significant bit, So bit score = 02.

Say, Number is 123

Largest digit is 3 and smallest digit is 1

So, 3\*11+7\*1=40, so bit score is 40.

#### 2. Rules for making pairs from above calculated bit scores

Condition for making pairs are

- · Both bit scores should be in either odd position or even position to be eligible to form a pair.
- · Pairs can be only made if most significant digit are same and at most two pair can be made for a given significant digit.
- + Constraints

N<=500

## + Input Format

First line contains an integer N, denoting the count of numbers.

Second line contains N 3-digit integers delimited by space

## + Output

One integer value denoting the number of bit pairs.

### + Timeout

1

# + Explanation

Example 1

Input

8

234 567 321 345 123 110 767 111

Output

3

Explanation

After getting the most and least significant digits of the numbers and applying the formula given in Rule 1 we get the bit scores of the numbers as:

58 12 40 76 40 11 19 18

No. of pair possible are 3:

40 appears twice at odd-indices 3 and 5 respectively. Hence, this is one pair.

12, 11, 18 are at even-indices. Hence, two pairs are possible from these three-bit scores.

Hence total pairs possible is 3

# Upload Solution [ Question : B ]

| ot I, dheeraj chaudl | <b>hary</b> confirm tl | hat the $acksquare$ | J Took he   | lp from o | nline sour | ces |
|----------------------|------------------------|---------------------|-------------|-----------|------------|-----|
| answer submitted i   | s my own.              | (                   | attributior | ıs)       |            |     |

Choose a

About CodeVita Privacy Policy Careers

© 2020 Tata Consultancy Services Limited. All Rights Reserved.