



Data Annotations

.NET CORE

Data Annotation validators enable you to perform validation simply by adding one or more attributes to a Model class property.

[HTTPS://DOCS.MICROSOFT.COM/EN-US/ASPNET/MVC/OVERVIEW/OLDER-VERSIONS-1/MODELS-DATA/VALIDATION-WITH-THE-DATA-ANNOTATION-VALIDATORS-CS](https://docs.microsoft.com/en-us/aspnet/mvc/overview/older-versions-1/models-data/validation-with-the-data-annotation-validators-cs)

Data Annotations – Overview

<https://docs.microsoft.com/en-us/aspnet/mvc/overview/older-versions-1/models-data/validation-with-the-data-annotation-validators-cs>

The *DataAnnotations* namespace provides a set of built-in *validation attributes* that are applied declaratively to a *class* or *property*. *DataAnnotations* also contains formatting *attributes* like *DataType* that help with formatting and don't provide any *validation*.

```
[StringLength(60, MinimumLength = 3)]  
[Required]  
public string Title { get; set; }  
  
[Display(Name = "Release Date")]  
[DataType(DataType.Date)]  
public DateTime ReleaseDate { get; set; }  
  
[Range(1, 100)]  
[DataType(DataType.Currency)]  
[Column(TypeName = "decimal(18, 2)")]  
public decimal Price { get; set; }
```

Annotations to Display and Edit

[Display()]	[DataType()]
<code>[Display(Name = "Film Genre")]</code> This gives the View the desired name for Display in the browser	<code>[DataType(DataType.Password)]</code> This will display the types text as dots to obscure the actual content.

```
[Display(Name = "Release Date")]  
[DataType(DataType.Date)]  
[DisplayFormat(DataFormatString = "{0:yyyy-MM-dd}", ApplyFormatInEditMode = true)]  
public DateTime ReleaseDate { get; set; }
```

Annotations for Validation

<https://docs.microsoft.com/en-us/aspnet/mvc/overview/getting-started/introduction/adding-validation>

Annotation	Purpose
[Required]	The property is not allowed to be null
[Range(x,y)]	X is the minimum. Y is the maximum.
[StringLength(x)]	X is the maximum length of the property
[RegularExpression]	[RegularExpression(@"^[A-Z]+[a-zA-Z0-9""'\s-]*\$")]
[MinLength(x)]	Minimum length is x. Also sets DB column size max.
[MaxLength(x)]	Maximum length is x. Also sets DB column size max.

*Custom validation is also possible.

Data Annotations – Examples

<https://docs.microsoft.com/en-us/aspnet/mvc/overview/getting-started/introduction/adding-validation>

```
public class Movie
{
    public int ID { get; set; }
```

```
[StringLength(60, MinimumLength = 3)]
```

```
public string Title { get; set; }
```

```
[Display(Name = "Release Date")]
```

```
[DataType(DataType.Date)]
```

```
[DisplayFormat(DataFormatString = "{0:yyyy-MM-dd}", ApplyFormatInEditMode = true)]
```

```
public DateTime ReleaseDate { get; set; }
```

```
[RegularExpression(@"^[A-Z]+[a-zA-Z'\s]*$")]
```

```
[Required]
```

```
[StringLength(30)]
```

```
public string Genre { get; set; }
```

```
[Range(1, 100)]
```

```
[DataType(DataType.Currency)]
```

```
public decimal Price { get; set; }
```

```
[RegularExpression(@"^[A-Z]+[a-zA-Z'\s]*$")]
```

```
[StringLength(5)]
```

```
public string Rating { get; set; }
```

```
}
```