

Module 10

Using Subqueries

Module Overview

- Writing Self-Contained Subqueries
- Writing Correlated Subqueries
- Using the EXISTS Predicate with Subqueries

Lesson 1: Writing Self-Contained Subqueries

- Working with Subqueries
- Writing Scalar Subqueries
- Writing Multi-Valued Subqueries
- Demonstration: Writing Self-Contained Subqueries

Working with Subqueries

- Subqueries are nested queries: queries within queries
- Results of inner query passed to outer query
 - Inner query acts like an expression from perspective of outer query
- Subqueries can be self-contained or correlated
 - Self-contained subqueries have no dependency on outer query
 - Correlated subqueries depend on values from outer query
- Subqueries can be scalar, multi-valued, or table-valued

Comparing Self-Contained and Correlated Subqueries


Self-Contained Subquery:

Outer Query:

```
SELECT orderid, productid,  
unitprice, qty  
FROM Sales.OrderDetails  
WHERE orderid = ( )
```

Inner Query:

```
SELECT MAX(orderid)  
AS lastorder  
FROM Sales.Orders
```




Correlated Subquery:

Outer Query:

```
SELECT orderid, empid,  
orderdate  
FROM Sales.Orders AS O1  
WHERE  
orderdate = ( )
```

Inner Query:

```
SELECT MAX(orderdate)  
FROM Sales.Orders AS O2  
WHERE O2.empid =  
O1.empid
```



Writing Scalar Subqueries

- Scalar subquery returns single value to outer query
- Can be used anywhere single-valued expression is used: SELECT, WHERE, and so on

```
SELECT orderid, productid, unitprice, qty
FROM Sales.OrderDetails
WHERE orderid =
    (SELECT MAX(orderid) AS lastorder
     FROM Sales.Orders);
```

- If inner query returns an empty set, result is converted to NULL
- Construction of outer query determines whether inner query must return a single value

Writing Multi-Valued Subqueries

- Multi-valued subquery returns multiple values as a single column set to the outer query
- Used with IN predicate
- If any value in the subquery result matches IN predicate expression, the predicate returns TRUE

```
SELECT custid, orderid
FROM Sales.orders
WHERE custid IN (
    SELECT custid
    FROM Sales.Customers
    WHERE country = N'Mexico');
```

- May also be expressed as a JOIN (test both for performance)

Demonstration: Writing Self-Contained Subqueries

In this demonstration, you will see how to:

- Write a nested subquery
- Demonstration A

Lesson 2: Writing Correlated Subqueries

- Working with Correlated Subqueries
- Writing Correlated Subqueries
- Demonstration: Writing Correlated Subqueries

Working with Correlated Subqueries

- Correlated subqueries refer to elements of tables used in outer query
- Dependent on outer query, cannot be executed separately
 - Harder to test than self-contained subqueries
- Behaves as if inner query is executed once per outer row
- May return scalar value or multiple values

```
SELECT orderid, empid, orderdate
FROM Sales.Orders AS O1
WHERE orderdate =
    (SELECT MAX(orderdate)
     FROM Sales.Orders AS O2
     WHERE O2.empid = O1.empid)
ORDER BY empid, orderdate;
```

Writing Correlated Subqueries

- Write inner query to accept input value from outer query
- Write outer query to accept appropriate return result (scalar or multi-valued)
- Correlate queries by passing value from outer query to match argument in inner query

```
SELECT custid, orderid, orderdate
FROM Sales.Orders AS outerorders
WHERE orderdate =
    (SELECT MAX(orderdate)
     FROM Sales.Orders AS innerorders
     WHERE innerorders.custid = outerorders.custid)
ORDER BY custid;
```

Demonstration: Writing Correlated Subqueries

In this demonstration, you will see how to:

- Write a correlated subquery
- Demonstration B

Lesson 3: Using the EXISTS Predicate with Subqueries

- Working with EXISTS
- Writing Queries Using EXISTS with Subqueries
- Demonstration: Writing Subqueries Using EXISTS

Working with EXISTS

- When a subquery is used with the keyword EXISTS, it functions as an existence test
 - True or false only—no rows passed back to outer query
- EXISTS evaluates to TRUE or FALSE (not UNKNOWN)
 - If any rows are returned by the subquery, EXISTS returns TRUE
 - If no rows are returned, EXISTS returns FALSE
- Syntax:

```
WHERE [NOT] EXISTS (subquery)
```

Writing Queries Using EXISTS with Subqueries

- The keyword EXISTS does not follow a column name or other expression
- The SELECT list of a subquery introduced by EXISTS typically only uses an asterisk (*)

```
SELECT custid, companyname
FROM Sales.Customers AS c
WHERE EXISTS (
    SELECT *
    FROM Sales.Orders AS o
    WHERE c.custid=o.custid);
```

```
SELECT custid, companyname
FROM Sales.Customers AS c
WHERE NOT EXISTS (
    SELECT *
    FROM Sales.Orders AS o
    WHERE c.custid=o.custid);
```

Demonstration: Writing Subqueries Using EXISTS

In this demonstration, you will see how to:

- Write queries using EXISTS and NOT EXISTS
- Demonstration C

Module Review and Takeaways

- **Review Question(s)**
- **Question**
- Can a correlated subquery return a multi-valued set?
- **Question**
- What type of subquery may be rewritten as a JOIN?
- **Question**
- Which columns should appear in the SELECT list of a subquery following the EXISTS predicate?