To execute a program in a high-level language by translating it one line at a time.

interpret — 16 ✓

compile — 10 ✗

Leaderboard

Points	Name
889 p	GOURI S SYAAM
881 p	Nandana ajayan
870 p	Aiswarya S Lal
863 p	Tom
816 p	Fathimath Nahida
809 p	Devika
804 p	Anamika S
801 p	Anjanakrishna
783 p	Vineetha Deepak
704 p	Surya

26

The output of the compiler after it translates the program

23

✓

✗

8

source code

object code

31

Leaderboard

1807 p	😇 Nandana ajayan
1725 p	🚚 Fathimath Nahida
1717 p	Aiswarya S Lal
1699 p	🤖 Anjanakrishna
1684 p	🚣 Tom
1668 p	🇸🇪 Anamika S
1503 p	👯 Vineetha Deepak
1443 p	🔥 32vaishnavi
1414 p	🐯 Ameeka Nazreen
1383 p	🦁 Lekshmi priya P

31

An error in a program that makes it impossible to parse (and therefore impossible to interpret)

✓

21

✗

5

✗

3

runtime error

semantic error

syntax error

Leaderboard

Points	Name
2668 p	Nandana ajayan
2615 p	Aiswarya S Lal
2547 p	Anjanakrishna
2464 p	Anamika S
2407 p	Tom
2312 p	Ameeka Nazreen
2266 p	Rahul k
2180 p	Lekshmi priya P
1799 p	Earthman
1747 p	Sruthi Viswanathan

Mentimeter

29

One of the basic elements of the syntactic structure of a program, analogous to a word in a natural language

For ✕

function ✕

syntax ✕

Python ✕

Character ✕

code ✕

The correct answer is: token

Leaderboard

Points	Name
2668 p	😇 Nandana ajayan
2615 p	Aiswarya S Lal
2547 p	🤖 Anjanakrishna
2464 p	🇸🇪 Anamika S
2407 p	🚣 Tom
2312 p	🐯 Ameeka Nazreen
2266 p	🐺 Rahul k
2180 p	🦁 Lekshmi priya P
1799 p	🍓 Earthman
1747 p	🐻 Sruthi Viswanathan