



PizzaSales

“Slicing Through Data: Uncovering Insights from
Pizza Sales”

12 November 2025



Introduction



This project studies pizza sales data to understand which pizzas sell the most.


It helps find top-selling pizza types and total revenue earned.

We also check sales trends by date and time.

The goal is to help the pizza shop increase sales and make better business decisions.



Schema



Retrieve the total number of orders placed



SELECT

COUNT(order_id) **AS** total_orders

FROM

orders;

Result Grid



F

total_orders

21350



●●●●●
Calculate the total revenue generated from pizza sales.

```
SELECT
```

```
  ROUND(SUM(order_details.quantity * pizzas.price),  
        2) AS total_sales
```

```
FROM
```

```
  order_details
```

```
    JOIN
```


```
  pizzas ON order_details.pizza_id = pizzas.pizza_id;
```

Result Grid	
	total_sales
▶	675430.6

Identify the highest-priced pizza.



```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid   Filter Rows:	
name	price
The Greek Pizza	35.95



Join the necessary tables to find the total quantity of each pizza category ordered.

.....

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS total_quantity
FROM
    pizzas
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
GROUP BY pizza_types.category
ORDER BY total_quantity DESC;
```

.....

category	total_quantity
Classic	12313
Supreme	9886
Veggie	9645
Chicken	9085

Identify the most common pizza size ordered.



```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS common_size
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size;
```

Result Grid			Filter Rows:
	size	common_size	
▶	M	12714	
	L	15314	
	S	11636	
	XL	455	
	XXL	24	



List the top 5 most ordered pizza types along with their quantities.

● ● ● ● ●

```
SELECT
    pizza_types.name AS pizza_type,
    SUM(order_details.quantity) AS total_ordered
FROM
    order_details
    JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
GROUP BY pizza_types.name
ORDER BY total_ordered DESC
LIMIT 5;
```

pizza_type	total_order
The Pepperoni Pizza	2020
The Barbecue Chicken Pizza	2019
The Classic Deluxe Pizza	2009
The Hawaiian Pizza	1969
The Thai Chicken Pizza	1935



Determine the distribution of orders by hour of the day.



SELECT

COUNT(order_id) **AS** counts,

HOUR(order_time) **AS** hours,

DAY(order_date) **AS** days

FROM

orders

GROUP BY **HOUR**(order_time) , **DAY**(order_date)

ORDER BY counts;

Result Grid





Filter Rows:

	counts	hours	days
	2	23	21
	2	23	28
	2	23	7
	2	10	4
	2	23	14
	3	23	26
	3	23	4
	12	22	5
	12	22	25
	14	22	19
	14	22	28
	15	22	29

Result Grid





Filter Rows:

	counts	hours	days
	1	10	25
	1	10	30
	1	23	10
	1	23	25
	1	10	7
	1	23	5
	1	23	6
	1	10	17
	1	23	20
	1	10	2
	1	23	12
	1	23	17



Group the orders by date and calculate the average number of pizzas ordered per day.



```
SELECT
    AVG(order_details.quantity) AS pizza_ordered_per_day
FROM
    (SELECT
        orderss.order_date,
        SUM(order_details.quantity) AS total_pizzas
    FROM
        orderss
    JOIN order_details ON orderss.order_id = order_details.order_id
    GROUP BY orderss.order_date) AS order_quantity;
```



Determine the top 3 most ordered pizza types based on revenue.



```
SELECT
    pizza_types.name,
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS revenue
FROM
    order_details
    JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id
    JOIN
    pizza_types ON pizza_types.pizza_type_id = pizzas.pizza_type_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```


Result Grid   Filter Rows:	
name	revenue
The Barbecue Chicken Pizza	35482.25
The Thai Chicken Pizza	35399.25
The California Chicken Pizza	33794.5



Calculate the percentage contribution of each pizza type to total revenue.



```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS revenue
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue;
```

Result Grid   Filter Rows:	
category	revenue
Veggie	160430.35
Chicken	161005.75
Supreme	171887.95
Classic	182106.55



Analyze the cumulative revenue generated over time.



```
select order_date, revenue, sum(revenue) over(order by order_date)
as cum_revenue from
(select orderss.order_date,
round(sum(order_details.quantity * pizzas.price),2)
as revenue
from order_details join pizzas
on order_details.pizza_id=pizzas.pizza_id
join orderss on orderss.order_id=order_details.order_id
group by orderss.order_date) as sales;
```

order_date	revenue	cum_revenue
2015-01-01	2713.85	2713.85
2015-01-02	2731.9	5445.75
2015-01-03	2662.4	8108.15
2015-01-04	1755.45	9863.6
2015-01-05	2065.95	11929.55
2015-01-06	2428.95	14358.5
2015-01-07	2202.2	16560.7
2015-01-08	2838.35	19399.05
2015-01-09	2127.35	21526.399999999998
2015-01-10	2463.95	23990.35
2015-01-11	1872.3	25862.649999999998
2015-01-12	1919.05	27781.699999999997
2015-01-13	2049.6	29831.299999999996
2015-01-14	2527.4	32358.699999999997
2015-01-15	1984.8	34343.5
2015-01-16	2594.15	36937.65



Determine the top 3 most ordered pizza types based on revenue for each pizza category.



```
select category,name,
revenue from(
select pizza_types.category,pizza_types.name,
sum(order_details.quantity * pizzas.price)as revenue,
rank() over(partition by pizza_types.category
order by sum(order_details.quantity * pizzas.price)desc)
as rnks
from order_details join pizzas on
order_details.pizza_id=pizzas.pizza_id
join pizza_types on
pizza_types.pizza_type_id=pizzas.pizza_type_id
group by pizza_types.category,pizza_types.name)
as ranked
where rnks<=3;
```

result Grid |   Filter Rows: | Export:  | Wrap Cell C

category	name	revenue
Chicken	The Barbecue Chicken Pizza	35482.25
Chicken	The Thai Chicken Pizza	35399.25
Chicken	The California Chicken Pizza	33794.5
Classic	The Classic Deluxe Pizza	31253.5
Classic	The Hawaiian Pizza	26271.75
Classic	The Pepperoni Pizza	25206
Supreme	The Spicy Italian Pizza	28791.75
Supreme	The Italian Supreme Pizza	27618.75
Supreme	The Sicilian Pizza	25126.75
Veggie	The Four Cheese Pizza	26652.600000000048
Veggie	The Five Cheese Pizza	22163
Veggie	The Mexicana Pizza	21664





Thank you

