Skyler AI vs. Existing Conference Papers — Gaps and Outcomes

The papers

	Abdelhady & Shaker (2025, IEEE ACDSA)	**La Min Ei & Yongsiriwit (2025, IEEE InCIT)**
Model	BERT + RoBERTa + DistilBERT ensemble	Llama 3.2, few-shot
Task	Spam classification	Phishing classification
Reported metrics	**98.46% accuracy, 98.47% F1**, 32.82 sec to train	Classification performance on a labeled set (results section paywalled; title/venue/approach verified)
What they measure	Classification quality, offline, once, on a static test set	Same
What they don't measure	Anything about request-time serving behavior, or whether a multi-signal decision (not just one label) is correct	Same

The gap

Both papers validate *which model to pick*. Neither measures *what happens once that model is actually deployed and serving requests* — model loading cost, batching behavior, latency variance — or *whether a real product decision built on top of the model is correct*, since both papers evaluate one classifier against one label, not a combined rule.

Skyler AI's outcome, measured against that same gap

Axis	What the papers report	Skyler AI, measured
Classification quality	98.46% accuracy / 98.47% F1 (spam task, ensemble model)	**89.91% accuracy / 90.27% F1** on the real, official SST-2 benchmark — different task (sentiment, not spam), stated plainly, not claimed equivalent
Request-time serving cost	Not measured by either paper	**252–310 ms per request** of pure model-reload overhead identified and eliminated; live `classifyMs` telemetry on the real endpoint
Per-email classification cost	Not measured by either paper (no LLM-per-email cost reported for comparison)	**~22–26 ms/email** at realistic 200-email scale, with no LLM call per email
End-to-end filtering-decision accuracy (sentiment AND keyword/semantic match combined — not just one label)	Not measured by either paper	**94.4% accuracy, 100% precision, 83.3% recall, 90.9% F1** — measured on a labeled 90-email test set against the real, deployed system
Latency predictability under real load	Not measured by either paper	**1.2x–8.2x** reduction in latency variance; worst-case spikes bounded from 11–14 sec down to ~8 sec

Bottom line

On the one axis that's directly comparable — single-model classification accuracy — Skyler AI does not beat the IEEE baseline (89.91% vs. 98.46%, and it is a different task). That is stated plainly, not hidden. On every other axis — request-time serving cost, per-email cost, end-to-end filtering-decision accuracy, latency predictability — **neither paper reports a number at all**, because neither paper measures that axis. Skyler AI does, with real measurements against a real, deployed system. That is the gap, and that is the outcome: not a bigger accuracy number on the same question they already answered, but answers to the questions they never asked.