Assignment No. 4

A bookstore is developing a cataloguing system where some books are initially added with default details, while others
are entered with complete information. Design a Book class that supports both types of object creation using
appropriate constructors.

```
#include <iostream>
#include <string>

using namespace std;

class Book {
private:
    int bookID;
    string title;
    string author;
    double price;

public:
    // Default constructor using an initializer list
    Book()
        : bookID(101), title("C++ Programming"), author("Bjarne Stroustrup"), price(500.00) {}

    // Parameterized constructor passing strings by const reference
    Book(int id, const string& t, const string& a, double p)
        : bookID(id), title(t), author(a), price(p) {}

    // Display function marked const since it does not modify members
    void display() const {
        cout << "Book ID: " << bookID << "\n";
        cout << "Title: " << title << "\n";
        cout << "Author: " << author << "\n";
        cout << "Price: Rs. " << price << "\n";
        cout << "------------------------\n";
    }
};

int main() {
    // First book created using default constructor
    Book book1;

    // Second book created using parameterized constructor
    Book book2(102, "Object Oriented Programming", "Robert Lafore", 650.00);
```

```
    cout << "First Book Details:\n";
    book1.display();

    cout << "Second Book Details:\n";
    book2.display();

    return 0;
}
```

