

Outline

1 Reintroducing Hypermedia

- 1.1 So, What Is Hypermedia?
- 1.2 Why Use Hypermedia?
- 1.3 REST
- 1.4 When Should You Use Hypermedia?
- 1.5 When Shouldn't You Use Hypermedia?
- 1.6 Summary

2 A Simple Web Application

- 2.1 A Simple Contact Management Web Application
- 2.2 A Brief Introduction to Flask & Our First Route
- 2.3 Contact.App Functionality
- 2.4 Summary

3 Extending HTML As Hypermedia

- 3.1 The Shortcomings of "Plain" HTML
- 3.2 Extending HTML as a Hypermedia with htmx
- 3.3 Triggering HTTP Requests
- 3.4 Targeting Other Elements
- 3.5 Swap Styles
- 3.6 Using Other Events
- 3.7 Passing Request Parameters
- 3.8 History Support
- 3.9 Summary

4 Putting Hypermedia Into Action

- 4.1 Installing htmx
- 4.2 Adding AJAX Navigation

4.3 Deleting Contacts

4.4 Next Steps: Validating Emails

4.5 Another Improvement: Paging

4.6 Summary

5 Advanced Hypermedia Patterns

5.1 Active Search

5.2 Lazy Loading

5.3 Inline Delete

5.3 Bulk Delete

5.4 Summary

6 Hyperview: A Mobile Hypermedia

6.1 State of Mobile App Development

6.2 Hypermedia for Mobile Apps

6.3 Introduction to HXML

6.4 Summary

7 Building a Contacts App with Hyperview

7.1 Creating a mobile app

7.2 A Searchable List of Contacts

7.3 Editing a Contact

7.4 Deleting a Contact

7.5 Adding a New Contact

7.6 One Backend, Multiple Hypermedia formats

7.7 Summary

8 Extending The Hyperview Client

8.1 Adding Phone Calls and Email

8.2 Adding Toast Messages

8.3 Swipe gesture on Contacts

8.4 Conclusion

9 Client Side Scripting

9.1 Scripting in Hypermedia-Driven Applications

9.2 Scripting languages for the Web

9.3 Using off-the-shelf components

9.4 Events and the DOM

9.5 Adding a Keyboard Shortcut for Focusing the Search Input With VanillaJS

9.6 Adding Support for Re-Ordering Contacts (No Scripting Needed!)

9.7 Adding Support for a Drop-Down with AlpineJS

9.8 Adding a Nicer Confirmation for Deleting Contacts With `_hyperscript`

9.9 Being Pragmatic

9.10 Summary

10 Data APIs & Hypermedia Driven Applications

10.1 Data APIs

10.2 Hypermedia APIs & Data APIs

10.3 Adding a JSON Data API To Contact.app

10.4 Summary

11 Creating A Dynamic Download UI

11.1 A Dynamic Archive UI

11.2 Polling

11.3 Smoothing Things Out: More On The htmx Swap Model

11.4 Dismissing The Download UI

11.5 Auto-Download

11.6 Summary

12 Developing With htmx

- a. 12.1 Getting Deeper Into htmx
- b. 12.2 htmx Attributes
- c. 12.3 Events
- d. 12.4 HTTP Requests & Responses
- e. 12.5 Updating Other Content
- f. 12.6 Debugging
- g. 12.7 Security Considerations
- h. 12.8 Configuring
- i. 12.9 Summary

13 Other Hypermedia-Oriented Technologies

- 13.1 Unpoly
- 13.2 Hotwire
- 13.3 jQuery
- 13.4 VanillaJS
- 13.5 Summary

14 Hypermedia: The New/Old Way

- 14.1 Hypermedia Reconsidered
- 14.3 Pausing, And Reflecting

Appendix 1: A Review of Chapter 5 of Roy Fielding's Dissertation On The Web
