# Intro. to Network Programming 2020 Fall

# Homework 2 - Bulletin Board System: Part 2

### **Description**

Continuing the first part, you are asking to implement boards and posts in the Bulletin Board System (BBS). The server should be **multiprocessing / multithreading**, and the following function will be connected by **TCP**. Your posts should maintain in the shared memory, that is, all operations related to posts should be done in shared memory, and other operations have no limitation.

### Requirement

The service accepts the following commands and at least 10 clients:

When client enter command incompletely, that is, missing parameters, the server should show command format for client.

If command is in the right format, the first failure message will have the higher priority, for example of the "create-board" command, the user didn't login, then the result should be "Please login first".

Command format	Description	Result	
create-board <name></name>	Create a board which named <name>.</name>	Success	Create board successfully.
	<name> must <b>be unique</b>.</name>	Fail (1)	Please login first.
	If Board's name is already used, show failed message, otherwise it is success.	Fail (2)	Board already exists.
	Must be logged in when creating board's name.		
	There is no limit to do the operation by shared memory or database.		
create-post <board-name>title <title>&lt;/td&gt;&lt;td&gt;Create a post which title is &lt;title&gt; and content is &lt;content&gt;.&lt;/td&gt;&lt;td&gt;Success&lt;/td&gt;&lt;td&gt;Create post successfully.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;content &lt;content&gt; (command is in the same line)&lt;/td&gt;&lt;td rowspan=2&gt;Usetitle andcontent to separate titles and content.  &lt;title&gt; can have space but only in one line.&lt;/td&gt;&lt;td&gt;Fail (1)&lt;/td&gt;&lt;td&gt;Please login first.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;(confinanti is in the same line)&lt;/td&gt;&lt;td&gt;Fail (2)&lt;/td&gt;&lt;td&gt;Board does not exist.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;pre&gt;&lt;content&gt; can have space, and key in &lt;br/&gt;indicate a new line.&lt;/pre&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Do the operation by shared memory.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Assign a unique serial number to each post.  The serial number will start from 1 and increase by creating post.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title></board-name>			

exit	Close connection.		
		Fail (2)	Post does not exist.
	Do the operation by shared memory.	Fail (1)	Please login first.
comment <post-s n=""> <comment></comment></post-s>	Leave a comment <comment> at the post which S/N is <post-s n="">.</post-s></comment>	Success	Comment successfully.
	Do the operation by shared memory.		
	message, otherwise it is success.		
	Only the post owner can update the post.  If the user is not the post owner, show failed	Fail (3)	Not the post owner.
<new></new>	content, and replaced by <new>.</new>	Fail (2)	Post does not exist.
	Use to decide which to modify, title or	Fail (1)	Please login first.
update-post <post-s n="">title/content</post-s>	Update the post which S/N is <post-s n="">.</post-s>	Success	Update successfully.
	Do the operation by shared memory.	Fail (3)	Not the post owner.
	If the user is not the post owner, show failed message, otherwise it is success.	Fail (2)	Post does not exist.
	Only the post owner can delete the post.	Fail (1)	Please login first.
delete-post <post-s n=""></post-s>	Delete the post which S/N is <post-s n="">.</post-s>	Success	Delete successfully.
		Fail	Post does not exist.
			<user1>: <comment1></comment1></user1>
			<content></content>
			Date: <date1></date1>
	Do the operation by shared memory.		Title: <title1></title1>
read <post-s n=""></post-s>	Show the post which S/N is <post-s n="">.</post-s>	Success	Author: <author1></author1>
		Fail	Board does not exist.
	Display the date when the post creates.	< S/N 1> <title 1=""> &lt;Author 1&gt; &lt;Date1&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;not post sourd name.&lt;/td&gt;&lt;td&gt;Do the operation by shared memory.&lt;/td&gt;&lt;td colspan=3&gt;S/N Title Author Date&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;list-post &lt;board-name&gt;&lt;/td&gt;&lt;td&gt;memory or database.  List all posts in a board named &lt;board-name&gt;&lt;/td&gt;&lt;td&gt;Success&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;There is no limit to do the operation by shared&lt;/td&gt;&lt;td colspan=3&gt;&lt;Index1&gt; &lt;Name1&gt; &lt;Moderator1&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;list-board&lt;/td&gt;&lt;td&gt;List all boards in BBS.&lt;/td&gt;&lt;td colspan=3&gt;Index Name Moderator&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;number, and increases when each post creates.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;The serial number will be initial to a random&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title>	

### Scenario

```
bash$ client 127.0.0.1 7890
********
** Welcome to the BBS server. **
********
% create-board NP HW
Please login first.
% register Bob bob@qwer.asdf 123456
Register successfully.
% register Sam sam@qwer.com 654321
Register successfully.
% login Bob 123456
Welcome, Bob.
% create-board NP HW
Create board successfully.
% create-board NP HW
Board already exists.
% create-board OS HW
Create board successfully.
% create-board FF
Create board successfully.
% list-board
Index Name Moderator
          NP_HW Bob
          OS_HW Bob
          FF Bob
% create-post NCTU --title About NP HW 2 --content Help!<br/>br>I have some problem!
Board does not exist.
```

```
% create-post NP HW --title About NP HW 2 --content Help!<br/>br>I have some problem!
Create post successfully.
% create-post NP HW --title HW 3 --content Ask!<br/>SD NP HW 3 Released?
Create post successfully.
% list-post NP
Board does not exist.
% list-post NP HW
     Title Author
S/N
                                          Date
    About NP HW_2 Bob
                                          10/26
    HW_3 Bob 10/26
% read 100
Post does not exist.
% read 1
Author: Bob
Title: About NP HW 2
Date: 10/26
Help!
I have some problem!
% update-post 100 --title NP HW 2
Post does not exist.
% update-post 1 --title NP HW 2
Update successfully.
% read 1
Author: Bob
Title: NP HW_2
Date: 10/26
```

```
Help!
I have some problem!
% logout
Bye, Bob.
% login Sam 654321
Welcome, Sam.
% update-post 1 --content Ha! ha! ha!
Not the post owner.
% delete-post 1
Not the post owner.
% comment 100 Ha! ha! ha!
Post does not exist.
% comment 1 Ha! ha! ha!
Comment successfully.
% read 1
Author: Bob
Title: NP HW_2
Date: 10/26
Help!
I have some problem!
Sam: Ha! ha! ha!
% create-board Hello
Create board successfully.
% list-board
```

```
Index
            Name
                          Moderator
            NP HW
                         Bob
            OS HW
                         Bob
3
            FF
                          Bob
            Hello
                          Sam
% logout
Bye, Sam.
% login Bob 123456
Welcome, Bob.
% delete-post 1
Delete successfully.
% read 1
Post does not exist.
% logout
Bye, Bob.
% exit
```

## **Grade (100%)**

- TCP connection. (5%)
- Multiprocessing / Multithreading. (10%)
- Shared memory. (10%)
- create-board command. (10%)
- create-post command. (10%)
- list-board command. (10%)
- list-post command. (10%)
- read command. (10%)
- **delete-post** command. (5%)
- update-post command. (10%)
- comment command. (10%)

### **Submission**

Please upload a zip file called "hw2\_student\_id.zip", for example, "hw2\_123456789.zip" that includes your **source code** (server and client) and **executable file** (alternative). If you are using python, it might be no executable file. You can submit your source code only, but you should make sure that you can run the bash script by your python file. **You should upload on time!** Submission that don't follow the rule will **get 20% punishment** on the grade. You will get **0 points** on this project for **plagiarism**. Please don't copy-paste any code!

#### Demo

There is script called nphw2.sh. Before you submit your executable to New E3, please check whether your code is able to run by the script. As same as homework1 we will provide a script called npdemo2.sh for you to download the script and run it. If you don't know how to run npdemo2.sh at demo time, TA will take 10 points off. For those don't have a laptop, we provide a VirtualBox environment (link on New E3) for you to run your code, or you can use remote desktop this time, the software will be TeamViewer tentative. You can't modify your code after the deadline of submission. TA will ask some questions about your code. If you can't answer TA's questions or you are not clear on your code, TA will take 10 points off for each question. You can execute the script by following, but there are no regulations:

Change mode of nphw2.sh: chmod u+x nphw2.sh

- C/C++: ./nphw2.sh ./client 127.0.0.1 7890
- Java: ./nphw2.sh "java client" 127.0.0.1 7890
- Python2: ./nphw2.sh "python client.py" 127.0.0.1 7890
- Python3: ./nphw2.sh "python3 client.py" 127.0.0.1 7890

#### Reference

- 1. C/C++ Socket
- 2. SQLite C/C++ Interface
- 3. Linux socket SELECT
- 4. Linux semaphore
- 5. Linux fork