


OEx : 1 Create web form to print hello world.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace Hello_01
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Hello World");
            Console.ReadLine();
        }
    }
}
```

Output :




EX 2: Create web form to print hello world with your name.

Code:-

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _02_print_yourname
{
    class Program
    {
        static void Main(string[] args)
        {
            String nm = "Anshul";
            Console.WriteLine("Hello "+nm);
            Console.ReadLine();
        }
    }
}
```

Output :




Ex 3: Create web form to print your name with address in new line.**Code :-**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _03_yourname_with_address
{
    class Program
    {
        static void Main(string[] args)
        {
            String name = "Anshul";
            String add = "HEM-CHAITANYA, GANDHIGRAM -2A, NEAR MADHURAM SCHOOL, RAJKOT.
GANDHIGRAM";


            Console.WriteLine("Name is: " + name + "\n" + "Adresse is : " +add);
            Console.ReadLine();
        }
    }
}
```

Output :

Ex 4 :Create web form to print any digit.**Code:**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _04_anydigit
{
    class Program
    {
        static void Main(string[] args)
        {
            int a = 10;
            Console.WriteLine("Number of Digit is :" + a);
            Console.ReadLine();
        }
    }
}
```

Output :

EX 5: Create web form to print your name in label.

Code:-


```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _05_name_label
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a Name : ");
            String name = Console.ReadLine();

            Console.WriteLine("Name is :"+name);
            Console.ReadLine();
        }
    }
}
```

Output :

.



Ex 6: Create web form to print any digit in label.


Code:-

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _06_digit
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a Digit :");

            int num = Convert.ToInt32(Console.ReadLine());
            Console.WriteLine("Digit is:"+num);
            Console.ReadLine();
        }
    }
}
```

Output :



Ex 7: A)Create web form to print sum of two variable.

B)Create web form to print sum of two variable in label.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _07_sum
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a:");
            int a = Convert.ToInt32(Console.ReadLine());
            Console.WriteLine("Value of a:" + a);


            Console.WriteLine("Enter b:");
            int b = Convert.ToInt32(Console.ReadLine());
            Console.WriteLine("Value of a:" + b);

            int sum = a + b;
            Console.WriteLine("Value of sum" + sum);

            int mul = a * b;
            Console.WriteLine("Value of mul" + mul);

            Console.ReadLine();
        }
    }
}
```


Output :



Ex 8:Create web form to print weather number is even/odd.**Code:**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _08_even_odd
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a Number is even & odd:");
            int num = Convert.ToInt32(Console.ReadLine());
            if(num%2==0)
            {
                Console.WriteLine("Even number:" + num);
            }
            else
            {
                Console.WriteLine("Odd number:" + num);
            }
            Console.ReadLine();
        }
    }
}
```

Output :

```
E:\230801186\08 sum of two v
enter a
5
value of a is 5
enter b
6
value of b is 6
value of sum is:11
```


Ex 9: Create web form to print weather number is positive/negative or zero.

Code:


```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _09_pos_neg
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a number positive/negative or zero.");
            int num = Convert.ToInt32(Console.ReadLine());

            if (num > 0)
            {
                Console.WriteLine("Number is Positive :" + num);
            }
            else if (num < 0)
            {
                Console.WriteLine("Number is Negative :" + num);
            }
            else
            {
                Console.WriteLine("Number is Zero:" + num);
            }

            Console.ReadLine();
        }
    }
}
```

Output :



Ex 10: Create web form to print weather user is elligible for a vote or not.

Code:


```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _10_vote
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter your age for voting:");
            int num = Convert.ToInt32(Console.ReadLine());

            if(num >= 18)
            {
                Console.WriteLine("Eligible to vote.Age: " + num);
            }
            else
            {
                Console.WriteLine("Not Eligible to vote. Age:" + num);
            }

            Console.ReadLine();
        }
    }
}
```

Output :



```
E:\230801186\11 eligible for vc X + v
enter a 20
eligible for vote age is above 18
```

Ex 11: Create web form to Swap two numbers

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _11_swap
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter value a: ");
            int a = Convert.ToInt32(Console.ReadLine());


            Console.WriteLine("Enter value b: ");
            int b = Convert.ToInt32(Console.ReadLine());

            int temp = a;
            a = b;
            b = temp;

            Console.WriteLine("b value is : " + b);
            Console.WriteLine("a value is : " + a);

            Console.ReadLine();
        }
    }
}
```

Output:

A screenshot of a Windows command prompt window. The title bar shows the file path 'E:\230801186\12 swaping two' and standard window controls. The console output shows the user entering '23' for 'a' and '7' for 'b'. After the swap, the program outputs 'a is 7' and 'b is 23'.

```
E:\230801186\12 swaping two X + v
enter a-->23
enter b-->7
after swaping two numbers a is 7
after swaping two numbers b is 23
|
```

Ex 12: Create web form to print 1 to 10 number using for,while and do while loop.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _12_Loop
{
    class Program
    {
        static void Main(string[] args)
        {
            //1. for loop
            int a = 1;
            for (int i = 1; i <= 10; i++)
            {
                a = i;
                Console.WriteLine(" " + a);
            }

            Console.WriteLine("\n");

            //2 while loop
            int b = 1;
            while (b <= 10)
            {
                Console.WriteLine(" " + b);
                b++;
            }
            Console.WriteLine("\n");

            //3. do while
            int c = 1;
            do
            {
                Console.WriteLine(" " + c);
                c++;
            }
            while (c <= 10);

            Console.ReadLine();
        }
    }
}
```


Enroll : 230801186

Roll :21

Name : Kalpesh Ghediya

Division : C9

Output:



```
E:\230801186\13 print 1 to 10 >
i==0
i==1
i==2
i==3
i==4
i==5
i==6
i==7
i==8
i==9
i==10
```

Ex 13: Create web form to print 10 to 1 number using for,while and do while loop.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _13_print_loop_10_to_1
{
    class Program
    {
        static void Main(string[] args)
        {
            //1. while loop
            int a = 10;
            while (a >= 1)
            {
                Console.WriteLine(a);
                a--;
            }
            Console.WriteLine("\n");

            //2. do while loop
            int b = 10;
            do
            {
                Console.WriteLine(b);
                b--;
            } while (b >= 1);
            Console.ReadLine();
        }
    }
}
```


Enroll : 230801186

Roll :21

Name : Kalpesh Ghediya

Division : C9

Output:




```
E:\230801186\14 for loop\14 for loop>I==10  
I==9  
I==8  
I==7  
I==6  
I==5  
I==4  
I==3  
I==2  
I==1
```

Ex 14: Create web form to print following pyramid**1****12****123****1234****Code:**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;


namespace _14_pyramid
{
    class Program
    {
        static void Main(string[] args)
        {
            for (int i = 1; i <= 4; i++)
            {
                for (int j = 1; j <= i; j++)
                {
                    Console.Write(j);
                }
                Console.WriteLine();
            }
            Console.ReadLine();
        }
    }
}
```

Output:

Ex 15: Create web form to print following pyramid**1****21****321****4321****Code:**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _15_pyramid
{
    class Program
    {
        static void Main(string[] args)
        {
            for (int i = 1; i <= 4; i++)
            {
                for (int j = i; j >= 1; j--)
                {
                    Console.Write(j);
                }
                Console.WriteLine();
            }
            Console.ReadLine();
        }
    }
}
```

Output:

```
E:\230801186\15 pyramid\15 p  X + v
1
12
123
1234
```

Ex 16: Create web form to print days according our choice by using switch case.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _16
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a number (1-7): ");
            int num = Convert.ToInt32(Console.ReadLine());
            switch (num)
            {
                case 1:
                    Console.WriteLine("Monday");
                    break;

                case 2:
                    Console.WriteLine("Tuesday");
                    break;

                case 3:
                    Console.WriteLine("Wednesday");
                    break;

                case 4:
                    Console.WriteLine("Thursday");
                    break;

                case 5:
                    Console.WriteLine("Friday");
                    break;

                case 6:
                    Console.WriteLine("Saturday");
                    break;

                case 7:
                    Console.WriteLine("Sunday");
                    break;

                default:
                    Console.WriteLine("Invalid choice! Please enter a number between 1
and 7.");
                    break;
            }

            Console.ReadLine();
        }
    }
}
```


Enroll : 230801186

Roll :21

Name : Kalpesh Ghediya

Division : C9

Output:



```
E:\230801186\16\16\bin\Debug>
Enter a number (1-7):
5
Friday
```

230801186

Ex 17: a)Create Method for sum of two variable.**Code:**


```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace _17_Method
{
    class Program
    {
        public static int sum(int a, int b)
        {
            return a + b;
        }
        static void Main(string[] args)
        {
            Console.WriteLine("Enter first number");
            int x = Convert.ToInt32(Console.ReadLine());

            Console.WriteLine("Enter second number");
            int y = Convert.ToInt32(Console.ReadLine());

            int ans = sum(x, y);
            Console.WriteLine("Ans ::" + ans);

            Console.ReadLine();
        }
    }
}
```

Output:A screenshot of a Windows command prompt window. The title bar shows the file path 'E:\230801186\17\17\bin\Debug\'. The console output shows the program's execution: it prompts 'Enter first number', the user enters '5', it prompts 'Enter second number', the user enters '6', and finally it outputs 'Ans ::11'.

b)Method overloading.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;


namespace _17B_MethodOverloading
{
    class Program
    {
        public static int sum(int a, int b)
        {
            return a + b;
        }

        public static double sum(double a, double b)
        {
            return a + b;
        }

        public static int sum(int a, int b, int c)
        {
            return a + b + c;
        }
        static void Main(string[] args)
        {
            Console.WriteLine("a + b = " + sum(5, 10));
            Console.WriteLine("a + b = " + sum(5.5, 10.6));
            Console.WriteLine("a + b + c = " + sum(5, 10, 6));

            Console.ReadLine();
        }
    }
}
```

Output:



```
E:\230801186\17b\17b\bin\Del
a + b = 15
a + b = 16.1
a + b + c = 21
```

Ex 18: Class Library

Code:

Class Library(.NET Framework)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace Library
{
    public class Class1
    {
        public static int add(int a, int b)
        {
            return a + b;
        }

        public static int sub(int a, int b)
        {
            return a - b;
        }

        public static int mul(int a, int b)
        {
            return a * b;
        }

        public static double div(double a, double b)
        {
            return a / b;
        }
    }
}
```

Console App(.NET Framework)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
```

```
using System.Threading.Tasks;
using Library;

namespace _20_Class
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter value of a :");
            int a = Convert.ToInt32(Console.ReadLine());


            Console.WriteLine("Enter value of b :");
            int b = Convert.ToInt32(Console.ReadLine());

            int add = Library.Class1.add(a, b);
            int sub = Library.Class1.sub(a, b);
            int mul = Library.Class1.mul(a, b);
            double div = Library.Class1.div(a, b);

            Console.WriteLine("Add ::" + add);
            Console.WriteLine("Sub ::" + sub);
            Console.WriteLine("Mul ::" + mul);
            Console.WriteLine("Div ::" + div);

            Console.ReadLine();
        }
    }
}
```

Output:



The screenshot shows a console window with the following text:

```
J:\Sem5\230801186\20_Class\
Enter value of a :
5
Enter value of b :
2
Add ::7
Sub ::3
Mul ::10
Div ::2.5
```