

APOLLO PHARMACEUTICAL MANUFACTURING — QUALITY COMPLAINT REPORT

ACTIVE PHARMACEUTICAL INGREDIENT (API) INCOMING QUALITY DEFECT

Date of Report:	July 12, 2026	Complaint Ref:	APO-API-2026-0712
Customer Name:	Apollo Pharmacy Laboratories	Department:	Raw Material QA / QC
Complainant Contact:	Dr. Rajiv Sharma (Head of QA)	Phone:	+91 98765 43210

API MATERIAL & LOT DETAILS

Product Name:	Metformin Hydrochloride API
Product Grade / Strength:	IP / BP (Pharma Grade)
Batch / Lot Number:	MFH260712A
Manufacturing Date:	2026-01-15
Expiry Date:	2029-01-14
Affected Quantity:	50 kg (2 HDPE drums)

COMPLAINT DESCRIPTION & DEFECT ANALYSIS

During incoming raw material receipt inspection of Metformin Hydrochloride API batch MFH260712A, quality control analysts observed abnormal off-white discoloration and clumping in two 25kg HDPE drums.

Defect Details: Standard specification requires a pure white crystalline powder. The material in drum #2 displays yellowish discoloration and moist agglomerates, failing assay purity and loss on drying (LOD) specification limits.

Suggested Action: Place batch MFH260712A on quarantine hold, perform vendor QA investigation, and issue replacement shipment.