CT1001A

0
38CT1001A READY TO START FEEDBACK A38CT1001A_RDY <N07:I.Slot[5].Data.2>
38CT1001A READY TO START FEEDBACK TO DCS A38CT1001A_RDY_PTD <PTD_CS07_EX1[482]>

1
38CT1001A TRIP FEEDBACK A38CT1001A_TRP <N07:I.Slot[5].Data.0>
38CT1001A TRIP FEEDBACK TO DCS A38CT1001A_TRP_PTD <PTD_CS07_EX1[480]>

2
38CT1001A RUN FEEDBACK A38CT1001A_RUN <N07:I.Slot[5].Data.1>
38CT1001A RUN FEEDBACK TO DCS A38CT1001A_RUN_PTD <PTD_CS07_EX1[481]>

3
38CT1001A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001A_DLOC <DTP_CS07_EX1[188]>
38CT1001A LOCAL/REMOTE SELECTOR SWITCH A38CT1001A_LOC <N07:O.Slot[12].Data.1>

4
38CT1001A LOCAL/REMOTE SELECTOR SWITCH A38CT1001A_LOC <N07:O.Slot[12].Data.1>
38CT1001A LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1001A_LOC_PTD <PTD_CS07_EX2[81]>

5
38CT1001A READY TO START FEEDBACK A38CT1001A_RDY <N07:I.Slot[5].Data.2>
38CT1001A TRIP FEEDBACK A38CT1001A_TRP <N07:I.Slot[5].Data.0>
38CT1001A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001A_DLOC <DTP_CS07_EX1[188]>
38CT1001A START PB FROM DCS A38CT1001A_DSTR <DTP_CS07_EX1[186]>
38CT1001A START/STOP PB A38CT1001A_STR <N07:O.Slot[12].Data.0>
38CT1001A RUN FEEDBACK A38CT1001A_RUN <N07:I.Slot[5].Data.1>
38CT1001A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001A_DLOC <DTP_CS07_EX1[188]>
38CT1001A STOP PB FROM DCS A38CT1001A_DSTP <DTP_CS07_EX1[187]>
38CT1001A START/STOP PB A38CT1001A_STR <N07:O.Slot[12].Data.0>

6
38CT1001A START/STOP PB A38CT1001A_STR <N07:O.Slot[12].Data.0>
38CT1001A START/STOP PB TO DCS A38CT1001A_STR_PTD <PTD_CS07_EX2[80]>

CT1001B

7
38CT1001B READY TO START FEEDBACK A38CT1001B_RDY <N07:I.Slot[5].Data.5>
38CT1001B READY TO START FEEDBACK TO DCS A38CT1001B_RDY_PTD <PTD_CS07_EX1[485]>

8
38CT1001B TRIP FEEDBACK A38CT1001B_TRP <N07:I.Slot[5].Data.3>
38CT1001B TRIP FEEDBACK TO DCS A38CT1001B_TRP_PTD <PTD_CS07_EX1[483]>

9
38CT1001B RUN FEEDBACK A38CT1001B_RUN <N07:I.Slot[5].Data.4>
38CT1001B RUN FEEDBACK TO DCS A38CT1001B_RUN_PTD <PTD_CS07_EX1[484]>

10
38CT1001B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001B_DLOC <DTP_CS07_EX1[191]>
38CT1001B LOCAL/REMOTE SELECTOR SWITCH A38CT1001B_LOC <N07:O.Slot[12].Data.3>

11
38CT1001B LOCAL/REMOTE SELECTOR SWITCH A38CT1001B_LOC <N07:O.Slot[12].Data.3>
38CT1001B LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1001B_LOC_PTD <PTD_CS07_EX2[83]>

12
38CT1001B READY TO START FEEDBACK A38CT1001B_RDY <N07:I.Slot[5].Data.5>
38CT1001B TRIP FEEDBACK A38CT1001B_TRP <N07:I.Slot[5].Data.3>
38CT1001B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001B_DLOC <DTP_CS07_EX1[191]>
38CT1001B START PB FROM DCS A38CT1001B_DSTR <DTP_CS07_EX1[189]>
38CT1001B START/STOP PB A38CT1001B_STR <N07:O.Slot[12].Data.2>
38CT1001B RUN FEEDBACK A38CT1001B_RUN <N07:I.Slot[5].Data.4>
38CT1001B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001B_DLOC <DTP_CS07_EX1[191]>
38CT1001B STOP PB FROM DCS A38CT1001B_DSTP <DTP_CS07_EX1[190]>
38CT1001B START/STOP PB A38CT1001B_STR <N07:O.Slot[12].Data.2>

13
38CT1001B START/STOP PB A38CT1001B_STR <N07:O.Slot[12].Data.2>
38CT1001B START/STOP PB TO DCS A38CT1001B_STR_PTD <PTD_CS07_EX2[82]>

CT1001C

14
38CT1001C READY TO START FEEDBACK A38CT1001C_RDY <N07:I.Slot[5].Data.8>
38CT1001C READY TO START FEEDBACK TO DCS A38CT1001C_RDY_PTD <PTD_CS07_EX1[488]>

15
38CT1001C TRIP FEEDBACK A38CT1001C_TRP <N07:I.Slot[5].Data.6>
38CT1001C TRIP FEEDBACK TO DCS A38CT1001C_TRP_PTD <PTD_CS07_EX1[486]>

16
38CT1001C RUN FEEDBACK A38CT1001C_RUN <N07:I.Slot[5].Data.12>
38CT1001C RUN FEEDBACK TO DCS A38CT1001C_RUN_PTD <PTD_CS07_EX1[487]>

17
38CT1001C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001C_DLOC <DTP_CS07_EX1[194]>
38CT1001C LOCAL/REMOTE SELECTOR SWITCH A38CT1001C_LOC <N07:O.Slot[12].Data.5>

18
38CT1001C LOCAL/REMOTE SELECTOR SWITCH A38CT1001C_LOC <N07:O.Slot[12].Data.5>
38CT1001C LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1001C_LOC_PTD <PTD_CS07_EX2[85]>

19
38CT1001C READY TO START FEEDBACK A38CT1001C_RDY <N07:I.Slot[5].Data.8>
38CT1001C TRIP FEEDBACK A38CT1001C_TRP <N07:I.Slot[5].Data.6>
38CT1001C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001C_DLOC <DTP_CS07_EX1[194]>
38CT1001C START PB FROM DCS A38CT1001C_DSTR <DTP_CS07_EX1[192]>
38CT1001C START/STOP PB A38CT1001C_STR <N07:O.Slot[12].Data.4>
38CT1001C RUN FEEDBACK A38CT1001C_RUN <N07:I.Slot[5].Data.12>
38CT1001C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001C_DLOC <DTP_CS07_EX1[194]>
38CT1001C STOP PB FROM DCS A38CT1001C_DSTP <DTP_CS07_EX1[193]>
38CT1001C START/STOP PB A38CT1001C_STR <N07:O.Slot[12].Data.4>

20
38CT1001C START/STOP PB A38CT1001C_STR <N07:O.Slot[12].Data.4>
38CT1001C START/STOP PB TO DCS A38CT1001C_STR_PTD <PTD_CS07_EX2[84]>

CT1001D

21
38CT1001D READY TO START FEEDBACK A38CT1001D_RDY <N07:I.Slot[6].Data.2>
38CT1001D READY TO START FEEDBACK TO DCS A38CT1001D_RDY_PTD <PTD_CS07_EX1[498]>

22
38CT1001D TRIP FEEDBACK A38CT1001D_TRP <N07:I.Slot[6].Data.0>
38CT1001D TRIP FEEDBACK TO DCS A38CT1001D_TRP_PTD <PTD_CS07_EX1[496]>

23
38CT1001D RUN FEEDBACK A38CT1001D_RUN <N07:I.Slot[6].Data.1>
38CT1001D RUN FEEDBACK TO DCS A38CT1001D_RUN_PTD <PTD_CS07_EX1[497]>

24
38CT1001D LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001D_DLOC <DTP_CS07_EX1[200]>
38CT1001D LOCAL/REMOTE SELECTOR SWITCH A38CT1001D_LOC <N07:O.Slot[12].Data.9>

25
38CT1001D LOCAL/REMOTE SELECTOR SWITCH A38CT1001D_LOC <N07:O.Slot[12].Data.9>
38CT1001D LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1001D_LOC_PTD <PTD_CS07_EX2[89]>

26
38CT1001D READY TO START FEEDBACK A38CT1001D_RDY <N07:I.Slot[6].Data.2>
38CT1001D TRIP FEEDBACK A38CT1001D_TRP <N07:I.Slot[6].Data.0>
38CT1001D LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001D_DLOC <DTP_CS07_EX1[200]>
38CT1001D START PB FROM DCS A38CT1001D_DSTR <DTP_CS07_EX1[198]>
38CT1001D START/STOP PB A38CT1001D_STR <N07:O.Slot[12].Data.8>
38CT1001D RUN FEEDBACK A38CT1001D_RUN <N07:I.Slot[6].Data.1>
38CT1001D LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1001D_DLOC <DTP_CS07_EX1[200]>
38CT1001D STOP PB FROM DCS A38CT1001D_DSTP <DTP_CS07_EX1[199]>
38CT1001D START/STOP PB A38CT1001D_STR <N07:O.Slot[12].Data.8>

27
38CT1001D START/STOP PB A38CT1001D_STR <N07:O.Slot[12].Data.8>
38CT1001D START/STOP PB TO DCS A38CT1001D_STR_PTD <PTD_CS07_EX2[88]>

PU1166

28
38PU1166 READY TO START FEEDBACK A38PU1166_RDY <N07:I.Slot[5].Data.11>
38PU1166 READY TO START FEEDBACK TO DCS A38PU1166_RDY_PTD <PTD_CS07_EX1[491]>

29
38PU1166 TRIP FEEDBACK A38PU1166_TRP <N07:I.Slot[5].Data.9>
38PU1166 TRIP FEEDBACK TO DCS A38PU1166_TRP_PTD <PTD_CS07_EX1[489]>

30
38PU1166 RUN FEEDBACK A38PU1166_RUN <N07:I.Slot[5].Data.10>
38PU1166 RUN FEEDBACK TO DCS A38PU1166_RUN_PTD <PTD_CS07_EX1[490]>

31
38PU1166 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1166_DLOC <DTP_CS07_EX1[197]>
38PU1166 LOCAL/REMOTE SELECTOR SWITCH A38PU1166_LOC <N07:O.Slot[12].Data.7>

32
38PU1166 LOCAL/REMOTE SELECTOR SWITCH A38PU1166_LOC <N07:O.Slot[12].Data.7>
38PU1166 LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1166_LOC_PTD <PTD_CS07_EX2[87]>

33
38PU1166 READY TO START FEEDBACK A38PU1166_RDY <N07:I.Slot[5].Data.11>
38PU1166 TRIP FEEDBACK A38PU1166_TRP <N07:I.Slot[5].Data.9> /
38PU1166 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1166_DLOC <DTP_CS07_EX1[197]> /
38PU1166 START PB FROM DCS A38PU1166_DSTR <DTP_CS07_EX1[195]>
38PU1166 START/STOP PB A38PU1166_STR <N07:O.Slot[12].Data.6>
38PU1166 RUN FEEDBACK A38PU1166_RUN <N07:I.Slot[5].Data.10>
38PU1166 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1166_DLOC <DTP_CS07_EX1[197]>
38PU1166 STOP PB FROM DCS A38PU1166_DSTP <DTP_CS07_EX1[196]> /
38PU1166 START/STOP PB A38PU1166_STR <N07:O.Slot[12].Data.6>

34
38PU1166 START/STOP PB A38PU1166_STR <N07:O.Slot[12].Data.6>
38PU1166 START/STOP PB TO DCS A38PU1166_STR_PTD <PTD_CS07_EX2[86]>

PU1163A

35
38PU1163A READY TO START FEEDBACK A38PU1163A_RDY <N07:I.Slot[6].Data.5>
38PU1163A READY TO START FEEDBACK TO DCS A38PU1163A_RDY_PTD <PTD_CS07_EX1[501]>

36
38PU1163A TRIP FEEDBACK A38PU1163A_TRP <N07:I.Slot[6].Data.3>
38PU1163A TRIP FEEDBACK TO DCS A38PU1163A_TRP_PTD <PTD_CS07_EX1[499]>

37
38PU1163A RUN FEEDBACK A38PU1163A_RUN <N07:I.Slot[6].Data.4>
38PU1163A RUN FEEDBACK TO DCS A38PU1163A_RUN_PTD <PTD_CS07_EX1[500]>

38
38PU1163A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163A_DLOC <DTP_CS07_EX1[203]>
38PU1163A LOCAL/REMOTE SELECTOR SWITCH A38PU1163A_LOC <N07:O.Slot[12].Data.11>

39
38PU1163A LOCAL/REMOTE SELECTOR SWITCH A38PU1163A_LOC <N07:O.Slot[12].Data.11>
38PU1163A LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1163A_LOC_PTD <PTD_CS07_EX2[91]>

40
38PU1163A READY TO START FEEDBACK A38PU1163A_RDY <N07:I.Slot[6].Data.5>
38PU1163A TRIP FEEDBACK A38PU1163A_TRP <N07:I.Slot[6].Data.3>
38PU1163A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163A_DLOC <DTP_CS07_EX1[203]>
38PU1163A START PB FROM DCS A38PU1163A_DSTR <DTP_CS07_EX1[201]>
38PU1163A START/STOP PB A38PU1163A_STR <N07:O.Slot[12].Data.10>
38PU1163A RUN FEEDBACK A38PU1163A_RUN <N07:I.Slot[6].Data.4>
38PU1163A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163A_DLOC <DTP_CS07_EX1[203]>
38PU1163A STOP PB FROM DCS A38PU1163A_DSTP <DTP_CS07_EX1[202]>
38PU1163A START/STOP PB A38PU1163A_STR <N07:O.Slot[12].Data.10>

41
38PU1163A START/STOP PB A38PU1163A_STR <N07:O.Slot[12].Data.10>
38PU1163A START/STOP PB TO DCS A38PU1163A_STR_PTD <PTD_CS07_EX2[90]>

PU1163B

42
38PU1163B READY TO START FEEDBACK A38PU1163B_RDY <N07:I.Slot[6].Data.8>
38PU1163B READY TO START FEEDBACK TO DCS A38PU1163B_RDY_PTD <PTD_CS07_EX1[504]>

43
38PU1163B TRIP FEEDBACK A38PU1163B_TRP <N07:I.Slot[6].Data.6>
38PU1163B TRIP FEEDBACK TO DCS A38PU1163B_TRP_PTD <PTD_CS07_EX1[502]>

44
38PU1163B RUN FEEDBACK A38PU1163B_RUN <N07:I.Slot[6].Data.7>
38PU1163B RUN FEEDBACK TO DCS A38PU1163B_RUN_PTD <PTD_CS07_EX1[503]>

45
38PU1163B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163B_DLOC <DTP_CS07_EX1[206]>
38PU1163B LOCAL/REMOTE SELECTOR SWITCH A38PU1163B_LOC <N07:O.Slot[12].Data.13>

46
38PU1163B LOCAL/REMOTE SELECTOR SWITCH A38PU1163B_LOC <N07:O.Slot[12].Data.13>
38PU1163B LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1163B_LOC_PTD <PTD_CS07_EX2[93]>

47
38PU1163B READY TO START FEEDBACK A38PU1163B_RDY <N07:I.Slot[6].Data.8>
38PU1163B TRIP FEEDBACK A38PU1163B_TRP <N07:I.Slot[6].Data.6>
38PU1163B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163B_DLOC <DTP_CS07_EX1[206]>
38PU1163B START PB FROM DCS A38PU1163B_DSTR <DTP_CS07_EX1[204]>
38PU1163B START/STOP PB A38PU1163B_STR <N07:O.Slot[12].Data.12>
38PU1163B RUN FEEDBACK A38PU1163B_RUN <N07:I.Slot[6].Data.7>
38PU1163B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163B_DLOC <DTP_CS07_EX1[206]>
38PU1163B STOP PB FROM DCS A38PU1163B_DSTP <DTP_CS07_EX1[205]>
38PU1163B START/STOP PB A38PU1163B_STR <N07:O.Slot[12].Data.12>

48
38PU1163B START/STOP PB A38PU1163B_STR <N07:O.Slot[12].Data.12>
38PU1163B START/STOP PB TO DCS A38PU1163B_STR_PTD <PTD_CS07_EX2[92]>

PU1163C

49
38PU1163C READY TO START FEEDBACK A38PU1163C_RDY <N07:I.Slot[6].Data.11>
38PU1163C READY TO START FEEDBACK TO DCS A38PU1163C_RDY_PTD <PTD_CS07_EX1[507]>

50
38PU1163C TRIP FEEDBACK A38PU1163C_TRP <N07:I.Slot[6].Data.9>
38PU1163C TRIP FEEDBACK TO DCS A38PU1163C_TRP_PTD <PTD_CS07_EX1[505]>

51
38PU1163C RUN FEEDBACK A38PU1163C_RUN <N07:I.Slot[6].Data.10>
38PU1163C RUN FEEDBACK TO DCS A38PU1163C_RUN_PTD <PTD_CS07_EX1[506]>

52
38PU1163C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163C_DLOC <DTP_CS07_EX1[209]>
38PU1163C LOCAL/REMOTE SELECTOR SWITCH A38PU1163C_LOC <N07:O.Slot[13].Data.1>

53
38PU1163C LOCAL/REMOTE SELECTOR SWITCH A38PU1163C_LOC <N07:O.Slot[13].Data.1>
38PU1163C LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1163C_LOC_PTD <PTD_CS07_EX2[97]>

54
38PU1163C READY TO START FEEDBACK A38PU1163C_RDY <N07:I.Slot[6].Data.11>
38PU1163C TRIP FEEDBACK A38PU1163C_TRP <N07:I.Slot[6].Data.9>
38PU1163C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163C_DLOC <DTP_CS07_EX1[209]>
38PU1163C START PB FROM DCS A38PU1163C_DSTR <DTP_CS07_EX1[207]>
38PU1163C START/STOP PB A38PU1163C_STR <N07:O.Slot[13].Data.0>
38PU1163C RUN FEEDBACK A38PU1163C_RUN <N07:I.Slot[6].Data.10>
38PU1163C LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1163C_DLOC <DTP_CS07_EX1[209]>
38PU1163C STOP PB FROM DCS A38PU1163C_DSTP <DTP_CS07_EX1[208]>
38PU1163C START/STOP PB A38PU1163C_STR <N07:O.Slot[13].Data.0>

55
38PU1163C START/STOP PB A38PU1163C_STR <N07:O.Slot[13].Data.0>
38PU1163C START/STOP PB TO DCS A38PU1163C_STR_PTD <PTD_CS07_EX2[96]>

COOLING TOWER FAN 05 AREA CT1004

56
38CT1004 READY TO START FEEDBACK A38CT1004_RDY <N07:I.Slot[7].Data.2>
38CT1004 READY TO START FEEDBACK TO DCS A38CT1004_RDY_PTD <PTD_CS07_EX2[2]>

57
38CT1004 TRIP FEEDBACK A38CT1004_TRP <N07:I.Slot[7].Data.0>
38CT1004 TRIP FEEDBACK TO DCS A38CT1004_TRP_PTD <PTD_CS07_EX2[0]>

58
38CT1004 RUN FEEDBACK A38CT1004_RUN <N07:I.Slot[7].Data.1>
38CT1004 RUN FEEDBACK TO DCS A38CT1004_RUN_PTD <PTD_CS07_EX2[1]>

59
38CT1004 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1004_DLOC <DTP_CS07_EX1[212]>
38CT1004 LOCAL/REMOTE SELECTOR SWITCH A38CT1004_LOC <N07:O.Slot[13].Data.3>

60
38CT1004 LOCAL/REMOTE SELECTOR SWITCH A38CT1004_LOC <N07:O.Slot[13].Data.3>
38CT1004 LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1004_LOC_PTD <PTD_CS07_EX2[99]>

61
38CT1004 READY TO START FEEDBACK A38CT1004_RDY <N07:I.Slot[7].Data.2>
38CT1004 TRIP FEEDBACK A38CT1004_TRP <N07:I.Slot[7].Data.0> /
38CT1004 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1004_DLOC <DTP_CS07_EX1[212]> /
38CT1004 START PB FROM DCS A38CT1004_DSTR <DTP_CS07_EX1[210]>
38CT1004 START/STOP PB A38CT1004_STR <N07:O.Slot[13].Data.2>
38CT1004 RUN FEEDBACK A38CT1004_RUN <N07:I.Slot[7].Data.1>
38CT1004 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1004_DLOC <DTP_CS07_EX1[212]>
38CT1004 STOP PB FROM DCS A38CT1004_DSTP <DTP_CS07_EX1[211]> /
38CT1004 START/STOP PB A38CT1004_STR <N07:O.Slot[13].Data.2>

62
38CT1004 START/STOP PB A38CT1004_STR <N07:O.Slot[13].Data.2>
38CT1004 START/STOP PB TO DCS A38CT1004_STR_PTD <PTD_CS07_EX2[98]>

COOLING TOWER 05 AREA PU1162A

63
38PU1162 READY TO START FEEDBACK A38PU1162_RDY <N07:I.Slot[7].Data.5>
38PU1162 READY TO START FEEDBACK TO DCS A38PU1162_RDY_PTD <PTD_CS07_EX2[5]>

64
38PU1162 TRIP FEEDBACK A38PU1162_TRP <N07:I.Slot[7].Data.3>
38PU1162 TRIP FEEDBACK TO DCS A38PU1162_TRP_PTD <PTD_CS07_EX2[3]>

65
38PU1162 RUN FEEDBACK A38PU1162_RUN <N07:I.Slot[7].Data.4>
38PU1162 RUN FEEDBACK TO DCS A38PU1162_RUN_PTD <PTD_CS07_EX2[4]>

66
38PU1162 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1162_DLOC <DTP_CS07_EX1[215]>
38PU1162 LOCAL/REMOTE SELECTOR SWITCH A38PU1162_LOC <N07:O.Slot[13].Data.5>

67
38PU1162 LOCAL/REMOTE SELECTOR SWITCH A38PU1162_LOC <N07:O.Slot[13].Data.5>
38PU1162 LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1162_LOC_PTD <PTD_CS07_EX2[101]>

68
38PU1162 READY TO START FEEDBACK A38PU1162_RDY <N07:I.Slot[7].Data.5>
38PU1162 TRIP FEEDBACK A38PU1162_TRP <N07:I.Slot[7].Data.3> /
38PU1162 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1162_DLOC <DTP_CS07_EX1[215]> /
38PU1162 START PB FROM DCS A38PU1162_DSTR <DTP_CS07_EX1[213]>
38PU1162 START/STOP PB A38PU1162_STR <N07:O.Slot[13].Data.4>
38PU1162 RUN FEEDBACK A38PU1162_RUN <N07:I.Slot[7].Data.4>
38PU1162 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1162_DLOC <DTP_CS07_EX1[215]>
38PU1162 STOP PB FROM DCS A38PU1162_DSTP <DTP_CS07_EX1[214]> /
38PU1162 START/STOP PB A38PU1162_STR <N07:O.Slot[13].Data.4>

69
38PU1162 START/STOP PB A38PU1162_STR <N07:O.Slot[13].Data.4>
38PU1162 START/STOP PB TO DCS A38PU1162_STR_PTD <PTD_CS07_EX2[100]>

CT1002

70
38CT1002 READY TO START FEEDBACK A38CT1002_RDY <N07:I.Slot[7].Data.8>
38CT1002 READY TO START FEEDBACK TO DCS A38CT1002_RDY_PTD <PTD_CS07_EX2[8]>

71
38CT1002 TRIP FEEDBACK A38CT1002_TRP <N07:I.Slot[7].Data.6>
38CT1002 TRIP FEEDBACK TO DCS A38CT1002_TRP_PTD <PTD_CS07_EX2[6]>

72
38CT1002 RUN FEEDBACK A38CT1002_RUN <N07:I.Slot[7].Data.7>
38CT1002 RUN FEEDBACK TO DCS A38CT1002_RUN_PTD <PTD_CS07_EX2[7]>

73
38CT1002 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1002_DLOC <DTP_CS07_EX1[218]>
38CT1002 LOCAL/REMOTE SELECTOR SWITCH A38CT1002_LOC <N07:O.Slot[13].Data.7>

74
38CT1002 LOCAL/REMOTE SELECTOR SWITCH A38CT1002_LOC <N07:O.Slot[13].Data.7>
38CT1002 LOCAL/REMOTE SELECTOR SWITCH TO DCS A38CT1002_LOC_PTD <PTD_CS07_EX2[103]>

75
38CT1002 READY TO START FEEDBACK A38CT1002_RDY <N07:I.Slot[7].Data.8>
38CT1002 TRIP FEEDBACK A38CT1002_TRP <N07:I.Slot[7].Data.6> /
38CT1002 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1002_DLOC <DTP_CS07_EX1[218]> /
38CT1002 START PB FROM DCS A38CT1002_DSTR <DTP_CS07_EX1[216]>
38CT1002 START/STOP PB A38CT1002_STR <N07:O.Slot[13].Data.6>
38CT1002 RUN FEEDBACK A38CT1002_RUN <N07:I.Slot[7].Data.7>
38CT1002 LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38CT1002_DLOC <DTP_CS07_EX1[218]>
38CT1002 STOP PB FROM DCS A38CT1002_DSTP <DTP_CS07_EX1[217]> /
38CT1002 START/STOP PB A38CT1002_STR <N07:O.Slot[13].Data.6>

76
38CT1002 START/STOP PB A38CT1002_STR <N07:O.Slot[13].Data.6>
38CT1002 START/STOP PB TO DCS A38CT1002_STR_PTD <PTD_CS07_EX2[102]>

PU1160A

77
38PU1160A READY TO START FEEDBACK A38PU1160A_RDY <N07:I.Slot[7].Data.11>
38PU1160A READY TO START FEEDBACK TO DCS A38PU1160A_RDY_PTD <PTD_CS07_EX2[11]>

78
38PU1160A TRIP FEEDBACK A38PU1160A_TRP <N07:I.Slot[7].Data.9>
38PU1160A TRIP FEEDBACK TO DCS A38PU1160A_TRP_PTD <PTD_CS07_EX2[9]>

79
38PU1160A RUN FEEDBACK A38PU1160A_RUN <N07:I.Slot[7].Data.10>
38PU1160A RUN FEEDBACK TO DCS A38PU1160A_RUN_PTD <PTD_CS07_EX2[10]>

80
38PU1160A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160A_DLOC <DTP_CS07_EX1[221]>
38PU1160A LOCAL/REMOTE SELECTOR SWITCH A38PU1160A_LOC <N07:O.Slot[13].Data.9>

81
38PU1160A LOCAL/REMOTE SELECTOR SWITCH A38PU1160A_LOC <N07:O.Slot[13].Data.9>
38PU1160A LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1160A_LOC_PTD <PTD_CS07_EX2[105]>

82
38PU1160A READY TO START FEEDBACK A38PU1160A_RDY <N07:I.Slot[7].Data.11>
38PU1160A TRIP FEEDBACK A38PU1160A_TRP <N07:I.Slot[7].Data.9>
38PU1160A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160A_DLOC <DTP_CS07_EX1[221]>
38PU1160A START PB FROM DCS A38PU1160A_DSTR <DTP_CS07_EX1[219]>
38PU1160A START/STOP PB A38PU1160A_STR <N07:O.Slot[13].Data.8>
38PU1160A RUN FEEDBACK A38PU1160A_RUN <N07:I.Slot[7].Data.10>
38PU1160A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160A_DLOC <DTP_CS07_EX1[221]>
38PU1160A STOP PB FROM DCS A38PU1160A_DSTP <DTP_CS07_EX1[220]>
38PU1160A START/STOP PB A38PU1160A_STR <N07:O.Slot[13].Data.8>

83
38PU1160A START/STOP PB A38PU1160A_STR <N07:O.Slot[13].Data.8>
38PU1160A START/STOP PB TO DCS A38PU1160A_STR_PTD <PTD_CS07_EX2[104]>

PU1160B

84
38PU1160B READY TO START FEEDBACK A38PU1160B_RDY <N07:I.Slot[8].Data.2>
38PU1160B READY TO START FEEDBACK TO DCS A38PU1160B_RDY_PTD <PTD_CS07_EX2[18]>

85
38PU1160B TRIP FEEDBACK A38PU1160B_TRP <N07:I.Slot[8].Data.0>
38PU1160B TRIP FEEDBACK TO DCS A38PU1160B_TRP_PTD <PTD_CS07_EX2[16]>

86
38PU1160B RUN FEEDBACK A38PU1160B_RUN <N07:I.Slot[8].Data.1>
38PU1160B RUN FEEDBACK TO DCS A38PU1160B_RUN_PTD <PTD_CS07_EX2[17]>

87
38PU1160B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160B_DLOC <DTP_CS07_EX1[224]>
38PU1160B LOCAL/REMOTE SELECTOR SWITCH A38PU1160B_LOC <N07:O.Slot[13].Data.11>

88
38PU1160B LOCAL/REMOTE SELECTOR SWITCH A38PU1160B_LOC <N07:O.Slot[13].Data.11>
38PU1160B LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1160B_LOC_PTD <PTD_CS07_EX2[107]>

89
38PU1160B READY TO START FEEDBACK A38PU1160B_RDY <N07:I.Slot[8].Data.2>
38PU1160B TRIP FEEDBACK A38PU1160B_TRP <N07:I.Slot[8].Data.0> /
38PU1160B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160B_DLOC <DTP_CS07_EX1[224]> /
38PU1160B START PB FROM DCS A38PU1160B_DSTR <DTP_CS07_EX1[222]>
38PU1160B START/STOP PB A38PU1160B_STR <N07:O.Slot[13].Data.10>
38PU1160B RUN FEEDBACK A38PU1160B_RUN <N07:I.Slot[8].Data.1>
38PU1160B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1160B_DLOC <DTP_CS07_EX1[224]>
38PU1160B STOP PB FROM DCS A38PU1160B_DSTP <DTP_CS07_EX1[223]> /
38PU1160B START/STOP PB A38PU1160B_STR <N07:O.Slot[13].Data.10>

90
38PU1160B START/STOP PB A38PU1160B_STR <N07:O.Slot[13].Data.10>
38PU1160B START/STOP PB TO DCS A38PU1160B_STR_PTD <PTD_CS07_EX2[106]>

PU1161A

91
38PU1161A READY TO START FEEDBACK A38PU1161A_RDY <N07:I.Slot[8].Data.5>
38PU1161A READY TO START FEEDBACK TO DCS A38PU1161A_RDY_PTD <PTD_CS07_EX2[21]>

92
38PU1161A TRIP FEEDBACK A38PU1161A_TRP <N07:I.Slot[8].Data.3>
38PU1161A TRIP FEEDBACK TO DCS A38PU1161A_TRP_PTD <PTD_CS07_EX2[19]>

93
38PU1161A RUN FEEDBACK A38PU1161A_RUN <N07:I.Slot[8].Data.4>
38PU1161A RUN FEEDBACK TO DCS A38PU1161A_RUN_PTD <PTD_CS07_EX2[20]>

94
38PU1161A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161A_DLOC <DTP_CS07_EX1[227]>
38PU1161A LOCAL/REMOTE SELECTOR SWITCH A38PU1161A_LOC <N07:O.Slot[13].Data.13>

95
38PU1161A LOCAL/REMOTE SELECTOR SWITCH A38PU1161A_LOC <N07:O.Slot[13].Data.13>
38PU1161A LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1161A_LOC_PTD <PTD_CS07_EX2[109]>

96
38PU1161A READY TO START FEEDBACK A38PU1161A_RDY <N07:I.Slot[8].Data.5>
38PU1161A TRIP FEEDBACK A38PU1161A_TRP <N07:I.Slot[8].Data.3> /
38PU1161A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161A_DLOC <DTP_CS07_EX1[227]> /
38PU1161A START PB FROM DCS A38PU1161A_DSTR <DTP_CS07_EX1[225]>
38PU1161A START/STOP PB A38PU1161A_STR <N07:O.Slot[13].Data.12>
38PU1161A RUN FEEDBACK A38PU1161A_RUN <N07:I.Slot[8].Data.4>
38PU1161A LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161A_DLOC <DTP_CS07_EX1[227]>
38PU1161A STOP PB FROM DCS A38PU1161A_DSTP <DTP_CS07_EX1[226]> /
38PU1161A START/STOP PB A38PU1161A_STR <N07:O.Slot[13].Data.12>

97
38PU1161A START/STOP PB A38PU1161A_STR <N07:O.Slot[13].Data.12>
38PU1161A START/STOP PB TO DCS A38PU1161A_STR_PTD <PTD_CS07_EX2[108]>

PU1161B

98
38PU1161B READY TO START FEEDBACK A38PU1161B_RDY <N07:I.Slot[8].Data.8>
38PU1161B READY TO START FEEDBACK TO DCS A38PU1161B_RDY_PTD <PTD_CS07_EX2[24]>

99
38PU1161B TRIP FEEDBACK A38PU1161B_TRP <N07:I.Slot[8].Data.6>
38PU1161B TRIP FEEDBACK TO DCS A38PU1161B_TRP_PTD <PTD_CS07_EX2[22]>

100
38PU1161B RUN FEEDBACK A38PU1161B_RUN <N07:I.Slot[8].Data.7>
38PU1161B RUN FEEDBACK TO DCS A38PU1161B_RUN_PTD <PTD_CS07_EX2[23]>

101
38PU1161B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161B_DLOC <DTP_CS07_EX1[230]>
38PU1161B LOCAL/REMOTE SELECTOR SWITCH A38PU1161B_LOC <N07:O.Slot[14].Data.1>

102
38PU1161B LOCAL/REMOTE SELECTOR SWITCH A38PU1161B_LOC <N07:O.Slot[14].Data.1>
38PU1161B LOCAL/REMOTE SELECTOR SWITCH TO DCS A38PU1161B_LOC_PTD <PTD_CS07_EX2[113]>

103
38PU1161B READY TO START FEEDBACK A38PU1161B_RDY <N07:I.Slot[8].Data.8>
38PU1161B TRIP FEEDBACK A38PU1161B_TRP <N07:I.Slot[8].Data.6>
38PU1161B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161B_DLOC <DTP_CS07_EX1[230]>
38PU1161B START PB FROM DCS A38PU1161B_DSTR <DTP_CS07_EX1[228]>
38PU1161B START/STOP PB A38PU1161B_STR <N07:O.Slot[14].Data.0>
38PU1161B RUN FEEDBACK A38PU1161B_RUN <N07:I.Slot[8].Data.7>
38PU1161B LOCAL/REMOTE SELECTOR SWITCH FROM DCS A38PU1161B_DLOC <DTP_CS07_EX1[230]>
38PU1161B STOP PB FROM DCS A38PU1161B_DSTP <DTP_CS07_EX1[229]>
38PU1161B START/STOP PB A38PU1161B_STR <N07:O.Slot[14].Data.0>

104
38PU1161B START/STOP PB A38PU1161B_STR <N07:O.Slot[14].Data.0>
38PU1161B START/STOP PB TO DCS A38PU1161B_STR_PTD <PTD_CS07_EX2[112]>

(End)