

Send Feedback


Which of the following will add a 'red' background color to the body?




- \$("body").css("background-color", "red");
- \$("body").style("background-color", "red");
- \$("body").css("backgroundColor": "red");
- \$("body").style("backgroundColor": "red");

Correct Answer






> NEXT









# **JQuery Click Event**


Send Feedback


Which method is used to set a click event on a button?


# **Options**

- \$("button").click = function() {}
- \$ ("button").onclick = function() {}
- \$("button").click(function() {})
- \$("button").onclick(function() {})













Which of the following method sets the value of the

```
$("input:text")._____;
```



content("HeHeHe")

html("HeHeHe")

value("HeHeHe")


val("HeHeHe") 🗸
































Add Remove Alternatively •

# **Div Span**

Send Feedback

What does the \$('div span') return?



- All the span elements inside the div element
- O All the div elements with a span element
- O The first span element inside the div
- All the span and div elements


Correct Answer



10.0/10

10.0/10

10.0/10



Remove Selected Elements •


Add Remove Alternatively •

Add Two Classes •

# **Get HTML Content**

Send Feedback

Which method is used to get the content i.e. HTML of the div element with id 'courses'?







100.0%

Score 70.00/70







Get HTML Content • 10.0/10

Red Underlined Text • 10.0/10

Remove Selected Elements • 10.0/10

Add Two Classes • 10.0/10

Add Remove Alternatively • 10.0/10

#### **Red Underlined Text**


Send Feedback

Which of the following will get you a red underlined text to all the text having class 'red-un'?


## **Options**

- \$(".red-un").css({"background-color", "red"}, {"text-de
- \$(".red-un").style({"background-color": "red"}, {"text-c
- \$(".red-un").css({"background-color": "red", "text-decenter...
- \$(".red-un").style({"background-color"= "red", "text-decolor"= "red", "text-decolor "red", "text-decolor"= "red", "text-decolor"= "red", "text-decolor "red", "text-decolor"= "red", "text-decolor "red











10.0/10


10.0/10

10.0/10















Red Underlined Text •

Add Two Classes •

Remove Selected Elements •

Add Remove Alternatively •



## Add Two Classes

Send Feedback


Which method in JQuery is used to add 'prev' and 'blue' class to an element?



- addClass("prev", "blue");
- addClass({"prev", "blue"});
- addClass("prev blue");
- O none of the above

Correct Answer






**==** 

> NEXT

10.0/10

10.0/10



Remove Selected Elements •

Add Remove Alternatively •

Add Two Classes •

### Add Two Classes

Send Feedback

Which method in JQuery is used to add 'prev' and 'blue' class to an element?




- addClass("prev", "blue");
- addClass({"prev", "blue"});
- addClass("prev blue");
- none of the above

Correct Answer









100.0%

Score 70.00/70



Questionnaire • 10.0/10

Div Span • 10.0/10

Get HTML Content • 10.0/10

Red Underlined Text • 10.0/10

Remove Selected Elements • 10.0/10

10.0/10 Add Two Classes •

10.0/10 Add Remove Alternatively •

## **Add Remove Alternatively**

Send Feedback

Which method is used to add/remove 'news' class from a h1 element?



- O \$("news").switch();
- \$("news").switchClass();
- \$("news").altClass();
- \$("h1").toggleClass("news");



