

Microservices

.NET CORE

MicroServices Architecture (MSA) style is an approach to developing an application as a suite of smaller 'services'.

Each service runs within its own process and communicates through HTTP with other APIs. All the API's combine to form a complete application.

Web Services Applications Review

https://martinfowler.com/articles/microservices.html

Applications have been traditionally built as "monoliths". All the code (except DB and UI) is compiled together and deployed together. This approach presents certain problems.

- One small change forces you to rebuild and redeploy the whole application as a new version.
- It's hard to keep the code well organized with it's logical sections decoupled.
- If one part of the app is a bottleneck the whole app is affected.



A monolithic application puts all its functionality into a single process... ... and scales by replicating the monolith on multiple servers


Microservices Architecture (MSA) – Overview

https://martinfowler.com/articles/microservices.html

The *Microservice Architectural style* means developing leveraging a suite of smaller, focused services to create a single application.

MSA's are built around business needs. Each service is independently deployable by fully automated deployment machinery.

Individual services are loosely coupled with no central management. They may even be written in different programming languages with different data storage technologies.




Microservices Architecture (MSA) – Overview

https://martinfowler.com/articles/microservices.html

The basic characteristics of MSA are:

- Application has SOA.
- Avoids <u>Conway's Law</u>.
- "Products, not projects"
 - Developers are responsible for their service for its entire lifetime.
- Smart endpoints and dumb pipes
 - Use HTTP to receive requests and respond, staying as decoupled as possible.
 - Use a lightweight message bus that acts as a message router only and doesn't do much more than provide a reliable asynchronous fabric.
- CI/CD





MSA Components – Overview

https://martinfowler.com/articles/microservices.html

The basic characteristics of Microservices Components (services) are:

- Each service implements a business capability.
- Services are developed, deployed, and scaled independently.
- Services control their own logic.
- Services manage/persist their own data
- Each service is replaceable and upgradable.
- Services communicate using RPC's





MSA and CI/CD


https://martinfowler.com/articles/microservices.html


The evolution of "the cloud" has reduced the operational complexity of building, deploying, and operating microservices.

Teams using CI/CD make extensive use of infrastructure automation techniques.

As long as deployment is "boring" there isn't really a functional difference between monoliths and


microservices.






Pros of MSA

- Long-term flexibility when new technologies are developed.
- Higher ROI and lower TCO (Total Cost of Ownership) with faster, less expensive, development using simpler hardware.
- Easier fault isolation and bug fixing leads to higher resiliency.
- Loose coupling is enforced by the architecture.
- Smaller, easier-to-understand services help to quickly deploy new features.
- Easily scalable with increasing load requirements. Just add another server!
- Implement individual services in the most appropriate technology




Cons of MSA (1/3)

- Relational DB's may be difficult to scale and complex to manage. ACID transactions increase overhead.
- There are many more moving parts that can break requiring more error handling and resiliency built into the system.




Cons of MSA (2/3)

- Different technologies used for each service can lead to difficulties:
 - When team members transition from one team/technology to another.
 - A diverse technology group requires more personnel for maintenance.
- High dependency between services can lead to a "microservices death star".
 - Adjustments to one service may require adjustments to many.



Cons of MSA (3/3)

- A complex and changing communication system between services is difficult to understand.
 - IP addresses and ports can get out of sync when updating.
- It's harder to implement integration testing when each team only deals with their own microservice.




MSA Example and Requirements

https://martinfowler.com/bliki/MicroservicePrerequisites.html

Certain capabilities must be in place before starting a MSA application.

- Quick server creation provisioning must be automated to respond to outages or fluctuating demand.
- Accurate Monitoring detect problems and quickly respond appropriately.
- Fast deployment Use a fully automated deployment pipeline to rapidly respond to developing needs.
- Employ Product-centered teams that develop and maintain the same product for the lifetime of the product.



When is MSA Appropriate?

https://martinfowler.com/bliki/MicroservicePremium.html


The decision to use microservices depends on the complexity of the planned system.

The MSA approach introduces its own set of complexities, such as:

- automated deployment and monitoring,
- dealing with failure,
- eventual consistency

The primary guideline would be:

Don't even consider microservices unless you have a system that's too complex to manage as a monolith.



Migration from Monolith to MSA?

https://martinfowler.com/articles/break-monolith-into-microservices.html

Developers must decide what type of structure is appropriate for their application.


Should you start with a monolith and evolve it to MSA if needed?


Pros:

- It's what most MSA success stories have done.
- Do we really know where to draw all the service boundaries before we have a Minimum Viable Product (MVP)?

Cons:

- The monolith's parts will inevitably be tightly coupled.
- Good module separation in a monolith might not be the same as good service boundaries.





MSA and Containerization


https://docs.microsoft.com/en-us/dotnet/architecture/microservices/container-docker-introduction/

An application, its dependencies, and its configuration are packaged together as a container image (containerized) and tested as a unit, then deployed as a container image instance to the host operating system (OS).

Software containers act as standard units of software deployment and can contain different code and dependencies.

Each container can run a whole web application or a single service.


Containers offer the benefits of isolation, portability, agility, scalability, and control.



Synchronous vs. async communication across microservices

Anti-pattern






Asynchronous

Comm. across internal microservices (EventBus: like **AMQP**)



"Asynchronous"

Comm. across internal microservices (Polling: **Http**)



Microservices Tutorial

https://dotnet.microsoft.com/learn/aspnet/microservice-tutorial/intro https://dotnet.microsoft.com/learn/aspnet/microservice-tutorial/create

- Create a new api with dotnet new webapi -o myMicroservice no-https. This creates the template <u>WeatherForecast API.</u>
- 2. Move into the new directory with cd myMicroservice.
- 3. Run it with dotnet run.
- Make sure you have Docker with docker -version. Download Docker here.
- 5. Create a *Dockerfile* with vim dockerfile. No suffix needed.
- 6. Add the text to the right to the Dockerfile.
- 7. Build the Docker Image with 'docker build -t mymicroservice .'. The image is named mymicroservice.
- 8. Check that the image is created with docker images.
- 9. Run the service in the container with 'docker run -it --rm -p 3000:80 --name mymicroservicecontainer mymicroservice'.
- 10. Verify that the container is running with docker ps.
- 11. Access the running app at http://localhost:3000/WeatherForecast.

```
FROM mcr.microsoft.com/dotnet/core/sdk:3.1 AS build
WORKDIR /src
COPY myMicroservice.csproj .
RUN dotnet restore
COPY . .
RUN dotnet publish -c release -o /app

FROM mcr.microsoft.com/dotnet/core/aspnet:3.1
WORKDIR /app
COPY --from=build /app .
ENTRYPOINT ["dotnet", "myMicroservice.dll"]
```