

test

The INFDEV
team

test

The INFDEV team

Hogeschool Rotterdam
Rotterdam, Netherlands

test

The INFDEV
team

```
1  class CounterFrom {  
2      public int cnt;  
3      public CounterFrom(int cnt0) {  
4          this.cnt = cnt0;  
5      }  
6  }  
7  CounterFrom c = new CounterFrom(100);
```

Declarations:

PC
1

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC	cnt0	this
4	int	CounterFrom

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC	cnt0	this
5	int	CounterFrom

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC
7

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC	arg ₁
7	int

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC	ret	arg ₁
7	CounterFrom	int

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

test

The INFDEV
team

```

1  class CounterFrom {
2      public int cnt;
3      public CounterFrom(int cnt0) {
4          this.cnt = cnt0;
5      }
6  }
7  CounterFrom c = new CounterFrom(100);

```

Declarations:

PC	c
8	CounterFrom

Classes:

CounterFrom
CounterFrom=(CounterFrom × int) → CounterFrom cnt=int

This is it!

test

The INFDEV
team

The best of luck, and thanks for the
attention!