

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Hello Python!

The INFDEV Team @ HR

Hogeschool Rotterdam
Rotterdam, Netherlands

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Introduction

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Lecture topics

- We introduce Python
- We bridge what we have seen in the previous lecture with actual Python elements

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why many programming languages?

- Low-level vs high-level
- Statically-typed vs dynamically-typed
- Compiled vs interpreted
- Imperative vs functional vs logic vs declarative vs object-oriented
- Safe vs unsafe
- Fast vs slow
- ...

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why many programming languages?

- The set of all problems is a complex, fractal-looking shape
- The programming language we choose shifts our focus on these problems
- Some become more visible and obvious to solve...

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why many programming languages?

- The set of all problems is a complex, fractal-looking shape
- The programming language we choose shifts our focus on these problems
- Some become more visible and obvious to solve...
- ...others become hidden, obstructed, or harder to solve

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why many programming languages?

- Not all languages are equal
- There is improvement and an ordering
 - For low-level programming C is in most cases better than assembly
 - For data transformation SQL is in most cases better than Java
 - For algorithmic work on trees F# is in most cases better than C#

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why many programming languages?

- Not all languages are comparable
- There are perfectly valid differences in balance and features
 - Most languages are better than assembly in most scenarios
 - For data transformation SQL is as good as F# on algorithmic work on trees

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Early programming languages

- Analytical Engine/Difference Engine: hypothetical mechanical computers (1840's, Charles Babbage and Ada Lovelace)
- Assembly language: programming close to the machine (1940's)
- Fortran, ALGOL, and COBOL: various forms of imperative programming (1950's)
- LISP: functional and meta-programming (1950's, still in use)
- Simula: object-oriented programming (1950's)
- C: high-level low-level programming (1970's, still in use)
- Smalltalk: everything-is-an-object programming (1970's)

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Early programming languages

- Prolog: logic programming (1970's)
- ML: statically typed, polymorphic functional programming (1970's, still in use)
- SQL: query language (1970's, still in use)

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

1980's

- C++: C with classes (still in use)
- Matlab and Mathematica: mathematics and simulations (still in use)
- Erlang: concurrency and telecommunications (still in use)

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

1990's: the Internet Age

- Haskell: functional programming (still in use)
- Python, Ruby, Lua: concise, dynamic programming (still in use)
- JavaScript: webpage dynamics (still in use)
- Java: objects and portability (still in use)

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

2000's: the Modern Age

- C#: objects and portability (still in use)
- F# and Scala: hybrid, functional-first programming and portability (still in use)
- Go and Swift: native, safe development (getting traction?)

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

The Python Programming Language

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

The Python Zen

- Beautiful is better than ugly
- Explicit is better than implicit
- Simple is better than complex
- Complex is better than complicated
- Readability counts

The Python Programming Language

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Python introduction

- General-purpose language
- High-level
- Concise on purpose
- Dynamically typed
- Hybrid paradigm, imperative/procedural first

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Why Python?

- Used a lot as a beginning languages in higher education
- Adequate for expressing the basics of computational thinking
- High signal to noise ratio of syntax

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Python basic syntax and semantics

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variables

- Variables are not declared
- Just initialize and subsequently use

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variable names

- Variables may begin with any letter or the `_` sign
- Followed by any sequence of letters, numbers, and the `_`

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

```
1 x
2 y
3 _x
4 customer_name
5 _x1
6 _x1_customer
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Numbers

- Python supports integers and other sorts of numbers
- Any sequence of numeric characters (we call it an integer *literal*) is a number

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

```
1 100
2 0
3 -1
4 79228162514264337593543950336L
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variable assignment

- We can assign a value to a variable
- `variableName = expression`
- What does this do to the memory of the program?

Discuss.

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variable assignment

- We can assign a value to a variable
- `variableName = expression`
- What does this do to the memory of the program?

Discuss.

- **If the variable did not exist, then we add it to memory**
- If the variable existed, then we change its value in memory

$$\begin{cases} (PC, S) \xrightarrow{x=e} (PC + 1, S[x \mapsto e]) & \text{when } x \in S \\ (PC, S) \xrightarrow{x=e} (PC + 1, S \cup \{x \mapsto e\}) & \text{otherwise} \end{cases}$$

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

PC

1

```
1 x = 100
2 y = 200
3 z = 50
```

what changes while running the current instruction? **Try to guess and discuss!**

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

PC

1

```
1 x = 100  
2 y = 200  
3 z = 50
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| |
|----|
| PC |
| 1 |

```
1 x = 100  
2 y = 200  
3 z = 50
```

| | |
|----|-----|
| PC | x |
| 2 | 100 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| | |
|----|-----|
| PC | x |
| 2 | 100 |

```
1 x = 100
2 y = 200
3 z = 50
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x |
|----|-----|
| 2 | 100 |

```
1 x = 100
2 y = 200
3 z = 50
```

| PC | x | y |
|----|-----|-----|
| 3 | 100 | 200 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y |
|----|-----|-----|
| 3 | 100 | 200 |

```
1 x = 100
2 y = 200
3 z = 50
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
LanguagePython basic
syntax and
semantics

| PC | x | y |
|----|-----|-----|
| 3 | 100 | 200 |

```
1 x = 100  
2 y = 200  
3 z = 50
```

| PC | x | y | z |
|----|-----|-----|----|
| 4 | 100 | 200 | 50 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variable assignment

- We can assign a value to a variable
- `variableName = expression`
- What does this do to the memory of the program?

Discuss.

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

Variable assignment

- We can assign a value to a variable
- `variableName = expression`
- What does this do to the memory of the program?

Discuss.

- If the variable did not exist, then we add it to memory
- **If the variable existed, then we change its value in memory**

$$\begin{cases} (PC, S) \xrightarrow{e} (PC + 1, S[x \mapsto e]) & \text{when } x \in S \\ (PC, S) \xrightarrow{e} (PC + 1, S \cup \{x \mapsto e\}) & \text{otherwise} \end{cases}$$

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y | z |
|----|---|----|---|
| 1 | 0 | -1 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```

what changes while running the current instruction? **Try to guess and discuss!**

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y | z |
|----|---|----|---|
| 1 | 0 | -1 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
LanguagePython basic
syntax and
semantics

| PC | x | y | z |
|----|---|----|---|
| 1 | 0 | -1 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```

| PC | x | y | z |
|----|-----|----|---|
| 2 | 100 | -1 | 5 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y | z |
|----|-----|----|---|
| 2 | 100 | -1 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y | z |
|----|-----|----|---|
| 2 | 100 | -1 | 5 |

```
1 x = 100  
2 y = 200  
3 z = 50
```

| PC | x | y | z |
|----|-----|-----|---|
| 3 | 100 | 200 | 5 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

| PC | x | y | z |
|----|-----|-----|---|
| 3 | 100 | 200 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```


Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
LanguagePython basic
syntax and
semantics

| PC | x | y | z |
|----|-----|-----|---|
| 3 | 100 | 200 | 5 |

```
1 x = 100
2 y = 200
3 z = 50
```

| PC | x | y | z |
|----|-----|-----|----|
| 4 | 100 | 200 | 50 |

Hello Python!

The INFDEV
Team @ HR

Introduction

The Python
Programming
Language

Python basic
syntax and
semantics

The best of luck, and thanks for the
attention!