

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Looping and iteration

The INFDEV Team @ HR

Hogeschool Rotterdam Rotterdam, Netherlands



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Introduction



Introduction

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack

thereof)

Exponential explosion of potential control-paths

Assignment

Lecture topics

- Repeated behaviors
- while statements and their semantics
- Expressive power of while
- Termination and infinite iteration
- Explosion of states with while



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Sometimes running code just once is not enough
- We can loop execution of a block of code until some condition is met
- Extreme increase in expressive power



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- While there are hostile aliens
- Do attack an alien



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating hehaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Loops can solve very big problems
- Each step of the loop removes a part of the problem
- We typically stop when all parts of the problem have been removed



Looping and iteration

The INFDEV

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Breaking problems up

Problem: kill all aliens

• Problem piece: a single alien to be killed

Solution piece: attack a single alien

Termination condition: there are no more aliens



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Breaking problems up

- Of course loops can be combined with each other
- This means that we can cascade repetition
- This is the building block of intelligent decisions in our programs



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Breaking problems up

- While there are hostile alien armies
 - Do pick an alien army
 - While there are aliens in the army
 - Do attack an alien



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Repeating behaviors in Python



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Python offers built-in facilities for repetition
- while statement
- We can repeat execution of a block of code



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- ullet The general form is while CONDITION: BODY (w_{CB})
- If the condition is true, then we jump to the beginning of BODY, otherwise we jump to the end of the whole while

$$\begin{cases} \left(PC,S\right) \overset{w_{CB}}{\rightarrow} \left(firstLine(B),S\right) & when & \left(PC,S\right) \overset{C}{\rightarrow} TRUE \\ \left(PC,S\right) \overset{w_{CB}}{\rightarrow} \left(skipAfter(B),S\right) & when & \left(PC,S\right) \overset{C}{\rightarrow} FALSE \end{cases}$$



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Remember that Python is *indentation*-based
- White-spaces go at the beginning of some lines
- A more indented line is within a less indented line above



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Indentation specifies where the body begins and ends
- The general form of a while is thus:
 - while COND:
 - newline
 - indentation
 - code of body
 - de-indentation

A correct example

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
n = 64
i = 0
while n > 1:
    n = n / 2
    i = i + 1
```

An incorrect example

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Python Reasoning

about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
n = 64
i = 0
while n > 1:
n = n / 2
i = i + 1
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- while statements eventually terminate (hopefully)
- if the condition evaluates to False, then we skip after the end of the while

After a while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in

Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
n = 64
i = 0
while n > 1:
    n = n / 2
    i = i + 1
print(i)
```

After a while?

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Without indentation, this:

```
i = 0
while n > 1:
n = n / 2
i = i + 1
print(i)
```

n = 64

would be indistinguishable from both:



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Reasoning about while



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- while effectively rewrites the code to become as long as the problem needs
- Until run-time, we are not really sure how long the code will become



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

What values of n will we print?

```
i = 0
j = 1
n = 0
while i < 10:
    i = i + 1
    n = n + j
print(n),</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

What values of n will we print?

```
i = 0
j = 1
n = 0
while i < 10:
    i = i + 1
n = n + j
print(n),</pre>
```

12345678910



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

What values of n will we print?

```
i = 0
j = 2
n = 0
while i < 10:
    i = i + 1
n = n + j
print(n),</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

What values of n will we print?

```
i = 0
j = 2
n = 0
while i < 10:
    i = i + 1
n = n + j
print(n),</pre>
```

2 4 6 8 10 12 14 16 18 20



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Each iteration produces new values of the variables
- These new values are then fed back into the next iteration
- Eventually these cause the condition to become false
 - Or the program runs forever and never produces a result



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Each iteration produces new values of the variables
- These new values are then fed back into the next iteration
- Eventually these cause the condition to become false
 - Or the program runs forever and never produces a result
 - We'd rather not have this one



Looping and iteration

The INFDEV

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
i j n
0 2 0
```

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

i	j	n
0	2	0

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```

```
i j n
1 2 2
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
i j n
1 2 2
```

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```



Looping and iteration

The INFDEV

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

i	j	n
1	2	2

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```

```
i j n
2 2 4
```



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
i j n
2 2 4
```

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

i	j	n
2	2	4

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```

```
i j n
3 2 6
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python


Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

After k iterations (for k < 10):



```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

.

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

After k iterations (for k < 10):

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```



Example while's

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

After k iterations (for k = 10):

```
i j n
10 2 20
```

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),
```



Example while's

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

After k iterations (for k = 10):

```
while i < 10:
    i = i + 1
    n = n + j
    print(n),</pre>
```

We jump to the first instruction **after** the while loop, and do not touch the state further.

i	j	n
10	2	20



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Readability and termination

- The loop above is well designed
- All iterations produce a new piece of a logical series
 - (The j-th row of the table of multiplication)



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Readability and termination

- After each iteration we know that we have i elements correctly computed
- After each iteration we know that we have 10-i elements still to compute
- When i=10 then we have 10-10 elements still to compute
 - This is the termination condition
 - Since i keeps growing, we know that eventually the termination condition will be met



Reasoning about while

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Nesting

- Loops can be nested
- A loop can be inside a loop (which can further be inside other loops)
- This makes it slightly harder to reason



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
j = 1
while j <= 10:
    i = 0
    n = 0
while i < 10:
    i = i + 1
    n = n + j
    print(n),
    print("\t"),
    j = j + 1
print("")</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

We now know that the semantics of the inner loop is **print the j-th row of the table of multiplication**, so instead of reasoning on:

```
j = 1
while j <= 10:
    i = 0
    n = 0
while i < 10:
    i = i + 1
    n = n + j
    print(n),
    print("\t"),
    j = j + 1
    print("")</pre>
```

we reason on:

```
j = 1
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```

4 □ → 4 ₱ → 4 ₱ → 4 ₱ →



Looping and iteration

The INFDEV

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
j output
1 nothing
```

```
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
j output
1 nothing
```

```
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```

```
j output
2 1st row of table
```



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Python
Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

```
j output2 1st row of table
```

```
while j <= 10: 
 print the j-th row of the table of multiplication 
 j = j + 1 
 print("")
```



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
j output
```

2 | 1st row of table

```
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```

```
j output
3 1st and 2nd rows of table
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

• • •



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Thus for all k's such that $k \le 10$:

```
j output
k first k-1 rows of table
```

```
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Thus for all k's such that $k \le 10$:

```
j output
k first k-1 rows of table
```

```
while j <= 10:
    print the j-th row of the table of multiplication
    j = j + 1
    print("")</pre>
```

```
j output
k+1 first k rows of table
```

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Eventually we get j = 11:

j	output					PC
11	first	10	rows	of	table	1

```
while j <= 10:
   print the j-th row of the table of multiplication
   j = j + 1
   print("")
...</pre>
```

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Eventually we get j = 11:

j	output					PC
11	first	10	rows	of	table	1

```
while j \le 10:

print the j-th row of the table of multiplication

j = j + 1

print("")
...
```

```
j output PC
11 first 10 rows of table 5
```



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Termination (or lack thereof)



Termination (or lack thereof)

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Wait! It gets worse!

- It is not guaranteed that a loop will terminate
- A loop that does not terminate gets the program stuck forever
- It is a bit sad for the machine
- Care when designing loops is needed to prevent this



Termination (or lack thereof)

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Care in the design

- A loop changes the state of the program many times
- A good loop changes the state in one direction
- Every step should bring us closer to the **final state**
- The condition defines the aspects of the final state



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
i = 1
while i > 0:
    i = i + 1
    print(i)
```

What is the issue here?



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
i = 1
while i > 0:
    i = i + 1
print(i)
```

What is the issue here?

Iterations do not go towards the condition, but away from it.



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

This is not a duplicated slide.

```
i = 1
while i < 10:
   i = i + 1
   print(i)</pre>
```

What is the issue here?



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

This is not a duplicated slide.

```
i = 1
while i < 10:
   i = i + 1
   print(i)</pre>
```

What is the issue here?

Iterations are orthogonal (unrelated) to the condition.

No iteration changes elements tested in the condition.



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack

Exponential explosion of potential control-paths

thereof)

Assignment

- How many things can happen in a while loop?
- Depends on its content



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Exponential explosion of potential control-paths

The more we nest loops and conditionals within a loop...



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- The more we nest loops and conditionals within a loop...
- ...the more things may happen at run-time



Loops with nested if's

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
while CO:
    if C1:
        A1
        else:
        B1
```

How many execution paths per N iterations of the loop?



Loops with nested if's

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
while C0:
    if C1:
        A1
        else:
        B1
```

How many execution paths per N iterations of the loop?

 ${f 2}$ execution paths per iteration 2^N execution paths per N iterations

Loops with nested if's

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated

behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

```
while C0:
    if C1:
        A1
        else:
        B1
```

Example: execution paths per **3** iterations of the loop.

A1 A1 A1

A1 A1 B1

A1 B1 A1

A1 B1 B1

B1 A1 A1

B1 A1 B1

B1 B1 A1

B1 B1 B1



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack

Exponential explosion of potential control-paths

thereof)

Assignment

- Consider a loop that performs m iterations
- With n if's inside
- ullet Each iteration can have 2^n possible execution paths
- The whole loop can have $2^{n \times m}$ possible execution paths^a

$$^{\mathrm{a}}2^{2\times10}=1048576$$



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

- Each path can alter the state in a different way
- After a while with many billions possible paths
 - We have many billions possible resulting states



Looping and iteration

The INFDEV
Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack

thereof)

Exponential explosion of potential control-paths

Assignment

- The more nested the code inside a while
- The more complex its behavior
- The harder it is to reason about it!



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack

Exponential explosion of potential control-paths

thereof)

Assignment

The value of reasoning

- Always keep in mind:
- You have the power to make your own life a living Hell...



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack

Exponential explosion of potential control-paths

thereof)

Assignment

The value of reasoning

- Always keep in mind:
- You have the power to make your own life a living Hell...
- ...unless you reason first and then structure code logically



Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment



Assignment

Looping and iteration

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning about while

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

Drawing with loops!

- Exclusively with while-loops
- Reading the appropriate parameters from the command line (figure height, width, etc.)
- Draw the following figures on the console:
 - A full square
 - The border of a square
 - A rectangle triangle
 - A centered, isosceles triangle
 - A circle
 - A smiley face
- See assignment description online for examples and better details



This is it!

Looping and iteration

The INFDEV

The INFDEV Team @ HR

Introduction

Repeated behaviors

Repeating behaviors in Python

Reasoning

Termination (or lack thereof)

Exponential explosion of potential control-paths

Assignment

The best of luck, and thanks for the attention!