Phase 1 — Foundation

Auth system, dashboard shell, security middleware, rate limiting, audit logging, database schema.

✓ Complete

AUTHENTICATION

- NextAuth v5 (beta) — Credentials provider
- Argon2id password hashing (`@node-rs/argon2`)
- JWT sessions with httpOnly cookies
- Register + Login pages
- Session validated via `/api/auth/session` — no SessionProvider

SECURITY MIDDLEWARE

- 7 security headers: CSP, HSTS, X-Frame-Options, X-Content-Type, Referrer-Policy, Permissions-Policy, X-XSS-Protection
- Rate limiting: 5 attempts / 15 min / IP (in-memory)
- Route protection — all /dashboard/* require session
- Zod validation on all inputs

DATABASE SCHEMA

- User, Account, Session, VerificationToken
- AuditLog — tracks all auth events
- Prisma 7 with `@prisma/adapter-pg`
- PostgreSQL on Neon (serverless)
- Deploy via `prisma db push`

DASHBOARD SHELL

- Sidebar navigation with active state
- Module framework (route-based)
- Notification bell with unread badge
- Dark theme — bg #0a0a0a, indigo/violet accents
- Responsive layout with overflow handling

API Routes

POST	`/api/auth/register`	Register with email + password (Argon2id hash)
POST	`/api/auth/login`	Credentials sign-in, sets JWT session cookie
GET	`/api/auth/session`	Return current user session data
POST	`/api/auth/signout`	Clear session and redirect
GET	`/api/notifications`	List notifications + unread count

PATCH	/api/notifications/[id]	Mark single notification read
POST	/api/notifications/mark-all-read	Mark all notifications read