RS∧°Conference2016

San Francisco | February 29 - March 4 | Moscone Center

SESSION ID: CSV-R04

Security recipes for the new digital era v.1.0.1



Tomás Herranz

Head of Engineering & SecDevOps

– Security Architecture

BBVA

@tomasherranz



Current situation



€ 746
billion in total assets

65 million customers 35 countries

9,250 branches

29,330

137,904 employees








- +135k employees company
- +20 different innovation teams
- +50 different innovation projects
- Agile methodologies
- +100 different technologies ... and growing!







Bad news: And they all require security!







Good news: Change of paradigm









Security skills revisited

- Prepare to code (again)
- / Flexible
- 5 Keep updated (Self-learner)
- 8 Become an transformation enabler, not a stopper





$\frac{1}{2}$ FROM

- Tailor made solutions
- Months to develop + deploy
- Hard to administrate & monitor
- Monolithic architecture
- Expensive \$\$\$

TO 1/4

- Generic Solutions
- Minutes to deploy
- Central administration & monitoring
- Modular architecture

Office [3]1

Almost 'free'



Office [3]1 of licence, not in hours and some pain Microsoft Office User, 1/4/2016



JBuild

- Competitive Advantage
- Innovation
- Flexible



- Commodity
- Mature
- Business as usual



Security cook book





Based on:

- What we learnt
- What worked for us

Recipe:

- Set of ingredients
- Set of instructions





One proxy to rule them all

Ingredients:

WAF : ModSecurity + OWASP core rule

set

Web Server: Apache/Nginx

Spring security MongoDB Redis

AV: ClamAV (Optional)




Instructions:

- Single entry point
- Technology agnostic, just http services
- Standard & homogeneous solutions





One proxy to rule them all: AuthN + AuthZ







Features



Every functionality is separated into modules that can be deployment independently of all the others.



Developer ready for easy integration.

Ready 4 Cloud

Tested and designed to get full advantage of Cloud Technology.

Hot Protection

All can be configured live on a dashboard.

OpenSource

Based on Open-Source technologies.

WAF + AV

Layer 7 Firewall and Antivirus protection built-in.

Easy to deploy

The solution can be deployed using Ansible Playbooks or Docker containers.

Monitored

Health and state are monitored live.


Standard

Compatible with JWT Tokens and oAuthv2 to consume REST Services.





What we used



Spring Security

Powerful and highly customizable authentication and access-control framework.

ModSecurity

modsecurit
Open Source Web Application Firewall OpenSource Layer 7 Application Firewall with OWASP Core Rule Set.

ELK Stack

ElasticSearch + Logstash + Kibana Collect, parse, and store logs for later use.

Docker Container, Ansible Playbook ModSecurity WAF + OWASP RuleSet + ClamAV

oAuth2, JWT, SAMLv2 Spring Security, Redis, MongoDB, Logstash

Standard

OAuthv2 + JWT, SAMLv2.







ClamAV

OpenSource Antivirus.





Docker and Ansible


Open platform for developers and sysadmins to build, ship, and run distributed applications.





Introducing












Frontend Screenshots







Policy enforcement

Ingredients:

WSO2 Identity Server (PDP) Security proxy (PEP) External apps info (PIP)



Instructions:

- Segregate <u>access decision</u> from <u>point of use</u>
- Use standards






Policy enforcement


XACML 3.0 (JSON Support)















Sample policies

Business policy

```
Allow access to resource Accounts with attribute CustomerID=x
   if Subject match AccountOwner
   and action is read
with obligation
   on Permit: doLog_Inform(CustomerID, Subject, time)
   on Deny: doLog_UnauthorizedLogin(CustomerID, Subject, time)
```

Security policy

```
Allow access to resource Accounts with attribute CustomerID=x
    if SourceIP match KnownIPList
    and action is write
with obligation
    on Permit: doLog_Inform(CustomerID, Subject, time)
    on Deny : doLog_UnauthorizedLogin(CustomerID, Subject, time)
```





- Code repository (e.g Git)
- Versionable
- 'Human readable'

If you want to go further ...

- Historical data
- Behavior analysis
- Scoring System (Policy chain)

RS∧Conference2016

Recipe #3: Speedy surf board: Automating security deployments



Speedy surf board : Automating security deployments

Ingredients:

Ansible Terraform



Instructions:

- Eat
- Sleep
- AUTOMATE
- Repeat



Recipe #3: Speedy surf board: Automating security deployments





Easily deploy security





Technology agnostic
















Recipe #3: Speedy surf board : Automating security deployments








Recipe #3: Speedy surf board : Automating security deployments





What we achieved





One proxy to rule them all

Metrics

Time to protect

20+ 1/4 3

Business impact

- New technologies enabled in a secure manner
- Security development cost reduced



Policy enforcement

Metrics

Time to enforce

2 days 1/4

Instant!

nnt I



Time to deploy

1/4

Speedy surf board : Automating

security deployments

Metrics

minute

Business impact

- Security deployment costs reduced
- Reduced bureaucracy

Business impact

- Human interaction reduced (Less prone to errors)
- Centralized policies repository (Better control)



RS∧Conference2016

Top ten tips



- 1) Anticipate to be able to run with business
- 2) Adopt, take advantage of new ways of doing things
- 3) Change of attitude: Less 'No' and more 'Not that way'
- 4) Keep transparent
- 5) Agile and flexible



Office [2]1 transparent or invisible ?? Microsoft Office User, 1/4/2016

Top ten tips



- 6) Be standard
- 7) Read, read and read ...
- 8) Segregation of duties
- 9) Automate as much as you can



RS/Conference2016





Thanks !!!

Reference



WS02 Identity server

ELK stack explained

How to install ELK stack

IETF XAMCL 3.0

AAA authorization framework

<u>Ansible</u>

Terraform

* All the pictures used on this presentation are under the 'Creative commons CCO' license



icons



Qwertyuiopasdfghjklñzxcvbnm,.-1234567890'¡°QWERTYUIOP^*ASDFGHJKLÑ"ǪZXCVBNM;:_ ¿?=)(/&%\$·"!>><<|@#¢∞¬÷""≠´,|{}[]-...,\ÅÊĮŪĭĹ½¼Ó×ê

