

RSA[®]Conference2022

San Francisco & Digital | February 7 – 10

TRANSFORM

SESSION ID: IDY-R05

Demystifying the Identity Capabilities of AWS for Enterprise Practitioners

Jon Lehtinen

Jon Lehtinen
Director, Okta on Okta, Okta
@jonlehtinen



Disclaimer

Presentations are intended for educational purposes only and do not replace independent professional judgment. Statements of fact and opinions expressed are those of the presenters individually and, unless expressly stated to the contrary, are not the opinion or position of RSA Conference LLC or any other co-sponsors. RSA Conference does not endorse or approve, and assumes no responsibility for, the content, accuracy or completeness of the information presented.

Attendees should note that sessions may be audio- or video-recorded and may be published in various media, including print, audio and video formats without further notice. The presentation template and any media capture are subject to copyright protection.

©2022 RSA Conference LLC or its affiliates. The RSA Conference logo and other trademarks are proprietary. All rights reserved.

The views and opinions expressed in this presentation are my own and not necessarily shared nor endorsed by any current or former employers, organizations or affiliates.

RSA®Conference2022

AWS & Identity



The Enterprise Practitioner's Conundrum



What This is Not



Why Can identity on AWS Seem So Hard?

- Services with similar functionality
- Occasionally distinct application of identity across services
- AWS as IaaS (Infrastructure as a Service) vs. AWS as PaaS (Platform as a Service)

AWS as IaaS

You own/run/manage:

- Data
- Applications
- Runtime environment
- Middleware
- OS

AWS owns/runs/manages:

- Virtualization
- Hardware
- Storage
- Networking

AWS as PaaS

You own/run/manage:

- Applications
- Data

AWS owns/runs/manages:

- Runtime
- Middleware
- OS
- Virtualization
- Hardware
- Storage
- Networking

RSA[®]Conference2022

AWS IAM Taxonomy




AWS IAM



AWS IAM – Taxonomy

#RSAC





RESOURCES

The “things” within AWS IAM, like users, roles, policies, and groups. Resources are also how other AWS objects are referred to, like S3 buckets, EC2 instances, etc.

AWS IAM – Taxonomy




#RSAC



IDENTITIES

“AWS IAM resource objects that are used to identify and group.” Think user objects, groups, and roles



AWS IAM – Taxonomy



ENTITIES

The AWS IAM resource object that AWS IAM authenticates as part of an identity transaction, e.g. AWS IAM user objects, federated users/their assumed AWS IAM roles.


AWS IAM – Taxonomy



PRINCIPALS

“The person or applications that uses [...] an IAM user, or an IAM role to sign in and make requests to AWS.”

AWS IAM – Taxonomy



ACTIONS

What the principal gets to do to a resource after having been authenticated and authorized by AWS IAM

AWS IAM – Service Capabilities


- User & Group object management
- Authentication of entities
- Credential management, including:
 - Password management and policy
 - Multifactor authentication and token management
 - Programmatic credentials
- Identity federation (inbound)
- Authorization and authorization policy management

RSA[®]Conference2022

AWS IAM Authorization



AWS IAM – Authorization Policy Types



IDENTITY POLICIES

Policies which can be attached to identity objects to determine what the principal can do to a resource, may be AWS-managed or customer-managed.


AWS IAM – Authorization Policy Types



INLINE POLICIES


Policies applied directly to a resource where they are written, becoming intrinsic characteristics of the resource.

AWS IAM – Authorization Policy Types



The *maximum* entitlements which may be applied to an identity object, regardless what other policies say.

AWS IAM – Authorization Policy Types




Similar to permission boundaries but applied to member accounts within an AWS Organization.

AWS IAM – Authorization Policy Types

```
<?xml version="1.0" encoding="UTF-8"?>
<AccessControlPolicy xmlns="http://s3.amazonaws.com/doc/2006-03-01/">
  <Owner>
    <ID>*** Owner-Canonical-User-ID ***</ID>
    <DisplayName>owner-display-name</DisplayName>
  </Owner>
  <AccessControlList>
    <Grant>
      <Grantee xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xsi:type="Canonical User">
        <ID>*** Owner-Canonical-User-ID ***</ID>
        <DisplayName>display-name</DisplayName>
      </Grantee>
      <Permission>FULL_CONTROL</Permission>
    </Grant>
  </AccessControlList>
</AccessControlPolicy>
```

Determines the conditions of allowing people outside of your AWS account access to your resources from their own AWS accounts, or from the broader internet.


AWS IAM – Authorization Policy Types



SESSION POLICIES

Policies created and applied on the fly during assumption of roles by an entity.

AWS Authorization Policy Evaluation Flow



https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_evaluation-logic.html

RSA[®]Conference2022

Identity Services So Nice They're Doing 'Em Thrice

(Sort of.)





AWS IAM



Provides user
management and
controls access to
AWS resources



Amazon Cognito



AWS Single Sign-on





AWS IAM



Provides user
management and
controls access to
AWS resources



Amazon Cognito



Provides user
management and
can control
access to AWS
resources



AWS Single Sign-on





AWS IAM

Provides user management and controls access to AWS resources




Amazon Cognito


Provides user management and **can** control access to AWS resources




AWS Single Sign-on

Provides user management and controls access to AWS accounts







Amazon Cognito



Start from your business case

Add user directories to your app ▼

Amazon Cognito user pools are a managed service that lets you add secure authentication and authorization to your apps, and can scale to support millions of users.

Create user pool

Start from your business case

Grant access to AWS services ▼

Cognito identity pools let you get temporary credentials to access AWS services for signed-in users as well as anonymous guest users.

Create identity pool

Amazon Cognito



Start from your business case

Add user directories to your app ▼

Amazon Cognito user pools are a managed service that lets you add secure authentication and authorization to your apps, and can scale to support millions of users.

Create user pool

Start from your business case

Grant access to AWS services ▼

Cognito identity pools let you get temporary credentials to access AWS services for signed-in users as well as anonymous guest users.

Create identity pool

Amazon Cognito

#RSAC

Start from your business case

Add user directories to your app ▼

Amazon Cognito user pools are a managed service that lets you add secure authentication and authorization to your apps, and can scale to support millions of users.

Create user pool

Start from your business case

Grant access to AWS services ▼


Cognito identity pools let you get temporary credentials to access AWS services for signed-in users as well as anonymous guest users.

Create identity pool


Cognito User Pools



Cognito User Pools




Cognito User Pools




Cognito Identity Pools




Cognito Identity Pools




AWS Single Sign-on




Available Identity Flows in AWS IAM




Available Identity Flows in AWS IAM



Available Identity Flows in AWS IAM




Permission Sets (Assumable Roles)



The screenshot displays the AWS IAM console interface. At the top, a box labeled 'AWS Account (3)' contains an orange cube icon. Below this, three IAM roles are listed, each with an orange cube icon and a caret icon on the right. The first role is 'IAM_NonProd' with ARN '#133655415201 | redbeardidentity+iamdev@gmail.com'. It has two permission sets: 'PowerUserAccess' and 'ReadOnly', both with links for 'Management console' and 'Command line or programmatic access'. The second role is 'IAM_Prod' with ARN '#151796947722 | redbeardidentity+iamprod@gmail.com' and a single 'ReadOnly' permission set with the same links. The third role is 'RBI Sub Org 3' with ARN '#281142516251 | redbeardidentity+org3@gmail.com' and a 'PowerUserAccess' permission set with the same links.

Role Name	ARN	Permission Set	Access Type
IAM_NonProd	#133655415201 redbeardidentity+iamdev@gmail.com	PowerUserAccess	Management console Command line or programmatic access
		ReadOnly	Management console Command line or programmatic access
IAM_Prod	#151796947722 redbeardidentity+iamprod@gmail.com	ReadOnly	Management console Command line or programmatic access
RBI Sub Org 3	#281142516251 redbeardidentity+org3@gmail.com	PowerUserAccess	Management console Command line or programmatic access





AWS Organizations



RSA[®]Conference2022

Recap for Enterprise Practitioners



	User Management	Credential Management	Federation	AWS Resource AuthZ	AWS-deployed App AuthN	App AuthN	App AuthZ
 IAM	Yes (IaaS)	Yes, Password (IaaS) Yes, MFA (IaaS)	Yes (Inbound, IaaS)	Yes	No	No	No
 Cognito	Yes (PaaS)	Yes, Password (PaaS) Yes, MFA (PaaS)	Yes (OP/RP, User Pools) Yes (Inbound, Identity Pools)	Yes (Identity Pools AWS STS for resource access)	Yes	Yes (User Pools)	Conditionally Yes (Identity Pools w/ deep AWS integration)
 SSO	Yes (IaaS w/ AWS IAM) Yes (PaaS)	Yes, Password (IaaS) Yes, MFA (IaaS)	Yes (Workforce) Yes (AWS accounts)	Yes (through AWS IAM)	Yes (through AWS IAM)	Yes (Workforce)	Yes (Workforce)
 Directory Service	Yes	Yes, Password (AD as AWS IAM/AWS SSO User Store)	No	Conditionally Yes (If used as AWS SSO user store)	Yes (AD workloads, AWS SSO user store)	Yes (AD workloads, AWS SSO user store)	Yes (AD workloads, AWS SSO user store)

Things to Remember & Next Steps

- AWS IAM will always ultimately control access to AWS resources
- Use AWS SSO to simplify the authorization constructs of AWS IAM and bridge the platform-centric mindset with a use case-driven mindset
- AWS SSO and AWS Organizations make administrative LCM and access to AWS accounts much easier
- Refine authorization when using AWS SSO & AWS Organization via additional policies in AWS IAM

Things to Remember & Next Steps, cont.

- Amazon Cognito provides identity services for applications. It is good for enterprise-developed applications, *assuming you connect the User Pool to your enterprise IDP*
- Cognito Identity Pools plus AWS STS allows Cognito identities to access AWS resources like any other AWS IAM principal. This is good for app teams w/ deep AWS integration
- AWS Directory Service is useful for organizations that use AD as their user store. AWS Directory Service can populate AWS IAM directly, but it's easier to use it as AWS SSO's user store

RSA®Conference2022

Questions?

Jon Lehtinen

jon.lehtinen@okta.com

jehtinen@idpro.org

@jonlehtinen

