RS/Conference2020

San Francisco | February 24 – 28 | Moscone Center



SESSION ID: DSO-T12

Which Developers and Teams Are More Likely to Write Vulnerable Software?



Anita D'Amico, Ph.D.

CEO
Code Dx, Inc.
@anitadamico

Chris Horn

Senior Researcher Secure Decisions @chornsec

Lightning round of my talk

- New research links human factors to software quality and security
- Certain characteristics of software developers and work environments correlate with quality and security issues in code
- You can use knowledge of how human factors affect performance in medicine and transportation to structure work environments that yield more secure software
- You can use information about human factors to:
 - More efficiently hunt for vulnerabilities in code
 - Structure your software development team to write better and more secure code



Outline of today's talk

- Why investigate human factors that affect code quality and security?
- How do we conduct research to discover these human factors?
- What has been discovered thus far?
 - Work environment
 - Team characteristics
 - Developer behaviors & characteristics
- Where can we draw lessons learned from non-software domains?
 - Factors that affect human performance in transportation, medicine & healthcare, occupational safety




RSA*Conference2020

Why?

Why should we investigate human factors that affect code quality and security?

Software vulnerabilities are a major gateway to

breaches



Equifax Says Cyberattack May Have Affected 143 Million in the U.S.

\$1 FOR 2 MONTHS

100%

60%

80%

By Tara Siegel Bernard, Tiffany Hsu, Nicole Perlroth and Ron Liebe Sept. 7, 2017

Equifax, one of the three major consumer credit reporting

Thursday that hackers had gained access to it potentially compromised sensitive information lerican consumers, including Social Security



Software vulnerabilities remain undiscovered for years

- Heartbleed took 2 years to discover
 - 500,000 secure web servers were vulnerable to theft of private keys and passwords¹
- Apache Struts vulnerability (in Equifax breach) took 4 years to discover
 - Vulnerability exposed personal financial information of 143 million Americans²
- On average, vulnerabilities in open source projects remain undiscovered for two years³




Static Application Security Testing (SAST) and manual code reviews don't find all software vulnerabilities

One static analysis tool, on average, will only detect

14% of all security weaknesses¹





Manual code reviewers have difficulty finding vulnerabilities in code

Where would you hunt for vulnerabilities in code?

Could you search for security issues based on **human factors**?



Developer characteristics

Team characteristics

When code was written

Where code was written



Human factors are properties of people and their environment that affect human performance

Psychological



Learning

- Ability to focus attention
- Short/long term memory
- Decision making
- Collaboration & conflict
- Communication
- Cultural norms ...

Physiological



- Hearing sensitivity
- Fatigue
- Circadian rhythm
- Endurance
- Health ...

Environmental



- Distractions
- Temperature
- Lighting ...

Human factors are considered in safety-critical systems.

Why not software engineering?



Individual



RSA*Conference2020

How?

How do we conduct research to discover human factors that affect code quality and security?

Prior human factors research in academia & industry

- Mine existing source code repositories and other systems for indirect measures of human factors
 - Analyze relationships to known vulnerabilities and failures
 - Medium & large open source software projects
 - Linux kernel, Chromium browser, PostgreSQL, etc.
 - No direct measurement of human factors
- Limited studies of proprietary development
 - Mostly large organizations, e.g. Microsoft, AT&T
- We are performing research under a DARPA R&D contract
 - Expanding research to proprietary development
 - Studying human factors directly









Technical approach to DARPA-funded study

Goal: Identify human factors that indicate where vulnerabilities may occur in open source and proprietary code





Vulnerability history analysis

Discover predictors

Curate & explore history of open source vulnerabilities (intro, persistence, discovery, etc.)



What's different?

Proprietary environment
Static application security test (SAST) findings as security outcome measures
Studying developers as they code
Analysis of vulnerability histories to identify contributors to introduction, failure to discover, and eventual discovery of vulnerabilities

Research aims to answer: Can human factors predict code quality & security?

Predictors = Human Factors

- Developer's focused attention
- Context switching
- Team size
- Team collaboration
- Co-location of developers
- File editing behaviors
- Team communication
- Number of hours worked
- Time of day
- Fatigue

Outcomes = Code Security & Quality

- Publicly disclosed vulnerabilities
- Number and type of security weaknesses found by SAST
- Bug frequency
- Failure rates




RSA Conference 2020

What?

What has been discovered thus far?

Does team co-location influence code quality?

- Microsoft studied post-release failures in Windows Vista and Office 2010 binaries
 - Compared binaries authored by co-located and distributed teams
- NO No difference in failure rate btw. teams^{1,2}
 - No difference between teams in same building, cafeteria, campus, locality, or continent¹
 - Binaries authored by distributed
 teams had ≤6% higher rate of failure¹






Does time of day of code commits influence code quality?

YES

Late night commits have more bugs than morning commits

 Percent of buggy commits between midnight and 4 AM is higher than commits between 7 AM and noon¹



Notional chart of typical circadian rhythm showing alertness throughout day



Does focus of developer's attention influence code security?

- Unfocused contribution is an indicator of how much attention developers focus on specific files
 - A file has high unfocused contribution when:
 - Developers of a file are also busy modifying other files, or
 - When the number of unique contributors to a file increases



More unfocused contribution ← more insecure code

- Chromium and Apache Web Server files with 1+ vulnerability had higher unfocused contribution
- Four repos we studied (2 open source, 2 proprietary): as unfocused contribution increases so do the number of static analysis findings



Does number of developers who contribute to a file influence code quality and security?

YES More developers ↔ more quality issues


Microsoft: more developers ↔ more pre- and post-release failures²

$\underbrace{\mathsf{YES}}$ More developers \longleftrightarrow more security issues

- Linux kernel, source code files with 9+ developers were
 16 times more likely to have a vulnerability¹ than files with fewer developers
- Chromium files with 9+ devs were 68 times more likely to have a vulnerability
- Apache web server files with 9+ developers were 117 times more likely
- Four projects we studied (2 open, 2 proprietary), source code files with more developers contained more static analysis findings



Why does number of developers affect code quality or security?



Perhaps a bystander effect?



Do large numbers of developers always have a bad effect?

NO More developers (more quality issues



- In four open source projects, lines of code modified to fix a defect had fewer contributors than other source lines¹
- Study of telephone switching software modules found no correlation between numbers of developers and bug fixes²
- AT&T found number of developers contributing to a file had a negligible effect on performance of a fault prediction model³

Quality & security issues are similar, but not the same^{4,5}




Does developer experience influence code quality?

- Developer experience defined as:
 - Number of commits to the repository, component, file, etc.¹
 - Time since first commit to the repository²
- YES
- More developer experience ↔ higher quality software
- Microsoft found components with more minor contributors have more pre- & post-release failures¹
 - Minor contributor is a developer whose made a small number of commits (≤ 5%) relative to total for component
- In Linux Kernel and PostgreSQL², experienced devs had fewer buggy commits
 - Developers who contribute daily write fewer buggy commits
 - Day-job developers are more likely to produce bugs



Does how developers interact with each other's code influence code quality or security?

- "Interactive churn" measures percent of commit's line changes that modify code last touched by another developer
- YES Editing others' code ←→ more vulnerabilities
 - In Chromium and Apache Web Server, files with at least one known vulnerability had commits with more interactive churn than files without a known vulnerability





RSA*Conference2020

Where?

Where can we draw lessons learned from non-software domains?

Human factors are widely known to affect performance & safety



- Transportation
 - US Federal Aviation Administration (FAA) publishes "Dirty Dozen" list of 12 human factors that lead to accidents
 - US National Transportation Safety Board (NTSB) performs root cause analyses
- Medicine & healthcare
 - World Health Organization (WHO),
 National Institutes of Health (NIH)
 training materials
- US Occupational Safety and Health Organization (OSHA)



Fatigue & vigilance

- Fatigue well-known to degrade human performance
 - After 17–19 hours without sleep, performance can be equal or worse than with a blood alcohol content (BAC) of $0.05\%^{1,2}$



- Medicine Fatigue-related rules³ for medical student residents
 - 80 hours per week limit, max shift duration of 24 hours,
 1 day off per week, "on-call" no more than once ever 3 nights
- U.S. Department of Transportation: max commercial drive time of 11 hours + mandatory breaks⁴
- U.S. Navy sleep regulations are based on accident investigations⁵
 - More predictable sleep schedules, oriented to circadian rhythm



Culture

Culture

- Complex mixture of beliefs, values, attitudes, behaviors, and goals^{1,2,3}
- "Set of shared, taken-for-granted implicit assumptions that a group holds and that determines how it perceives, thinks about and reacts to its various environments" 5
- Health care: Culture directly linked to medical outcomes
 - Safety culture in ICUs is positively correlated with patient outcomes⁴
 - 2-year culture change intervention in 10 U.S. hospitals yielded improved patient outcomes⁵
- Security culture can affect level of attention developers give to designing security into software, and response to security issues



RSA*Conference2020

How to apply these findings in your workplace

How can you apply these human factors findings?

Use human factors to point you to code that might have vulnerabilities. Look at:

- Code committed after midnight
- Files where 9 or more developers contributed to a file
- Files where developers are often editing each other's code

Manage the development environment to produce more secure code

- Keep developers focused on just a few files; don't spread them across many different ones
- Limit the number of developers contributing to files
- More closely review code committed by developers who have little experience with the code base
- Introduce security culture



To participate in research or learn more, contact

Dr. Anita D'Amico
CEO,
Code Dx, Inc.
anita.damico@codedx.com
@anitadamico

Chris Horn
Senior Researcher
Secure Decisions
chris.horn@securedecisions.com
@chornsec



RSA*Conference2020

References

Citations of scientific findings referenced in this presentation

References

Citations are by slide and footnote number: [slide# – citation#]

- [6 1] Based on Synopsys estimate using 2014 Netcraft Web Server Survey data, http://heartbleed.com/
- [6–2] B. Fung, "Equifax's massive 2017 data breach keeps getting worse," Washington Post. [Online].
- [6 3] https://www.se.rit.edu/~swen-331/projects/history/
- [7–1] Kris Britton and Chuck Willis, "Sticking to the Facts: Scientific Study of Static Analysis Tools", Sept 2011: http://vimeo.com/32421617
- [15 1] C. Bird, N. Nagappan, P. Devanbu, H. Gall, and B. Murphy, "Does distributed development affect software quality? An empirical case study of Windows Vista," 2009, pp. 518–528.
- [15 2] Kocaguneli, Ekrem, Thomas Zimmermann, Christian Bird, Nachiappan Nagappan, and Tim Menzies. 2013. "Distributed Development Considered Harmful?" In *Proceedings of the 2013 International Conference on Software Engineering*, 882–890. ICSE '13. Piscataway, NJ, USA: IEEE Press.
- [16 1] J. Eyolfson, L. Tan, and P. Lam, "Do Time of Day and Developer Experience Affect Commit Bugginess," in Proc. Eighth Working Conf. Mining Software Repositories, 2011, pp. 153–162.
- [18 1] A. Meneely and L. Williams, "Secure Open Source Collaboration: An Empirical Study of Linus' Law," in Proceedings of the 16th ACM Conference on Computer and Communications Security, New York, NY, USA, 2009, pp. 453–462
- [18 2] C. Bird, N. Nagappan, B. Murphy, H. Gall, and P. Devanbu, "Don't Touch My Code!: Examining the Effects of Ownership on Software Quality," in Proceedings of the 19th ACM SIGSOFT Symposium and the 13th Euro Conf on Found of Soft Eng, New York, NY, USA, 2011, pp. 4–14.
- [20 1] F. Rahman and P. Devanbu, "Ownership, Experience and Defects: A Fine-grained Study of Authorship," in Proc of the 33rd Intl Conf on Software Engineering, New York, NY, USA, 2011, pp. 491–500
- [20 2] T. L. Graves, A. F. Karr, J. S. Marron, and H. Siy, "Predicting Fault Incidence Using Software Change History," IEEE Transactions on Software Engineering, vol. 26, no. 7, pp. 653–661, Jul. 2000.
- [20 3] E. J. Weyuker, T. J. Ostrand, and R. M. Bell, "Do too many cooks spoil the broth? Using the number of developers to enhance defect prediction models," Empirical Software Engineering, vol. 13, no. 5, pp. 539–559, Oct. 2008
- [20 4] Munaiah, Nuthan, Felivel Camilo, Wesley Wigham, Andrew Meneely, and Meiyappan Nagappan. "Do Bugs Foreshadow Vulnerabilities? An in-Depth Study of the Chromium Project." Empirical Software Engineering 22, no. 3 (June 2017): 1305–1347. https://doi.org/10.1007/s10664-016-9447-3.
- [20 5] Gegick, Michael, Pete Rotella, and Laurie Williams. "Toward Non-Security Failures as a Predictor of Security Faults and Failures." In Engineering Secure Software and Systems, edited by Fabio Massacci, Samuel T. Redwine, and Nicola Zannone, 5429:135–49. Berlin, Heidelberg: Springer Berlin Heidelberg, 2009. https://doi.org/10.1007/978-3-642-00199-4 12.



References

Citations are by slide and footnote number: [slide# - citation#]

- [21 1] J. Eyolfson, L. Tan, and P. Lam, "Do Time of Day and Developer Experience Affect Commit Bugginess," in Proc. Eighth Working Conf. Mining Software Repositories, 2011, pp. 153–162.
- [21 2] C. Bird, N. Nagappan, B. Murphy, H. Gall, and P. Devanbu, "Don't Touch My Code!: Examining the Effects of Ownership on Software Quality," in Proceedings of the 19th ACM SIGSOFT Symposium and the 13th Euro Conf on Found of Soft Eng, New York, NY, USA, 2011, pp. 4–14.
- [24 1] S. Wang and N. Nagappan, "Characterizing and Understanding Software Developer Networks in Security Development," CoRR, vol. abs/1907.12141, 2019.
- [25 1] Williamson, A, and A. Feyer. "Moderate Sleep Deprivation Produces Impairments in Cognitive and Motor Performance Equivalent to Legally Prescribed Levels of Alcohol Intoxication." Occupational and Environmental Medicine 57, no. 10 (October 2000): 649–55. https://doi.org/10.1136/oem.57.10.649.
- [25 2] Dawson, Drew, and Kathryn Reid. "Fatigue, Alcohol and Performance Impairment." Nature 388, no. 6639 (July 1997): 235–235. https://doi.org/10.1038/40775.
- [25 3] "Duty Hours and Patient Safety." AHRQ Patient Safety Network, January 2019. https://psnet.ahrq.gov/primers/primer/19/duty-hours-and-patient-safety.
- [25 4] "Summary of Hours of Service Regulations." Text. Federal Motor Carrier Safety Administration, December 30, 2013. https://www.fmcsa.dot.gov/regulations/hours-service/summary-hours-service-regulations.
- [25 5] Ziezulewicz, Geoff. "Navy Issues New Sleep and Watch Schedule Rules for the Surface Fleet." Navy Times, September 20, 2017. https://www.navytimes.com/news/your-navy/2017/09/20/navy-issues-new-sleep-and-watch-schedule-rules-for-the-surface-fleet/.
- [27 1] "What Is a PE?" Accessed September 16, 2019. https://www.nspe.org/resources/licensure/what-pe.



References

Citations are by slide and footnote number: [slide# – citation#]

- [26 1] 1 "8 Steps to a Strong Safety Culture." Accessed September 16, 2019. https://www.ishn.com/articles/91474-8-steps-to-a-strong-safety-culture.
- [26 2] Cole, Kerstan, Susan Stevens-Adams, and Caren Wenner. "A Literature Review of Safety Culture.," March 1, 2013. https://doi.org/10.2172/1095959.
- [26 3] Sexton, John B., Robert L. Helmreich, Torsten B. Neilands, Kathy Rowan, Keryn Vella, James Boyden, Peter R. Roberts, and Eric J. Thomas. "The Safety Attitudes Questionnaire: Psychometric Properties, Benchmarking Data, and Emerging Research." BMC Health Services Research 6, no. 1 (April 3, 2006): 44. https://doi.org/10.1186/1472-6963-6-44.
- [26 4] Huang, David T., Gilles Clermont, Lan Kong, Lisa A. Weissfeld, J. Bryan Sexton, Kathy M. Rowan, and Derek C. Angus. "Intensive Care Unit Safety Culture and Outcomes: A US Multicenter Study." International Journal for Quality in Health Care 22, no. 3 (June 2010): 151–61. https://doi.org/10.1093/intqhc/mzq017.
- [26 5] Curry, Leslie A., Marie A. Brault, Erika L. Linnander, Zahirah McNatt, Amanda L. Brewster, Emily Cherlin, Signe Peterson Flieger, Henry H. Ting, and Elizabeth H. Bradley. "Influencing Organisational Culture to Improve Hospital Performance in Care of Patients with Acute Myocardial Infarction: A Mixed-Methods Intervention Study." BMJ Quality & Safety 27, no. 3 (March 1, 2018): 207–17. https://doi.org/10.1136/bmjqs-2017-006989.
- [26 6] Schein, E. H. (1996). Culture: The missing concept in organization studies. Administrative Science Quarterly, 41(2), 229–240

