

Cucumber Report

Mar 28, 2024, 8:46:27 PM

Start : Mar 28, 8:45:12.554 PM

End : Mar 28, 8:46:26.313 PM

Duration : 1 m 13.759 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 3
FAILED - 2
SKIPPED - 0

PASSED - 25
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login functionality</u>	8.984 s	1	1	0	0	3	3	0	0
<u>Country Functionality</u>	11.285 s	1	1	0	0	6	6	0	0
<u>Country Multi Scenario</u>	32.420 s	2	1	1	0	12	11	1	0
<u>Citizenship Functionality</u>	21.045 s	1	0	1	0	6	5	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	2	2	0	0	2	2	0	0
@Regression	5	3	2	0	4	2	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login functionality</u>	1	1	0	0	8.984 s
2	<u>Country Functionality</u>	1	1	0	0	11.285 s
3	<u>Country Multi Scenario</u>	2	1	1	0	32.420 s
4	<u>Citizenship Functionality</u>	1	0	1	0	21.045 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	8.982 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	6	0	0	11.285 s
3	<u>Country Multi Scenario</u>	<u>Create a Country</u>	6	6	0	0	11.266 s
4	<u>Country Multi Scenario</u>	<u>Create a Country 2</u>	6	5	1	0	21.151 s
5	<u>Citizenship Functionality</u>	<u>Login in citizenships</u>	6	5	1	0	21.045 s

Login functionality



PASSED	DURATION - 8.984 s	Scenarios		Steps	
/ 8:45:12.554 PM // 8:45:21.538 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password


<div><div>PASSED</div><div>DURATION - 8.982 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:45:12.556 PM // 8:45:21.538 PM /</div>				
<div>Login functionality</div>				
<div>@SmokeTest @Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	1.996 s
2	When Enter username and password and click login button	PASSED	0.796 s
3	Then User should login successfully	PASSED	1.062 s

Country Functionality


PASSED	DURATION - 11.285 s	Scenarios		Steps	
/ 8:45:21.545 PM // 8:45:32.830 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create a country




#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	1.581 s
2	When Enter username and password and click login button	PASSED	0.780 s
3	Then User should login successfully	PASSED	1.066 s
4	And Navigate to country	PASSED	1.285 s
5	When Create a country	PASSED	0.931 s
6	Then Success message should be displayed	PASSED	0.540 s

Country Multi Scenario





Create a Country



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	1.580 s
2	When Enter username and password and click login button	PASSED	0.779 s
3	Then User should login successfully	PASSED	1.061 s
4	And Navigate to country	PASSED	1.279 s
5	When Create a country	PASSED	0.922 s
6	Then Success message should be displayed	PASSED	0.537 s


Create a Country 2

<div>FAILED</div> <div>DURATION - 21.151 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:45:44.111 PM // 8:46:05.262 PM /				
Country Multi Scenario				
@Regression				



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	1.571 s
2	When Enter username and password and click login button	PASSED	0.772 s
3	Then User should login successfully	PASSED	1.055 s
4	And Navigate to country	PASSED	1.294 s
5	When Create a country name as "ulkeasd123" code as "u123a"	PASSED	0.920 s
6	Then Success message should be displayed org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Pages.ParantPage.verifyContainsText(ParantPage.java:43) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:42) at ?.Success message should be displayed(file:///C:/Users/w10/IdeaProjects/Cucumber_Ben/src/test/java/FeatureFiles/_04_CountryMultipleScenarios.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.	FAILED	10.299 s

#	Step / Hook Details	Status	Duration
	<p>selenium.chrome.ChromeDriver Command: [79da67bee2722fe84dc3a35664ef6996, findElement {value=//div[contains(text(),'successfully')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lw10\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52255}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52255/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 79da67bee2722fe84dc3a35664ef6996</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.ParantPage.verifyContainsText(ParantPage.java:43) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:42) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.237 s

#	Step / Hook Details	Status	Duration
	<p>screenshot name</p> 		

Citizenship Functionality

FAILED	DURATION - 21.045 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 8:46:05.268 PM // 8:46:26.313 PM /					

Login in citizenships

FAILED	DURATION - 21.045 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 8:46:05.268 PM // 8:46:26.313 PM /				
Citizenship Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	1.583 s
2	When Enter username and password and click login button	PASSED	0.780 s
3	Then User should login successfully	PASSED	1.058 s
4	And Navigate to Citizenships	PASSED	1.269 s
5	When Create a name as "asd1234567" as "415634155"	PASSED	0.854 s
6	Then Success message should be displayed	FAILED	10.290 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 10 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Pages.ParantPage.verifyContainsText(ParantPage.java:43) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:42) at ?.Success message should be displayed(file:///C:/Users/w10/IdeaProjects/Cucumber_Ben/src/test/java/FeatureFiles/_05_CitizenShipParameter.feature:18) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[contains(text(),'successfully')]"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [52aaa67d1104fc2398069fc10ae401ec, findElement {value=//div[contains(text(),'successfully')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\w10\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52293}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52293/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 52aaa67d1104fc2398069fc10ae401ec atjdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.ParantPage.verifyContainsText(ParantPage.java:43) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:42) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.209 s
	screenshot name		
	