Training Day10
Report:

26 June 2024

Keys Takeways:

1. Downloading Apache Jena Fuseki

- **Visit Official Website**: Go to the Apache Jena website at jena.apache.org.
- **Navigate to Downloads**: Find the download section for Fuseki.
- **Select Version**: Choose the desired version of Fuseki. The latest stable release is recommended.
- **Download Archive**: Download the zip or tar.gz archive suitable for your operating system.
- **Extract Files**: Extract the downloaded archive to a preferred directory on your system.

2. Java Version Requirements

- **Java Compatibility**: Ensure that you have Java installed on your system. Apache Jena Fuseki requires Java 8 or later.
- **Check Java Version**: Open a terminal or command prompt and run the command `java -version` to verify your Java version.
- **Install/Update Java**: If needed, download and install the latest Java Development Kit (JDK) from the Oracle website or use an open-source alternative like OpenJDK.

3. Uploading Data Over Apache Jena Fuseki

- **Start Fuseki Server**: Navigate to the directory where Fuseki is extracted and run the server using the command `./fuseki-server` (Linux/Mac) or `fuseki-server.bat` (Windows).
- **Access Fuseki UI**: Open a web browser and go to `http://localhost:3030` to access the Fuseki user interface.
- **Create a Dataset**:

o Click on "Datasets".

o Click on "Add new dataset".

o Enter a name and select the dataset type (e.g., in-memory or TDB).

- **Upload RDF Data**:

  o Select the newly created dataset.

  o Go to the "Upload" tab.

  o Choose the RDF data file (e.g., .ttl, .rdf) from your local machine.

  o Click "Upload" to load the data into the dataset.

4. Writing and Executing a Query

- **SPARQL Query Execution**:

  o Select the dataset you want to query from the Fuseki interface.

  o Go to the "Query" tab.

- **Writing a Query**:

  o Use SPARQL, a query language for RDF data. Example query:

```sparql
Copy code
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
SELECT ?name WHERE {
  ?person a foaf:Person .
  ?person foaf:name ?name .
}
```

  o This query selects the names of all persons in the dataset.

- **Running the Query**:
  - o Enter the SPARQL query into the query text area.
  - o Click "Run Query" to execute.
  - o View results in the results pane, which displays the query output in tabular form.

	sub	pred	obj
1	<http://visualdataweb.org/newOntology/contain>	<http://www.w3.org/1999/02/22-rdf-syntax-ns#type>	<http://www.w3.org/2002/07/owl#ObjectProperty>
2	<http://visualdataweb.org/newOntology/contain>	<http://www.w3.org/2000/01/rdf-schema#label>	"has access"@en
3	<http://visualdataweb.org/newOntology/contain>	<http://www.w3.org/2000/01/rdf-schema#range>	<http://visualdataweb.org/newOntology/medicine_store>
4	<http://visualdataweb.org/newOntology/contain>	<http://www.w3.org/2000/01/rdf-schema#domain>	<http://visualdataweb.org/newOntology/Patients>
5	<http://visualdataweb.org/newOntology/Bone_Patient>	<http://www.w3.org/1999/02/22-rdf-syntax-ns#type>	<http://www.w3.org/2002/07/owl#Class>
6	<http://visualdataweb.org/newOntology/Bone_Patient>	<http://www.w3.org/2000/01/rdf-schema#label>	"Bone Patient"@en
7	<http://visualdataweb.org/newOntology/givesss>	<http://www.w3.org/1999/02/22-rdf-syntax-ns#type>	<http://www.w3.org/2002/07/owl#DatatypeProperty>
8	<http://visualdataweb.org/newOntology/givesss>	<http://www.w3.org/2000/01/rdf-schema#label>	"givesss"@en
9	<http://visualdataweb.org/newOntology/givesss>	<http://www.w3.org/2000/01/rdf-schema#range>	<http://www.w3.org/2000/01/rdf-schema#Datatype>
10	<http://visualdataweb.org/newOntology/givesss>	<http://www.w3.org/2000/01/rdf-schema#domain>	<http://visualdataweb.org/newOntology/vehicles_facitiy>

Table ≣ Response   10 results in 0.086 seconds   Simple view☐ Ellipse☑ Filter query results   Page size: 50

Showing 1 to 10 of 10 entries   <   1   >