

# Index

A G I P Q S T U

All Classes and Interfaces | All Packages

## A

**Answer** - Class in application

**Answer(int, int, String, String, boolean)** - Constructor for class application.Answer

**Answer(int, String, String, boolean)** - Constructor for class application.Answer

application - package application

## G

**getAnswerID()** - Method in class application.Answer

**getAnswerText()** - Method in class application.Answer

**getAuthor()** - Method in class application.Answer

**getAuthor()** - Method in class application.Question

**getDateMade()** - Method in class application.Question

**getDescription()** - Method in class application.Question

**getEmail()** - Method in class application.User

**getId()** - Method in class application.PrivateMessage

**getMessageText()** - Method in class application.PrivateMessage

**getName()** - Method in class application.User

**getPassword()** - Method in class application.User

**getQuestionID()** - Method in class application.Answer

**getQuestionID()** - Method in class application.Question

**getQuestionID()** - Method in class application.questionReview

**getQuestionReviewID()** - Method in class application.questionReview

**getRecipient()** - Method in class application.PrivateMessage

**getReviewer()** - Method in class application.questionReview

**getReviewText()** - Method in class application.questionReview

**getRoles()** - Method in class application.User

**getSender()** - Method in class application.PrivateMessage

**getTimestamp()** - Method in class application.PrivateMessage

**getTitle()** - Method in class application.Question

**getUserName()** - Method in class application.User

## I

**isAccepted()** - Method in class application.Answer

**isReview()** - Method in class application.Answer

**isValid()** - Method in class application.Answer

**isValid()** - Method in class application.Question

## P

**PrivateMessage** - Class in application

**PrivateMessage(int, String, String, String, LocalDateTime)** - Constructor for class application.PrivateMessage

**PrivateMessage(String, String, String)** - Constructor for class application.PrivateMessage

## Q

**Question** - Class in application

**Question(int, String, String, String)** - Constructor for class application.Question

**Question(String, String, String)** - Constructor for class application.Question

**questionReview** - Class in application

**questionReview(int, int, String, String)** - Constructor for class application.questionReview

**questionReview(int, String, String)** - Constructor for class application.questionReview

## S

**setAccepted(boolean)** - Method in class application.Answer

**setAnswerID(int)** - Method in class application.Answer

**setAnswerText(String)** - Method in class application.Answer

**setAuthor(String)** - Method in class application.Answer

**setAuthor(String)** - Method in class application.Question

**setDateMade(LocalDateTime)** - Method in class application.Question

**setDescription(String)** - Method in class application.Question

**setId(int)** - Method in class application.PrivateMessage

**setMessageText(String)** - Method in class application.PrivateMessage

**setQuestionID(int)** - Method in class application.Answer

**setQuestionID(int)** - Method in class application.Question

**setRecipient(String)** - Method in class application.PrivateMessage

**setReviewText(String)** - Method in class application.questionReview

**setRole(ArrayList<String>)** - Method in class application.User

**setSender(String)** - Method in class application.PrivateMessage

**setTimestamp(LocalDateTime)** - Method in class application.PrivateMessage

**setTitle(String)** - Method in class application.Question

## T

**toString()** - Method in class application.Answer

**toString()** - Method in class application.PrivateMessage

**toString()** - Method in class application.Question

**toString()** - Method in class application.User

## U

**User** - Class in application

The User class represents a user entity in the system.

**User(String, String, String, String, String)** - Constructor for class application.User

**User(String, String, String, ArrayList<String>, String)** - Constructor for class application.User

A G I P Q S T U

All Classes and Interfaces | All Packages