

Dr. Naira

- سما سامي
- مروة عبدالله
- وعد محمد
- همس أحمد
- هند رضا
- منار مجدي
- ندى السيد



Choose the Correct Answer

The bird's beak is made of

- Bone only
- Hard keratinized epidermal structure
- Cartilage
- Soft connective tissue

The only tooth in birds appears

- During adulthood
- During flight
- While hatching
- During molting

Esophagus

The esophagus in birds is

- A muscular tube connecting mouth to stomach
- Located on the left side of the neck
- Used for enzymatic digestion
- Absent in some species

Choose the Correct Answer

Crop

The function of the crop is

- Enzymatic digestion
- Temporary food storage and softening
- Absorption of nutrients
- Secretion of bile

Crop milk is produced in and considered to be source of

- All birds – mycoplasma
- Chicken only – E coli
- Pigeons and doves – Trichomoniasis
- Ducks – mycobacterium avium

Cecum

The main function of the intestinal ceca is

- Secretion of bile
- Water absorption and fiber digestion
- Protein synthesis

Choose the Correct Answer

Liver

In birds, the liver

.....

- Has a larger left lobe
- Has a larger right lobe
- Is white in color
- Is not involved in digestion

Site for tracheal swab

- Trachea
- Lung
- Larynx
- Glottis

No. of air sac is

- 9
- 10
- 15

Choose the Correct Answer

in case of 7 air sac is absent

- Cervical
- Thoracic
- Abdominal

Marek's ds affecting Brachial plexus causing wing paralysis

- Unilateral
- Bilateral

Intro

Choices

True & False

Outro

True & False

Birds have teeth used for crushing food.



Gizzard helps in mechanical digestion.



There are two functional ovaries in hens.



Air sacs help in temperature regulation.



Bursa of Fabricius is part of the immune system.




Intro

Choices

True & False

Outro



Meckel's diverticulum

Proventriculus


2

Ventriculus (gizzard)

1

3 Duodenal loop

4 Pancreas



Thank you !

- سما سامي
- مروة عبدالله
- وعد محمد
- همس أحمد
- هند رضا
- منار مجدي
- ندى السيد

