

https://teorth.github.io/equational_theories[https : //github.com/teorth/equational_theories](https://github.com/teorth/equational_theories)[https : //teorth.github.io/equational_theories](https://teorth.github.io/equational_theories)

Equational theories

Terence Tao

September 28, 2024

Chapter 1

Introduction

Definition 1.1. A Magma is a set G equipped with a binary operation $\circ : G \times G \rightarrow G$.

A *law* is an equation involving a finite number of indeterminate variables and the operation \circ . A magma G then obeys that law if the equation holds for all possible choices of indeterminate variables in G . For instance, the commutative law

$$x \circ y = y \circ x$$

holds in a magma G if and only if that magma is abelian.

We will be interested in seeing which laws imply which other laws, in the sense that magmas obeying the former law automatically obey the latter. We will also be interested in *anti-implications* showing that one law does *not* imply another, by producing examples of magmas that obey the former law but not the latter.

Chapter 2

Subgraph equations

In this project we study the 4694 equational laws (up to symmetry and relabeling) that involve at most four applications of the binary operation \circ . The full list of such laws may be found [here](#), and a script for generating them may be found [here](#).

Selected equations of interest are listed below, as well as in this file. Equations in this list will be referred to as “subgraph equations”, as we shall inspect the subgraph of the implication subgraph induced by these equations.

Definition 2.1 (Equation 1). Equation1magma-def Equation 1 is the law $x = x$.

This is the trivial law, satisfied by all magmas.

Definition 2.2 (Equation 2). Equation2magma-def Equation 2 is the law $x = y$.

This is the singleton law, satisfied only by the empty and singleton magmas.

Definition 2.3 (Equation 3). Equation3magma-def Equation 3 is the law $x = x \circ x$.

This is the idempotence law.

Definition 2.4 (Equation 4). Equation4magma-def Equation 4 is the law $x = x \circ y$.

This is the left absorption law.

Definition 2.5 (Equation 5). Equation5magma-def Equation 5 is the law $x = y \circ x$.

This is the right absorption law (the dual of Definition ??).

Definition 2.6 (Equation 6). Equation6magma-def Equation 6 is the law $x = y \circ y$.

This law is equivalent to the singleton law.

Definition 2.7 (Equation 7). Equation7magma-def Equation 7 is the law $x = y \circ z$.

This law is equivalent to the singleton law.

Definition 2.8 (Equation 8). Equation8magma-def Equation 8 is the law $x = x \circ (x \circ x)$.

Definition 2.9 (Equation 38). Equation38magma-def Equation 38 is the law $x \circ x = x \circ y$.

This law asserts that the magma operation is independent of the second argument.

Definition 2.10 (Equation 39). Equation39magma-def Equation 39 is the law $x \circ x = y \circ x$.

This law asserts that the magma operation is independent of the first argument (the dual of Definition ??).

Definition 2.11 (Equation 40). Equation40magma-def Equation 40 is the law $x \circ x = y \circ y$.

This law asserts that all squares are constant.

Definition 2.12 (Equation 41). Equation41magma-def Equation 41 is the law $x \circ x = y \circ z$.

This law is equivalent to the constant law, Definition ??.

Definition 2.13 (Equation 42). Equation42magma-def Equation 42 is the law $x \circ y = x \circ z$.

Equivalent to Definition ??.

Definition 2.14 (Equation 43). Equation43magma-def Equation 43 is the law $x \circ y = y \circ x$.

The commutative law.

Definition 2.15 (Equation 46). Equation46magma-def Equation 46 is the law $x \circ y = z \circ w$.

The constant law: all products are constant.

Definition 2.16 (Equation 168). Equation168magma-def Equation 168 is the law $x = (y \circ x) \circ (x \circ z)$.

The law of a central groupoid.

Definition 2.17 (Equation 387). Equation387magma-def Equation 387 is the law $x \circ y = (y \circ y) \circ x$.

[width=0.5]../images/implications.png

Figure 2.1: Implications between the above equations.

Definition 2.18 (Equation 4512). Equation4512magma-def Equation 4512 is the law $x \circ (y \circ z) = (x \circ y) \circ z$.

The associative law.

Definition 2.19 (Equation 4513). Equation4513magma-def Equation 4513 is the law $x \circ (y \circ z) = (x \circ y) \circ w$.

Definition 2.20 (Equation 4522). Equation4522magma-def Equation 4522 is the law $x \circ (y \circ z) = (x \circ w) \circ u$.

Definition 2.21 (Equation 4582). Equation4582magma-def Equation 4582 is the law $x \circ (y \circ z) = (w \circ u) \circ v$.

This law asserts that all triple constants (regardless of bracketing) are constant.

Implications between these laws are depicted in Figure ??.

Chapter 3

General implications

In this chapter we record some general implications between equational laws.

Theorem 3.1 (Singleton law implies all other laws). *The singleton law (Definition ??) implies all other laws.*

Proof. This is clear from substitution. \square

Theorem 3.2 (All laws imply the trivial law). *All laws imply the trivial law (Definition ??).*

Proof. Trivial. \square

Every law E has a *dual* E^{op} , formed by replacing the magma operation \circ with its opposite $\circ^{\text{op}} : (x, y) \mapsto y \circ x$. For instance, the opposite of the law $x \circ y = x \circ z$ is $y \circ x = z \circ x$.

The implication graph has a duality symmetry:

Theorem 3.3 (Duality). *If E, F are equational laws, then E implies F if and only if E^{op} implies F^{op} .*

Proof. This is because a magma M obeys a law E if and only if the opposite magma M^{op} obeys E^{op} . \square

Some equational laws can be “diagonalized”:

Theorem 3.4 (Diagonalization). *An equational law of the form*

$$F(x_1, \dots, x_n) = G(y_1, \dots, y_m), \quad (3.1)$$

where x_1, \dots, x_n and y_1, \dots, y_m are distinct indeterminates, implies the diagonalized law

$$F(x_1, \dots, x_n) = F(x'_1, \dots, x'_n).$$

In particular, if $G(y_1, \dots, y_m)$ can be viewed as a specialization of $F(x'_1, \dots, x'_n)$, then these two laws are equivalent.

Proof. From two applications of (??) one has

$$F(x_1, \dots, x_n) = G(y_1, \dots, y_m)$$

and

$$F(x'_1, \dots, x'_n) = G(y_1, \dots, y_m)$$

whence the claim. □

Thus for instance, Definition ?? is equivalent to Definition ??.

Chapter 4

Subgraph implications

Interesting implications between the subgraph equations in Chapter ?? . To reduce clutter, trivial or very easy implications will not be displayed here.

Theorem 4.1 (387 implies 43). *eq387,eq43Subgraph.Equation387impliesEquation43Definition??impliesDef*

Proof. (From MathOverflow). By Definition ??, one has the law

$$(x \circ x) \circ y = y \circ x. \quad (4.1)$$

Specializing to $y = x \circ x$, we conclude

$$(x \circ x) \circ (x \circ x) = (x \circ x) \circ x$$

and hence by another application of (??) we see that $x \circ x$ is idempotent:

$$(x \circ x) \circ (x \circ x) = x \circ x. \quad (4.2)$$

Now, replacing x by $x \circ x$ in (??) and then using (??) we see that

$$(x \circ x) \circ y = y \circ (x \circ x)$$

so in particular $x \circ x$ commutes with $y \circ y$:

$$(x \circ x) \circ (y \circ y) = (y \circ y) \circ (x \circ x). \quad (4.3)$$

Also, from two applications of (??) one has

$$(x \circ x) \circ (y \circ y) = (y \circ y) \circ x = x \circ y.$$

Thus (??) simplifies to $x \circ y = y \circ x$, which is Definition ??.

□

Chapter 5

Subgraph counterexamples

Some counterexamples for the anti-implications between the subgraph equations in Chapter ??.

Theorem 5.1 (46 does not imply 4). *Subgraph.Equation46_not_iimplies_EEquation4eq46, eq4Definition??doesnot*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := 0$. \square

Theorem 5.2 (4 does not imply 4582). *Subgraph.Equation4_not_iimplies_EEquation4582eq4, eq4582Definition??d*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x$. \square

Theorem 5.3 (4 does not imply 43). *Subgraph.Equation4_not_iimplies_EEquation43eq4, eq43Definition??doesnot*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x$. \square

Theorem 5.4 (4582 does not imply 42). *Subgraph.Equation4582_not_iimplies_EEquation42eq4582, eq42Definition*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y$ equal to 1 if $x = y = 0$ and 2 otherwise. \square

Theorem 5.5 (4582 does not imply 43). *Subgraph.Equation4582_not_iimplies_EEquation43eq4582, eq43Definition*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y$ equal to 3 if $x = 1$ and $y = 2$ and 4 otherwise. \square

Theorem 5.6 (42 does not imply 43). *Subgraph.Equation42_not_iimplies_EEquation43eq42, eq43Definition??does*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x$. \square

Theorem 5.7 (42 does not imply 4512). *Subgraph.Equation42_not_iimplies_EEquation4512eq42, eq4512Definition*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x + 1$. \square

Theorem 5.8 (43 does not imply 42). *Subgraph.Equation43_not_iimplies_EEquation42eq43, eq42Definition??does*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x + y$. \square

Theorem 5.9 (43 does not imply 4512). *Subgraph.Equation43_not_implies_EEquation4512eq43, eq4512Definition??*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x \cdot y + 1$. \square

Theorem 5.10 (4513 does not imply 4522). *Subgraph.Equation4513_not_implies_EEquation4522eq4513, eq4522Definition??*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y$ equal to 1 if $x = 0$ and $y \leq 2$, 2 if $x = 0$ and $y > 2$, and x otherwise. \square

Theorem 5.11 (4512 does not imply 4513). *Subgraph.Equation4512_not_implies_EEquation4513eq4512, eq4513Definition??*

Proof. Use the natural numbers \mathbb{N} with operation $x \circ y := x + y$. \square

Theorem 5.12 (387 does not imply 42). *Subgraph.Equation387_not_implies_EEquation42eq387, eq42Definition??*

Proof. Use the boolean type Bool with $x \circ y := x || y$. \square

Theorem 5.13 (43 does not imply 387). *Subgraph.Equation43_not_implies_EEquation387eq43, eq387Definition??*

Proof. Use the natural numbers \mathbb{N} with $x \circ y := x + y$. \square

Theorem 5.14 (387 does not imply 4512). *Subgraph.Equation387_not_implies_EEquation4512eq387, eq4512Definition??*

Proof. Use the reals \mathbb{R} with $x \circ y := (x + y)/2$. \square

Theorem 5.15 (3 does not imply 42). *Subgraph.Equation3_not_implies_EEquation42eq3, eq42Definition??doesno*

Proof. Use the natural numbers \mathbb{N} with $x \circ y := y$. \square

Theorem 5.16 (3 does not imply 4512). *Subgraph.Equation3_not_implies_EEquation4512eq3, eq4512Definition??*

Proof. Use the natural numbers \mathbb{N} with $x \circ y$ equal to x when $x = y$ and $x + 1$ otherwise. \square

Theorem 5.17 (46 does not imply 3). *Subgraph.Equation46_not_implies_EEquation3eq46, eq3Definition??doesno*

Proof. Use the natural numbers \mathbb{N} with $x \circ y := 0$. \square

Theorem 5.18 (43 does not imply 3). *Subgraph.Equation43_not_implies_EEquation3eq43, eq3Definition??doesno*

Proof. Use the natural numbers \mathbb{N} with $x \circ y := x + y$. \square