SUBCOMMANDS

cache cap commer confid core cron db


Adds, removes, fetches, and flushes the WP Object Cache object. Adds, removes, and lists capabilities of a user role. Review current WP-CLI info, check for updates, or see defined aliases.

APR. 28, 19 • #WCOC

Take Command With Gustom WP-CLI Commands



WHAT IS WP-CLI



WP-CLI commands can be used to view or modify any data in WordPress, as well as tools to directly run PHP, SQL queries, scaffold code and generate translations.



WP-CLI == Bank Phone Tree

Why would someone use WP-CLI?

```
> wp post list --format=json
[{"ID":1,"post_title":"Hello world!","post_name":"hello-
world","post_date":"2019-04-24 18:33:31","post_status":"publish"}]
> wp post list --format=csv
ID,post_title,post_name,post_date,post_status
1,"Hello world!",hello-world,"2019-04-24 18:33:31",publish
```

```
> wp option update wcoc_is_awesome 1
> wp eval 'update_option( "wpoc_is_awesome", 1 );'
> wp db query
> wp [custom]
```

> wp post list --field=ID --cat=3578 | xargs -n1 -I {} sh -c 'wp post term set
{} post_format video; echo {};'



> wp search-replace 'old_key' 'new_key' wp_*_termmeta

WHY WP-CLI IS GREAT

COMPOSABLE

Commands can chain together, which allows for powerful conditions, queries and logic.

PROMPT

Prompt keeps you in your groove by asking for each flag, so you need to memorize less.

HELP

Help surfaces the PHPDoc for the command with usage details.

44 CORE COMMANDS, INFINITE POSSIBILITIES

Plus dozens of popular packages external to WP-CLI.

Why would someone create custom WP-CLI Commands?

CUSTOM COMMANDS > BASH

PLUGINS & PACKAGES

Custom commands can live in WordPress Plugins or in WP-CLI Packages, both of which can be installed remotely.

MORE RESILIENT THAN ALIASES / BASH

Hard drives fail. Shell scripts have permission issues and elude VC. Easier to run defensive checks in PHP -- so more likely to do them.

INTERMIX SHELL AND PHP

Custom Commands == Shell + PHP

HOW'S IT HAPPEN?

```
1 <?php
 3 if ( ! class_exists( 'WP_CLI' ) ) {
      return;
 5 }
 7 WP_CLI::add_command(
      'pewpewpew',
      function( $args, $assoc ) {
          $deleted = delete_option( 'config' );
          if ( $deleted ) {
              WP_CLI::success( 'Awwwyiss.' );
          } else {
13
              WP_CLI::error( 'Bad news :-|' );
15
      },
16
      array(
18
           'when' => 'before_wp_load'
19
20);
```

GOOD COMMANDS...

Have Parallel Construction

Mimic core/common args

Use formats, prompts and dryrun parameters. All prompts can be overridden programmatically