





▲ ATmega RESET# values:  
 Absolute Maximum Voltage: -0.5V to +13V  
 Input Low Voltage: 0.3 · Vcc  
 Input High Voltage: 0.9 · Vcc





	Title <b>Auto reset</b>		
	Project <b>bqZUM_BT_328.PrjPCB</b>		
	Author <b>bq</b>		
	Size: <b>A4</b>	Number: <b>3</b>	Revision: <b>0</b>
Date: <b>05/09/2014</b>	Time: <b>10:38:29</b>	Sheet <b>3</b> of <b>8</b>	






bq

Title	<b>Power</b>		
Project	<b>bqZUM_BT_328.PrjPCB</b>		
Author	<b>bq</b>		
Size: <b>A4</b>	Number: <b>4</b>	Revision: <b>0</b>	
Date: <b>05/09/2014</b>	Time: <b>10:38:30</b>	Sheet <b>4</b> of <b>8</b>	









	Title <b>USB Serial Port</b>		
	Project <b>bqZUM_BT_328.PrjPCB</b>		
	Author <b>bq</b>		
	Size: <b>A4</b>	Number: <b>6</b>	Revision: <b>3</b>
Date: <b>05/09/2014</b>	Time: <b>10:38:31</b>	Sheet <b>6</b> of <b>8</b>	



bq	Title <b>Bluetooth</b>		
	Project <b>bqZUM_BT_328.PrjPCB</b>		
	Author <b>bq</b>		
	Size: <b>A4</b>	Number: <b>7</b>	Revision: <b>0</b>
Date: <b>05/09/2014</b>		Time: <b>10:38:31</b>	Sheet <b>7</b> of <b>8</b>



	Title <b>USB/BT Adapter</b>		
	Project <b>bqZUM_BT_328.PrjPCB</b>		
	Author <b>bq</b>		
	Size: <b>A4</b>	Number: <b>8</b>	Revision: <b>0</b>
Date: <b>05/09/2014</b>	Time: <b>10:38:31</b>	Sheet <b>8</b> of <b>8</b>	



