

Bandit Level 1

Step 1: ls

Type ls command on terminal while you're on bandit0.

```
bandit0@bandit:~$ ls  
readme
```

“ls” is used to list the current directory files.

Step 2: Cat readme

```
bandit0@bandit:~$ cat readme  
Congratulations on your first steps into the bandit game!!  
Please make sure you have read the rules at https://overthewire.org/rules/  
If you are following a course, workshop, walkthrough or other educational activity,  
please inform the instructor about the rules as well and encourage them to  
contribute to the OverTheWire community so we can keep these games free!  
The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNW0Z0Ta6ip5If
```

if you cat “file name” then you will see what's on the file. Where on this case there is password for bandit1.

Step 3: SSH Connection Establishment with the bandit1


```
(kali㉿kali)-[~]  
└─$ ssh -p 2220 bandit1@13.53.215.123  
The authenticity of host '[13.53.215.123]:2220 ([13.53.215.123]:2220)' can't be established.  
ED25519 key fingerprint is: SHA256:C2ihUBV7ihnV1wUXRb4RrEcLFXC5CXlhmAAM/urErLY  
This key is not known by any other names.  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes  
Warning: Permanently added '[13.53.215.123]:2220' (ED25519) to the list of known hosts.
```

```
bandit1
```

same as level 0 but in this level the name should be “bandit1” and ip is same.

Step 4: Type the password that you saw on readme file which is

“ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5lf”



Type or paste the password you saw there on readme file.

Step 5: Check who you're

whoami

```
bandit1@bandit:~$ whoami
bandit1
bandit1@bandit:~$
```

if you saw bandit0 or anything else, then do it again.

Hack Ethically !!!