



CLOUDNATIVE
SECURITYCON

NORTH AMERICA 2023

So You Want to Run Your Own Sigstore: Recommendations for a Secure Setup

Hayden Blauzvern

Google Open Source Security Team




Sigstore Overview

Sigstore Overview




- Project under the OpenSSF (Linux Foundation)
- Simplify code-signing for artifacts
- Free, publicly available transparency log and certificate authority
- No key management

Sigstore Overview - Fulcio




Sigstore Overview - Rekor



Sigstore Overview



CLOUDNATIVE
SECURITYCON
NORTH AMERICA 2023



Why a Private Sigstore?



- Performance/availability
- Compliance
- Privacy

Recommendations for a Secure Setup

Self-Managed PKI

Artifact Signing Keys



Distribution




Storage



Compromise

Artifact Signing Keys

- Sigstore defaults to ephemeral keys
- Can issue identity-based certificates for long-lived keys ([blog post](#))
- What do you want for a verification policy?



Private CAs

- Existing CAs ([step-ca](#), [GCP CA Service](#), [AWS Private CA](#), etc) issuing certificates that conform to the Fulcio certificate profile
- Consider key management, access controls, and rotation

 x.509 Certificate

SAN
email@example.com


Issuer
https://accounts.google.com

Public Key

SCT Extension

Private Fulcio


- Certificate Transparency for an immutable issuance log
- Same key management considerations for signing backend



Private Transparency


What's a Transparency Log?

- Based on Merkle Trees
 - Immutable and append-only
- Applications
 - Certificate Transparency
 - Binary Transparency
 - Key Transparency



Transparency Logs in Sigstore

- Fulcio writes issued certificates to a certificate transparency log
- Rekor entries are appended to a transparency log




Do I Need Transparency Logs?



- Do you have an existing system for audit logging?
- Will artifacts ever be released publicly?
- Do you want an immutable record of issuance and signing?
- Can you use a database instead?

You Must Monitor!



You Must Monitor!

OSS monitors:

- <https://github.com/sigstore/rekor-monitor>
- <https://github.com/google/trillian-examples/tree/master/witness/golang>

Timestamping

Timestamping in Sigstore

 x.509 Certificate

SAN

email@example.com

Public Key

Not Valid Before: 2:17pm

Not Valid After: 2:27pm

Signed
Artifact

 Rekor Entry

Body: <base64>

Log ID: ...

Log Index: 1234

Integrated Time: 2:18pm

Timestamping in Sigstore



x.509 Certificate

SAN

email@example.com

Public Key

Not Valid Before: 2:17pm

Not Valid After: 2:27pm

Signed Timestamp

Artifact Signature: ...

Current Time: 2:18pm

Signature: ~~~

Signed
Artifact

Timestamping in Sigstore

 x.509 Certificate

SAN
email@example.com

Public Key

Not Valid Before: 2:17pm

Not Valid After: 2:27pm

Signed
Artifact

Signed Timestamp

Artifact Signature: ...

Current Time: 2:18pm

Signature: ~~~

 Rekor Entry

Body: <base64>

Log ID: ...

Log Index: 1234

IGNORED

Integrated Time: 2:18pm

Timestamping in Sigstore

 x.509 Certificate

SAN
email@example.com

Public Key

Not Valid Before: 2:17pm

Not Valid After: 2:27pm

Signed
Artifact

 Rekor Timestamp Entry

Body:

Signed Timestamp
Artifact Signature: ...
Current Time: 2:18pm
Signature: ~~~~

Log ID: ...

Log Index: 1234

IGNORED

Integrated Time: 2:18pm

 Rekor Entry

Body: <base64>

Log ID: ...

Log Index: 1234

IGNORED

Integrated Time: 2:18pm

Roots of Trust

Problems with Key Management



Distribution




Storage



Compromise

The Update Framework



Takeaways

Key Management is Hard

Auditability is Critical

How to Deploy Sigstore



#private-sigstore-users on [Slack](#)

Thank you! Questions?



CLOUDNATIVE
SECURITYCON

NORTH AMERICA 2023

