Q1: An input field accepts integers 1–1000 inclusive. Which set is a Boundary Value set?

A) {0,1,2,999,1000,1001}
B) {1,1000}
C) {0,1,2,1000,1001}
D) {1,2,999,1000}

Q2: Input amount must be positive integer 10,000. Which test is NOT BVA?

a)0

b)1

c)10.00

Q3 — What is the primary goal of Quality Assurance (QA) in software engineering?
A) Detect defects in the finished product

B) Prevent defects during the production process

C) Deliver products as fast as possible

D) Increase cost of development

Q4 — Which is NOT a key principle of software testing?

A) Exhaustive testing is possible
B) Early testing is important
C) Absence-of-errors fallacy
D) Testing shows the presence of defects, not their absence

Q5 For an input that accepts one of {Jan, Feb, Mar}, how many equivalence classes exist?

A) 1

B) 2

C) 3

D) 4

2. If an input range is -10 to 10, which of the following sets covers both EP and BVA?

A) {-10, -9, 0, 9, 10}

B) {-11, -10, 10, 11}

C) {-5, 0, 5}

D) {-10, 10}

3. Which statement about BVA is correct?

A) It tests only center values of partitions

B) It focuses on values at the edges of input ranges

C) It ignores invalid inputs

D) It applies only to Boolean inputs

4. For an input range of 1 to 1000, which set of values represents correct BVA test

cases?

A) {1, 1000, 500}

B) {0, 1, 2, 999, 1000, 1001}

C) {10, 20, 30}

D) {1, 2, 3}

5. For an input field that accepts age between 21 and 55, which of the following is an

invalid equivalence class?

A) Age = 30

B) Age < 21

C) Age = 55

D) Age = 40

What is Black Box Testing?

a) Testing the internal logic and code structure

b) Testing the software without knowing its internal code

c) Testing the user interface only

d) Testing the security vulnerabilities

2. What is the primary goal of Black Box Testing?

a) To validate the internal code structure

b) To find security vulnerabilities

c) To verify the functionality of the software

d) To review the source code

3. What is the primary focus of acceptance testing in Black Box Testing?

a) To test the user interface

b) To test individual components or units of code

c) To verify that the system meets user requirements

d) To review the source code

4. Which of the following is NOT a black-box testing technique?

a) Equivalence partitioning

b) Boundary value analysis

c) White-box testing

d) Decision table testing

5. Which of the following is a defect in the software?

a) A mistake in the test design

b) A mistake in the requirements specification

c) A mistake in the code that causes a deviation from the expected behavior

d) A mistake in the project plan

6. What is an equivalence partition (also known as an equivalence class)?

a) A set of test cases for testing classes of objects.

b) An input or output range of values such that only one value in the range becomes a test case.

c) An input or output range of values such that each value in the range becomes a test case.

d) An input or output range of values such that every tenth value in the range becomes a test case.

7. In an examination, a candidate has to score a minimum of 24 marks to pass. Identify the valid

equivalence values if the student clears the exam.

a) 22, 23, 26

b) 21, 39, 40

c) 29, 30, 31

d) 0, 15, 22

8. The specification states that an integer field shall contain values from and including 1 to and

including 12 (number of the month). Which equivalence class partitioning is correct?

a) Less than 1, 1 through 12, larger than 12

b) Less than 1, 1 through 11, larger than 12

c) Less than 0, 1 through 12, larger than 12

d) Less than 1, 1 through 11, and above

9. In Boundary Value Analysis for an integer field that must contain values from and including 11 to

1515, which equivalence classes are correct?

a) Less than 11, 11 through 1515, more than 1515

b) Negative numbers, 11 through 1515, above 1515

c) Less than 11, 11 through 1414, more than 1515

d) Less than 00, 11 through 1414, 1515 and more

10. Which principle states that the cost of fixing a defect increases as it moves through the software

development lifecycle?

a) Defect Clustering

b) Early Testing

c) Context Dependent Testing

d) Exhaustive Testing